DRAFT PLANNING AND DESIGN CODE

STATE PLANNING REFORM

WUDINNA DISTRICT COUNCIL - Council Specific Code Extract

October 2019





Government of South Australia

Department of Planning, Transport and Infrastructure

Part 1 – Rules of Interpretation

This Part 1 forms part of the Planning and Design Code. It sets out how the Code implements the requirements of section 66 of the Act and instructs the user on how the Code is to be read and applied to development assessed under the *Planning, Development and Infrastructure Act* 2016.

Introduction

This is the Planning and Design Code under the *Planning, Development and Infrastructure Act 2016* (the Act). As provided by section 65 of the Act, the State Planning Commission (the Commission) is responsible for preparing and maintaining the Planning and Design Code as a statutory instrument under the Act. The Planning and Design Code, and any amendments to the Code, as published on the SA planning portal, have been adopted by the Minister.

As provided by section 66 of the Act, the primary purpose of the Planning and Design Code is to set out a comprehensive set of policies, rules and classifications which may be selected and applied in the various parts of the State through the operation of the Planning and Design Code and the SA planning database for the purposes of development assessment and related matters within the State.

The Planning and Design Code also provides for other matters envisaged by the Act, and regulations made under the Act in Parts 5, 6, 7, 8 and 9.

Commencement

The commencement date for the Planning and Design Code was 1 July 2019.

Information about amendments to the Planning and Design Code is set out in Appendix 1.

Preliminary

Library of classification criteria (Deemed-to-Satisfy criteria), policies and rules

In addition to the classification of development, the Planning and Design Code sets out a comprehensive set of policies and rules that may be selected and applied in the various parts of the State for the purposes of the assessment of performance assessed and restricted development.

The policies and rules are collated and organised into Zones, Subzones, Overlays and General Development Policies. Together they form a library of policies ("the Code Library"). The policies that make up the library have no application in their own right, but apply according to the scheme outlined in the following paragraphs.

The policies are applied to development by reference to classes of development, and spatial location.

Zones, Subzones and Overlays are assigned spatial boundaries in the various parts of the State through the operation of the SA planning database.

Classification of development

The Planning and Design Code classifies various classes of development as:

- a) accepted development (see section 104(1) of the Act); and
- b) deemed-to-satisfy development (see section 105(a) of the Act); and
- c) restricted development (see section 108(1)(a) of the Act).

All development is classified firstly by reference to its location and the Zone, Subzone and Overlays that are applicable to the location. Classification tables applicable to each Zone identify Accepted Development, Deemed-to-Satisfy development and Restricted Development.

Accepted Development

The Code classifies development as Accepted Development in an Accepted Development Classification Table relative to a particular Zone.

An Accepted Development Classification Table for each Zone specifies criteria which must be met in order for specified classes of development to be classified as Accepted Development within the Zone. For a development to be Accepted Development all criteria applicable to a class of development must be satisfied.

Deemed-to-Satisfy Development

The Code classifies development as deemed-to-satisfy development in a Deemed-to-Satisfy Development Classification Table relative to a particular Zone.

A Deemed-to-Satisfy Classification Table for each Zone specifies criteria which must be met in order for specified classes of development to be classified as deemed-to-satisfy development within the Zone. For a development to be deemed-to-satisfy development all criteria applicable to a class of development must be satisfied.

A deemed-to-Satisfy development does not require assessment against the policies and rules applicable to performance assessed development, and must be granted a consent subject to the requirements of section 106 of the Act.

Restricted Development

The Code classifies development as restricted development in a Restricted Development Table relative to each Zone. Restricted development is a form of impact assessed development for the purposes of assessment under the Act.

Performance Assessed Development - Application of Policies to Govern Performance assessed development

All development not classified as accepted, deemed-to-satisfy, restricted or impact assessed is to be assessed on its merits against the Planning and Design Code, as contemplated by section 107 of the Act. This is referred to as performance assessed development.

Application of Policies to Classes of Development

The Code applies policies to classes of development through an Applicable Policies for Performance Assessed Development Table relative to each Zone.

An Applicable Policies for Performance Assessed Development Table for each Zone specifies the polices and rules (selected from the Code library) that apply to classes of development within the Zone, including by the application of policies within Subzones and Overlays, together with the relevant General Development Policies. The Applicable Policies for Performance Assessed Development Tables also contain rules for application of the policies under the heading "Applicable Policies" including rules relating to the application of Desired Outcome policies and Designated Performance Features. The policies specified in the Applicable Policies for Performance Assessed Development Table constitute the policies applicable to the class of development within the Zone to the exclusion of all other policies within the Code library, and no other policies are applicable.

Development that does not fall within one of the specified classes of development in an Applicable Policies for Performance Assessed Development Table is designated in the Table as "All Other Development". In respect of all other development, all policies from the Zone and Subzone, and all policies in Overlays that have application to the spatial location of the development, and all General Development Policies, are selected and applied for the purpose of assessment.

Relevant Provisions

For the purposes of section 102 of the Act the relevant authority must assess the development against the applicable policies specified by the Zone Applicable Policies for Performance Assessed Development Table that are relevant to the particular development. For the avoidance of doubt, the relevant authority may determine that one or more applicable policies is not relevant to a particular development.

Policies – Desired Outcomes and Performance Outcomes

Zone, Subzone, Overlay and General Development Policies are comprised of desired outcomes and performance outcomes. These are applicable to performance assessed development and to restricted development.

Desired outcomes are policies designed to aid the interpretation of performance outcomes by setting a general policy agenda for a Zone, Subzone, Overlay or General Development Policies module. Where a relevant authority is uncertain as to whether or how a performance outcome applies to a development, the desired outcome(s) may inform its consideration of the relevance and application of a performance outcomes outcome, or in assessing the merits of the development against the applicable performance outcomes collectively.

Performance outcomes are policies designed to facilitate assessment according to specified factors, including land use, site dimensions and land division, built form and character and hazard risk minimisation.

In order to assist a relevant authority to interpret the performance outcomes, in some cases the policy includes a standard outcome which will generally meet the corresponding performance outcome (a *designated performance feature* or DPF). Without derogating from the need to assess development on its merits against all relevant policies, a DPF provides a guide to the relevant authority as to what is generally considered to satisfy the corresponding performance outcome but does not derogate from the discretion to determine that the outcome is met in another way.

Restricted Development

For the purpose of restricted development in all Zones, all policies and rules relative to the spatial location of the development together with all General Development Policies are applicable and may be determined by the Commission to be relevant for the purposes of a particular restricted development pursuant to s110(10) of the Act.

Spatial Information

Spatial boundaries of Zones, Subzones and Overlays in relation to the parts of the State to which the Planning and Design Code applies are accessed through the SA planning database.

The classifications, rules and policies applicable to a particular class of Zone, or to a Subzone or Overlay determined in the manner set out in this Introduction, are applied to the various parts of the State by reference to the correspondingly named Zones, Subzones and Overlays that the SA planning database provides access to.

Hierarchy of Policies/Modification of Provisions

Where there is an inconsistency between provisions in the library of policies, and for the purpose of section 66(3)(b) of the Act, the following rules will apply to the extent of any inconsistency between policies:

the provisions of an Overlay will prevail over all other policies applying in the particular case;

- a) a Subzone policy will prevail over a Zone policy or a General Development Policy; and
- b) a Zone policy will prevail over a General Development Policy.

Procedural Matters – Referrals

The Code also interacts with Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017 for the purposes of section 122 of the Act. Schedule 9 prescribes development that, by reference to location, class or other features as specified in each item in the table in clause 3 of Schedule 9, and class as specified by the Code, must be referred to a body prescribed in Schedule 9. For the purposes of the specified items in the table in clause 3 of Schedule 9, the Code contains Referral Tables relative to Overlays, Zones and General Development modules. Referral Tables specify classes of development requiring referral to a prescribed body by the mechanism described in paragraph 6.2.

Referral Tables specify classes of development to which an item in the table in clause 3 of Schedule 9, identified by reference to the prescribed referral body, applies. In addition, Referral Tables identify the purpose of the referral (that being a matter that is considered by the Commission under section 66(2)(e)(ii) of the Act as being appropriate to include in the Code). Development that is within a class specified by the Referral Table, and otherwise within the corresponding item in the table in clause 3 of Schedule 9, must be referred to the prescribed referral body pursuant to s122 of the Act.

Interpretation

Definitions and Other Rules of Interpretation

A term used in the Planning and Design Code may have a meaning specifically assigned to that term by one of the following:

- a) the Planning, Development and Infrastructure Act 2016 (the Act);
- b) the Acts Interpretation Act 1915 (South Australia);
- c) the definitions in Parts 7 and 8 of the Planning and Design Code.

In the event a term has been assigned a meaning in more than one of the Code's parts (ie. a Zone, Subzone, Overlay, or General Development Policy), the meaning contained in the part that sits highest in the hierarchy of policies under clause 4 in Part 1 will prevail.

A reference in the Planning and Design Code to an Act includes a reference to any regulations or instrument made under the Act, and where an Act, regulation or instrument has been amended or replaced, if the context permits, includes a reference to the amended or replaced Act, regulations or instrument.

A reference in the Planning and Design Code to a specific resource document or standard, means the latest version of the resource document or standard.

Unless otherwise indicated, a reference in the Planning and Design Code to a Part, section or table is a reference to a Part, section or table of the Code.

Part 2 – Zones and Sub Zones

Business Neighbourhood Zone

Table 1 – Accepted Development Classification

Table 1 – Accepted Development Classification			
Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria 1 The development will not be built, or encroach, on an area that		
 Carport Except where any of the following apply: Airport Building Heights (Regulated) Overlay Building Near Airfields Overlay Defence Aviation Area Overlay Future Road Widening Overlay Historic Area Overlay Local Heritage Place Overlay Major Urban Transport Routes Overlay Murray Darling Basin Overlay Native Vegetation Overlay River Murray Flood Plain Overlay State Heritage Place Overlay State Heritage Place Overlay Urban Transport Routes Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 60m² Post height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 		

	 11 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 12 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors 13 The carport: (a) is located so that vehicle access: i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the carport access or which it provides vehicle access
 Internal building work Except where any of the following apply: State Heritage Place Overlay Local Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.
 Outbuilding (in the form of a garage) Except where any of the following apply: Airport Building Heights (Regulated) Overlay Building Near Airfields Overlay Future Road Widening Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site. Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary

Historic Area Overlay 4 Secondary street setback – at least 900mm from the boundary Local Heritage Place of the allotment (if the land has boundaries on two or more Overlay roads) Major Urban Transport 5 Total floor area - does not exceed 60m² **Routes Overlay** 6 Wall height - does not exceed 3m measured from natural **Murray Darling Basin** ground level (and not including a gable end) Overlay 7 Building height - does not exceed 5m Native Vegetation Overlay If situated on or abutting a boundary (not being a boundary 8 River Murray Flood Plain with a primary street or secondary street) - a length not Overlay exceeding 10m unless: State Heritage Area (a) a longer wall or structure exists on the adjacent site and is Overlay situated on the same allotment boundary; and State Heritage Place (b) the proposed wall or structure will be built along the same Overlay length of boundary as the existing adjacent wall or **Urban Transport Routes** structure to the same or lesser extent Overlay If the outbuilding abuts or is situated on the boundary of the 9 allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 10 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 11 Internal dimensions – exceed 3.2m in width and 6m in length between all walls and doors 12 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 13 The garage: (a) is located so that vehicle access: i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or

•

.

•

•

•

•

- ii. will use a driveway that:
 - A.is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
 - B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or

	iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and
	(b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
	(c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
	14 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
Outbuilding (not being a garage) Except where any of the	1 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system
following apply:Airport Building Heights	2 It is detached from and ancillary to a dwelling erected on the site
(Regulated) OverlayBuilding Near Airfields	3 Primary street setback – at least as far back as the building line of the building to which it is ancillary
OverlayFuture Road Widening Overlay	 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads)
Historic Area OverlayLocal Heritage Place	5 Side boundary setbacks – at least 900mm from the boundary of the allotment
Overlay	6 Total floor area does not exceed 60m ²
 Murray Darling Basin Overlay 	7 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end)
Native Vegetation Overlay	8 Building height - does not exceed 5m
 River Murray Flood Plain Overlay 	9 If situated on or abutting a boundary (not being a boundary
 State Heritage Area Overlay 	with a primary street or secondary street) – a length not exceeding 10m unless:
State Heritage Place Overlay	 (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and
	(b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
	10 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and
	(b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure

 Shade sail Except where any of the following apply: Airport Building Heights (Regulated) Overlay Building Near Airfields Overlay Building Near Airfields Overlay Future Road Widening Overlay Historic Area Overlay Local Heritage Place Overlay Local Heritage Place Overlay Major Urban Transport Routes Overlay Murray Darling Basin Overlay Native Vegetation Overlay River Murray Flood Plain Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay Urban Transport Routes 	 11 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 12 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour. 1 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 2 Shade sail consists of permeable material 3 The total area of the sail - does not exceed 40m² 4 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 5 Primary street setback – at least as far back as the building line of the building to which it is ancillary 6 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 7 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
OverlaySolar photovoltaic panels (roof mounted)Except where any of the following apply:• State Heritage Area Overlay• State Heritage Place Overlay• Local Heritage Place Overlay• Local Heritage Place Overlay• Spa poolSwimming poolExcept where any of the following apply:Except where any of the following apply:	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system. The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Allotment boundary setback – not less than 1m Primary street setback – at least as far back as the building line of the building to which it is ancillary

 Future Road Widening Overlay Local Heritage Place Overlay Historic Area Overlay Murray Darling Basin Overlay Native Vegetation Overlay River Murray Flood Plain Overlay State Heritage Area Overlay State Heritage Place Overlay 	 5 Location of filtration system from a dwelling on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case.
 Verandah Except where any of the following apply: Airport Building Heights (Regulated) Overlay Building Near Airfields Overlay Building Near Airfields Overlay Future Road Widening Overlay Historic Area Overlay Local Heritage Place Overlay Major Urban Transport Routes Overlay Murray Darling Basin Overlay Native Vegetation Overlay River Murray Flood Plain Overlay State Heritage Area Overlay State Heritage Place Overlay Urban Transport Routes Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – as far back as the building line of the building to which it is ancillary Total floor area - does not exceed 60m² Post height - does not exceed 3m measured from natural ground level Building height - does not exceed 5m Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.
Water tank (underground)	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 – Deemed-to-Satisfy Development Classification

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions re Where a dev	o-Satisfy Development Cla ferred to are Deemed-to-Satisf relopment comprises more than be taken to be the sum of the cr	y Criteria 1 one Class of	Development the relevant
 Advertisement attached to a building or structure Except where any of the following apply: Historic Area Overlay Local Heritage Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections Overlay: All DTS
Change of use from a shop, office or consulting room to a shop, office, consulting room or any combination of these uses where the area to be occupied by the proposed development is located in an existing building and is provided with existing on-site car parking	None	Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1	None	Major Urban Transport Routes Overlay: [Access – Existing Access Points] DTS 3.1 Key Outback and Rural Routes Overlay: Access – Existing Access Points] DTS 3.1

The following Classes of	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
 Except where any of the following apply: State Heritage Area Overlay State Heritage Place Overlay 				
 Dwelling addition Except where any of the following apply: Local Heritage Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay 	[Building height and setbacks]: All DTS	Clearance from Overhead Powerlines: DTS 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Design in Urban Areas [All Residential Development – External Appearance]: DTS 14.1 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1, 19.2, 19.3	None	Airport Building Heights (Regulated) Overlay: All DTS Building Near Airfields Overlay: All DTS Coastal Areas Overlay: All DTS Future Road Widening Overlay: All DTS Hazards (Bushfire – Urban Interface) Overlay: All DTS Hazards (Bushfire – Regional) Overlay: All DTS Historic Area Overlay: DTS 2.1 Key Railway Crossings Overlay: All DTS Major Urban Transport Routes Overlay: All DTS Native Vegetation Overlay: All DTS Non-stop Corridor Overlay: All DTS Sloping Land Overlay: All DTS Urban Transport Routes Overlay: All DTS

Deemed-to-Satisfy Development Classification Criteria

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: DTS 20.1		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: DTS 21.1, 21.2, 21.3		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: DTS 25.1		
		Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2		
		Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.4 Site Contamination: DTS 1.1		
Detached Dwelling Semi-Detached Dwelling	[Building height and	Clearance from Overhead Powerlines: DTS 1.1	None	Airport Building Heights (Regulated) Overlay: All DTS

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions re Where a dev	o-Satisfy Development Cla eferred to are Deemed-to-Satisf velopment comprises more thar be taken to be the sum of the cr	y Criteria 1 one Class of	Development the relevant
 Except where any of the following apply: Character Area Overlay Historic Area Overlay Local Heritage Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay 	setbacks]: All DTS	Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1 Design in Urban Areas [All Development – Car Parking Appearance]: DTS 6.1 Design in Urban Areas [All Residential Development – External Appearance]: DTS 14.1, 14.2 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1		Building Near Airfields Overlay: All DTS Coastal Areas Overlay: All DTS Future Road Widening Overlay: All DTS Hazards (Bushfire – Urban Interface) Overlay: All DTS Hazards (Bushfire – Regional) Overlay: All DTS Historic Area Overlay: DTS 2.1 Key Railway Crossings Overlay: All DTS Major Urban Transport Routes Overlay: All DTS Native Vegetation Overlay: All DTS Non-stop Corridor Overlay: All DTS Sloping Land Overlay: All DTS Urban Transport Routes Overlay: All DTS

Deemed-to-Satisfy Development Classification Criteria

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
		 Access and Servicing]: DTS 16.1 		
		Design in Urban Areas [All Residential Development – Flooding]: DTS 18.1		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1, 19.2, 19.3		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: DTS 20.1		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: DTS 21.1, 21.2, 21.3		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Water Sensitive		

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
		Design]: DTS 23.1, 23.2, 23.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Car Parking and Manoeuvrability]: DTS 24.1, 24.2, 24.3, 24.4, 24.5, 24.6 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: DTS 25.1Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Site Contamination: DTS 1.1		
Dwelling, dwellings or residential flat building undertaken by: a) the South Australian Housing Trust either individually or jointly with other persons or bodies; or	None	Housing Renewal: All DTS	None	Airport Building Heights (Regulated) Overlay: All DTS Building Near Airfields Overlay: All DTS Coastal Areas Overlay: All DTS Future Road Widening Overlay: All DTS Hazards (Bushfire – Urban Interface) Overlay: All DTS Hazards (Bushfire –

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions re Where a dev	o-Satisfy Development Classifier of the are Deemed-to-Satisfy velopment comprises more that be taken to be the sum of the cr	y Criteria none Class of	Development the relevant
b) registered Community Housing providers participating in housing renewal programs endorsed by the South Australian Housing Authority Except where any of the following apply:				Key Railway Crossings Overlay: All DTS Major Urban Transport Routes Overlay: All DTS Native Vegetation Overlay: All DTS Non-stop Corridor Overlay: All DTS Sloping Land Overlay: All DTS Urban Transport Routes Overlay: All DTS
 Character Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay 				

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions re Where a dev	o-Satisfy Development Cla eferred to are Deemed-to-Satisf velopment comprises more than be taken to be the sum of the cr	y Criteria 1 one Class of	Development the relevant
Land division	None	Land Division in Urban Areas [All Land Division – Allotment Configuration]: DTS 1.1	None	None
Temporary change of use to a <u>sales office</u> within an existing building for no more than 2 years	None	None	None	None
The construction of a new building in the same, or substantially the same, position as a building which was demolished within the previous 3 years where the new building has the same, or substantially the same, layout and external appearance as the previous building Except where any of the following apply: • Historic Area Overlay • Historic Shipwrecks Overlay	None	None	None	None

	Deemed-to-Satisfy Development Classification Criteria				
The following Classes of	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
Classes of Chief a will be taken to be the suff of the C Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'		(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
 Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay 					

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Advertisement	[Advertisements]: All	Clearance from Overhead Powerlines: PO 1.1 Advertisements: All	None	Advertising Near Signalised Intersections Overlay: All Airport Building Heights (Aircraft Landing Area) Overlay: All Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area Overlay: All Character Preservation District Overlay: All Defence Aviation Area Overlay: All

Future Roa Widening Overlay: A Historic Ar Overlay: A Key Railwa Crossings Overlay: A Local Herit Place Over All Major Urb Transport Routes Ov All	III rea III ay III tage rlay: pan
Image: Second	rea III ay III tage rlay: pan
Historic Ar Overlay: A Key Railwa Crossings Overlay: A Local Herit Place Over All Major Urb Transport Routes Over	rea III ay III tage rlay: pan
Image: Ansatz and Amage: Amag Amage: Amage: Amag	III ay III tage rlay: pan
Key Railwa Crossings Overlay: A Local Herit Place Over All Major Urb Transport Routes Ov	ay III tage rlay: pan
Crossings Overlay: A Local Herit Place Over All Major Urb Transport Routes Over	ll tage rlay: pan
Crossings Overlay: A Local Herit Place Over All Major Urb Transport Routes Over	ll tage rlay: pan
Overlay: A Local Herit Place Over All Major Urb Transport Routes Over	tage rlay: Þan
Place Over All Major Urb Transport Routes Over	rlay: ban
Place Over All Major Urb Transport Routes Over	rlay: ban
Major Urb Transport Routes Ov	
Transport Routes Ov	
Transport Routes Ov	
Routes Ov	
All	
Marine Pa	rks
(Managed	
Overlay: A	
Murray Da	arling
Basin Over	
All	,
Native	
Vegetation	n
Overlay: A	
Non-stop	
Corridor	
Overlay: A	JI
River Muri Tributaries	•
Overlay: A	
State Herit	
Area Over	lay: All
State Herit	
Place Over	rlay:
All	
Urban	
Transport	t
Routes Overlay:	ΔIJ
CarportNoneDesign in UrbanNoneAdvertisinOutbuildingAreas [AllSignalised	-
(in the form of Residential	
a garage) Development –	

Ancillary	Intersections
Development]: DTS	Overlay: All
17.1, 17.2	Airport Building
Design in Urban	Heights
Areas [Residential	(Regulated)
Development – 3	Overlay: All
Building Levels or	Building Near
Less – External Appearance]: DTS	Airfields
19.1	Overlay: All
19.1	Character Area
Design in Urban	Overlay: All
Areas [Residential	
Development – 3	Future Road
Building Levels or Less	Widening
LESS	Overlay: All
Car parking, Access	Historic Area
and	Overlay: All
Manoeuvrability]:	Key Railway
All	Crossings
Transport,	Overlay: All
Access and	Local Heritage
Parking [Vehicle Access]: DTS	Place Overlay:
3.1, 3.4, 3.5	All
	Major Urban
	Transport Routes Overlay:
	All
	Murray Darling
	Basin Overlay:
	All
	Native
	Vegetation
	Overlay: All
	River Murray
	, Flood Plain
	Overlay: All
	Sloping Land
	Overlay: All
	-
	State Heritage
	Area Overlay: All

				State Heritage Place Overlay: All Urban Transport Routes Overlay: All
Consulting room Office	[Land use and intensity]: All [Built form and character]: All [Building height and setbacks]: All [Concept plans]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1	None	Airport Building Heights (Regulated) Overlay: AllBuilding Near Airfields Overlay: AllCharacter Area Overlay: AllFuture Road Widening Overlay: AllHazards (Bushfire – Urban Interface) Overlay: AllHazards (Bushfire – Regional) Overlay: AllHistoric Area Overlay: AllLocal Heritage Place Overlay: AllMajor Urban Transport Routes Overlay: AllMurray Darling Basin Overlay: All

Community	[Land use and	[Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking co Vehicles]: All	None	Native Vegetation Overlay: All Noise and Air Emissions Overlay: All Prescribed Water Resources Area Overlay: All Prescribed Wells Area Overlay: All Regulated Trees Overlay: All River Murray Flood Plain Overlay: All Sloping Land Overlay: All Sloping Land Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All State Heritage Place Overlay: All Traffic Generating Development Overlay: All Urban Transport Routes Overlay: All Water Protection Area Overlay: All Water Protection Area Overlay: All
Community facility	[Land use and intensity]: All [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All	None	Airport Building Heights (Regulated) Overlay: All

[Concept plans]:	Design in Urban	Building Near
All	Areas [All Non	Airfields
	Residential	Overlay: All
	Development]: All	
	Developmentj. All	Character Area
	Interface Between	Overlay: All
	Land Uses [Hours of	Future Road
	Operation]: PO 2.1	Widening
	Interface Between	Overlay: All
	Land Uses	
	[Overshadowing]:	Hazards
	PO 3.1, 3.2	(Bushfire –
		Urban Interface)
	Interface Between	Overlay: All
	Land Uses	Hazards
	[Activities	(Bushfire –
	Generating Noise	Regional)
	or Vibration]: PO	Overlay: All
	4.1, 4.2	
	Interface Between	Historic Area
	Land Uses [Light	Overlay: All
	Spill]: PO 6.1, 6.2	Key Railway
		Crossings
	Infrastructure and	Overlay: All
	Renewable Energy	
	Facilities [Water	Local Heritage
	Supply]: PO 11.1	Place Overlay:
	Infrastructure and	All
	Renewable Energy	Major Urban
	Facilities	Transport
	[Wastewater	Routes Overlay:
	Services]: PO 12.1	All
	Transport, Access	Murray Darling
	and Parking	Basin Overlay:
	[Movement	All
	Systems]: All	Native
	Transport, Access	Vegetation
	and Parking	Overlay: All
	[Sightlines]: All	
	Transport Access	Noise and Air
	Transport, Access and Parking	Emissions
	[Vehicle Access]: All	Overlay: All
	[venicie Access]. All	Prescribed
	Transport, Access	Water Resources
	and Parking [Access	Area Overlay: All
	to People with	
	Disabilities]: All	Prescribed Wells
		Area Overlay: All

[Concept pla	ans]: Facilities [Water	(Regulated)
All	Supply]: PO 11.2	Overlay: All
	Infrastructure and	Building Near
	Renewable Energy	Airfields
	Facilities	Overlay: All
	[Wastewater	Character Area
	Services]: PO 12.1,	Overlay: All
	12.2	
	Transport, Access	Future Road
	and Parking	Widening Overlay: All
	[Vehicle Access]:	Overlay. All
	PO 3.1, 3.5, 3.6	Hazards
	Transport, Access	(Bushfire –
	and Parking	Urban Interface)
	[Vehicle Parking	Overlay: All
	Rates]: PO 5.1	Hazards
	Design in Urban	(Bushfire –
	Areas [All	Regional)
	Development – Car	Overlay: All
	Parking	Hazards
	Appearance]: PO	(Flooding)
	6.1	Overlay: All
	Design in Urban	Historic Area
	Areas [All	Overlay: All
	Residential	Koy Pailway
	Development –	Key Railway Crossings
	External	Overlay: All
	Appearance]: PO	
	14.1, 14.2	Local Heritage
	Design in Urban	Place Overlay:
	Areas [All	All
	Residential	Major Urban
	Development –	Transport
	Outlook and	Routes Overlay:
	Amenity]: PO 15.1	All
	Design in Urban	Murray Darling
	Areas [All	Basin Overlay:
	Residential	All
	Development – Access and	Native
	Servicing]: PO 16.1	Vegetation
		Overlay: All
	Design in Urban	Naice and Air
	Areas [All	Noise and Air Emissions
	Residential	Overlay: All

Development –	Non-stop
Flooding]: PO 18.1	Corridor
Design in Urban	Overlay: All
Areas [All	River Murray
Residential	Flood Plain
Development – 3	Overlay: All
Building Levels or	
Less – External	Sloping Land
Appearance]: PO	Overlay: All
19.1, 19.2, 19.3	State Heritage
19.1, 19.2, 19.9	Area Overlay:
Design in Urban	Alla Overlay.
Areas [All	All
Residential	State Heritage
Development – 3	Place Overlay:
Building Levels or	All
Less – Overlooking /	–
Visual Privacy]: PO	Urban Transport
20.1	Routes Overlay:
Decign in Urban	All
Design in Urban	Water
Areas [All Residential	Protection
	Area Overlay:
Development – 3	All
Building Levels or	
Less –Private Open	
Space]: PO 21.1,	
21.2, 21.3	
Design in Urban	
Areas [All	
Residential	
Development – 3	
Building Levels or	
Less –Landscaping]:	
PO 22.1, 22.2	
Design in Urban	
Areas [All	
Residential	
Development – 3	
Building Levels or	
Less – Water	
Sensitive Design]:	
PO 23.1, 23.2, 23.3	
Design in Urban	
Areas [All	
Residential	
Development – 3	
Building Levels or	
Duiluling Levels UI	

		Less – Car Parking and Manoeuvrability]: PO 24.1, 24.2, 24.3, 24.4, 24.5, 24.6 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Site		
Dwelling	[Built form and	Contamination: PO 1.1 Clearance from	None	Affordable
addition	character]: All [Building height and setbacks]: All [Concept plans]: All	Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Design in Urban Areas [All Residential Development – External Appearance]: PO 14.1 Design in Urban Areas [All Residential Development – Outlook and Amenity]: PO 15.1		Housing Overlay: All Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area Overlay: All Future Road Widening Overlay: All Hazards (Bushfire – Urban Interface) Overlay: All Hazards (Bushfire – Regional) Overlay: All

Design in Urban	Hazards
Design in Urban Areas [All	
Residential	(Flooding)
	Overlay: All
Development – 3	Historic Area
Building Levels or	Overlay: All
Less – External	
Appearance]: PO	Key Railway
19.1, 19.2, 19.3	Crossings
Design in Urban	Overlay: All
Areas [All	Local Heritage
Residential	Place Overlay:
Development – 3	All
Building Levels or	All
Less –Overlooking /	Major Urban
Visual Privacy]: PO	Transport
20.1	Routes Overlay:
20.1	All
Design in Urban	
Areas [All	Murray Darling
Residential	Basin Overlay:
Development – 3	All
Building Levels or	Native
Less –Private Open	Vegetation
Space]: PO 21.1,	Overlay: All
21.2, 21.3	Overlay. All
,	Noise and Air
Design in Urban	Emissions
Areas [All	Overlay: All
Residential	
Development – 3	Non-stop
Building Levels or	Corridor
Less –Landscaping]:	Overlay: All
PO 22.1, 22.2	River Murray
	Flood Plain
Design in Urban	Overlay: All
Areas [All	
Residential	Sloping Land
Development – 3	Overlay: All
Building Levels or	Ctoto Lleritere
Less – Waste	State Heritage
Storage]: PO 25.1	Area Overlay:
Interface Between	All
Land Uses	State Heritage
[Overshadowing]:	Place Overlay:
PO 3.1, 3.2	All
1 0 0.1, 0.2	
	Urban Transport
Interface Between	
Interface Between Land Uses	Routes Overlay:

		or Vibration]: PO 4.4 Site Contamination: PO 1.1		Water Protection Area Overlay: All
Dwelling, dwellings or residential flat building undertaken by: a) the South Australian Housing Trust either individually or jointly with other persons or bodies; or b) registered Community Housing providers participating in housing renewal programs endorsed by the South Australian Housing Authority	None	Housing Renewal: All	None	Affordable Housing Overlay: All Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area Overlay: All Future Road Widening Overlay: All Hazards (Bushfire – Urban Interface) Overlay: All Hazards (Bushfire – Segional) Overlay: All Hazards (Flooding) Overlay: All Hazards (Flooding) Overlay: All Historic Area Overlay: All Historic Area Overlay: All Local Heritage Place Overlay: All

				Routes Overlay: All Murray Darling Basin Overlay: All Native Vegetation Overlay: All Noise and Air Emissions Overlay: All Non-stop Corridor Overlay: All River Murray Flood Plain Overlay: All Sloping Land Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All Urban Transport Routes Overlay: All Water Protection Area Overlay: All
Fence	[Built form and character]: All	Design in Urban Areas [All Development – Fences and Walls]: PO 8.1	None	
Group dwelling	[Land use and intensity]: All [Built form and character]: All [Building height and setbacks]: All [Concept plans]: All	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy	None	Affordable Housing Overlay: All Airport Building Heights

Facilities [Water	(Regulated)
Supply]: PO 11.2	Overlay: All
Infrastructure and	Building Near
Renewable Energy	Airfields
Facilities	Overlay: All
[Wastewater	-
Services]: PO 12.1,	Character Area
12.2	Overlay: All
	Future Road
Transport, Access	Widening
and Parking	Overlay: All
[Vehicle Access]:	
PO 3.1, 3.2, 3.3,	Hazards
3.4, 3.5, 3.6	(Bushfire –
Transport, Access	Urban Interface)
and Parking	Overlay: All
[Vehicle Parking	Hazards
Rates]: PO 5.1	(Bushfire –
Design in Urban	Regional)
Design in Urban Areas [All	Overlay: All
Development]: All	Lissanda
Development]. An	Hazards
Design in Urban	(Flooding)
Areas [All	Overlay: All
Residential	Historic Area
Development]: All	Overlay: All
Design in Urban	Key Railway
Areas [Residential	Crossings
Development – 3	Overlay: All
Building Levels or	
Less]: All	Local Heritage
Design in Urban	Place Overlay:
Design in Urban Areas [Group	All
Dwellings,	Major Urban
Residential Flat	Transport
Buildings and	Routes Overlay:
Battle-Axe	All
Development]: All	Murrey Derlin -
-	Murray Darling
Interface Between	Basin Overlay: All
Land Uses [General	All
Land Use	Native
Compatibility]: PO	Vegetation
1.1	Overlay: All
Interface Between	Noise and Air
Land Uses	Emissions
	Overlay: All
	/ · · ···

Land division	[Land Division]:	[Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.4 Site Contamination: PO 1.1 Land Division in	None	Non-stop Corridor Overlay: All River Murray Flood Plain Overlay: All Sloping Land Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All Urban Transport Routes Overlay: All Water Protection Area Overlay: All
Residential apartment building	All [Land use and intensity]: All [Built form and character]: All [Building height and setbacks]: All [Concept plans]: All	Urban Areas: All Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater	None	Affordable Housing Overlay: All Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area
		Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6 Transport, Access and Parking		Overlay: All Future Road Widening Overlay: All Hazards (Bushfire – Urban Interface) Overlay: All

[Vehicle Parking	Hazards
Rates]: PO 5.1	(Bushfire –
Design in Urban	Regional)
Areas [All	Overlay: All
Development]: All	Hazards
Developmentj. / m	(Flooding)
Design in Urban	Overlay: All
Areas [All	Overlay. All
Residential	Historic Area
Development]: All	Overlay: All
Design in Urban	Key Railway
Areas [Residential	Crossings
Development – 3	Overlay: All
Building Levels or	
Less]: All	Local Heritage
	Place Overlay:
Design in Urban	All
Areas [Group	Major Urban
Dwellings,	Transport
Residential Flat	Routes Overlay:
Buildings and	All
Battle-Axe	
Development]: All	Murray Darling
Interface Between	Basin Overlay:
Land Uses [General	All
Land Use	Native
Compatibility]: PO	Native
1.1	Vegetation
	Overlay: All
Interface Between	Noise and Air
Land Uses	Emissions
[Overshadowing]:	Overlay: All
PO 3.1, 3.2	
	Non-stop
Interface Between	Corridor
Land Uses [Overlay: All
Activities	River Murray
Generating Noise	Flood Plain
or Vibration]: PO	Overlay: All
4.4	
Site	Sloping Land
Contamination:	Overlay: All
PO 1.1	State Heritage
	-
	Area Overlay: All
	All
	State Heritage
	Place Overlay:
	All

				Urban Transport Routes Overlay: All Water Protection Area Overlay: All
Retaining wall	[Built form and character]: All	Design in Urban Areas [All Development – Fences and Walls]: All	None	Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area Overlay: All Future Road Widening Overlay: All Historic Area Overlay: All Key Railway Crossings Overlay: All Local Heritage Place Overlay: All Major Urban Transport Routes Overlay: All Murray Darling Basin Overlay: All Native Vegetation Overlay: All

Dow dwolling	[Land use and	Clearance from	None	River Murray Flood Plain Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All Urban Transport Routes Overlay: All Advertising Near
Row dwelling	[Land Use and intensity]: All [Built form and character]: All [Building height and setbacks]: All [Concept plans]: All	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Design in Urban Areas [All Development – Car Parking Appearance]: PO 6.1 Design in Urban Areas [All Residential Development – External	NOTIE	Advertising Near Signalised Intersections Overlay: All Airport Building Heights (Aircraft Landing Area) Overlay: All Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area Overlay: All Character Preservation District Overlay: All Defence Aviation Area Overlay: All Future Road Widening Overlay: All Historic Area Overlay: All

	Appearance]: PO	Key Railway
	14.1, 14.2	Crossings
	Design in Urban	Overlay: All
	Areas [All	Local Heritage
	Residential	Place Overlay:
	Development –	All
	Outlook and	/
	Amenity]: PO 15.1	Major Urban
	///////////////////////////////////////	Transport
	Design in Urban	Routes Overlay:
	Areas [All	All
	Residential	Martin Dalla
	Development –	Marine Parks
	Access and	(Managed Use)
	Servicing]: PO 16.1	Overlay: All
		Murray Darling
	Design in Urban	Basin Overlay:
	Areas [All	All
	Residential	
	Development –	Native
	Flooding]: PO 18.1	Vegetation
	Design in Urban	Overlay: All
	Areas [All	Noise and Air
	Residential	Emissions
	Development – 3	Overlay: All
	Building Levels or	Non-stop
	Less – External	Corridor
	Appearance]: PO	Overlay: All
	19.1, 19.2, 19.3	Overlay. All
	19.1, 19.2, 19.3	River Murray
	Design in Urban	Tributaries Area
	Areas [All	Overlay: All
	Residential	Charles 114 - 21 - 24
	Development – 3	State Heritage
	Building Levels or	Place Overlay:
	Less – Overlooking /	All
	Visual Privacy]: PO	Urban
	20.1	Transport
	Design in Links -	Routes
	Design in Urban	Overlay: All
	Areas [All Decidential	
	Residential	
	Development – 3	
	Building Levels or	
	Less – Private Open	
	Space]: PO 21.1,	
	21.2, 21.3	
	Design in Urban	
	Areas [All	
	Residential	
I		

Residential	Future Road
Development]: All	Widening
Interface Between	Overlay: All
Land Uses [Hours of	Hazards
Operation]: PO 2.1	(Bushfire –
	Urban Interface)
Interface Between	Overlay: All
Land Uses	Overlay. All
[Overshadowing]:	Hazards
PO 3.1, 3.2	(Bushfire –
Interface Between	Regional)
Land Uses	Overlay: All
[Activities	Historic Area
Generating Noise	Overlay: All
or Vibration]: PO	-
4.1, 4.2	Key Railway
	Crossings
Interface Between	Overlay: All
Land Uses [Light	Local Heritage
Spill]: PO 6.1, 6.2	Place Overlay:
Infrastructure and	All
Renewable Energy	
Facilities [Water	Major Urban
Supply]: PO 11.1	Transport
Infrastructure and	Routes Overlay: All
Renewable Energy	All
Facilities	Murray Darling
[Wastewater	Basin Overlay:
Services]: PO 12.1,	All
12.2	Native
	Vegetation
Transport, Access	Overlay: All
and Parking	-
[Movement	Noise and Air
Systems]: All	Emissions
Transport, Access	Overlay: All
and Parking	Prescribed
[Sightlines]: All	Water Resources
	Area Overlay: All
Transport, Access	
and Parking	Prescribed Wells
[Vehicle Access]: All	Area Overlay: All
Transport, Access	Regulated Trees
and Parking [Access	Overlay: All
to People with	-
Disabilities]: All	River Murray
	Flood Plain
	Overlay: All

		Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and		Sloping Land Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All Traffic Generating Development Overlay: All Urban Transport
	None	Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All	None	Routes Overlay: All Water Protection Area Overlay: All Water Resources Overlay: All
Tree- damaging activity	None	None	None	Regulated Tree Overlay: All Significant Tree Overlay: All
Verandah Shade sail	None	Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2	None	Airport Building Heights (Regulated) Overlay: All Building Near Airfields Overlay: All Character Area Overlay: All Future Road Widening Overlay: All Historic Area Overlay: All Key Railway Crossings Overlay: All

				Local Heritage Place Overlay: All Major Urban Transport Routes Overlay: All Murray Darling Basin Overlay: All Native Vegetation Overlay: All Non-stop Corridor Overlay: All River Murray Flood Plain Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All Urban Transport Routes Overlay: All
All other Code Assessed Development	All	All	None	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
General industry	
Motor repair station	
Shop	Restaurant Any other shop with a gross leasable floor area less than 500m2

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) development identified as "all other code assessed development" in Business Neighbourhood Zone Table 3
 - (b) development that fails to comply with DPF 3.1
 - (c) hotel
 - (d) industry
 - (e) shop, office or consulting room with a floor area exceeding 250m²

Assessment Provisions

Desired Outcome (DO)

DO 1

A low rise medium density environment accommodating a variety of housing and accommodation types co-existing with a mix of low impact employment-generating land uses.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Shops, office, consulting room and other low impact non-residential uses supported by a variety of compact, medium density housing and accommodation types.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Dwelling
- Community facility
- Consulting room
- Office
- Shop

PO 1.2

Small scale business and commercial land uses complement the prevailing neighbourhood character. DTS/DPF 1.2

The gross leasable floor area of a shop, office or consulting room does not exceed 250m2.

Built Form and Character

PO 2.1

Buildings are of a scale and design that complements surrounding built form, streetscapes and local character.

DTS/DPF 2.1

None are applicable.

PO 2.2

Development provides attractive landscaping to the primary street frontage.

DTS/DPF 2.2

None are applicable.

PO 2.3

Site coverage is limited to provide space for landscaping, open space and pervious areas.

DTS/DPF 2.3

Site coverage does not exceed 60% of site area.

Building height and setbacks

PO 3.1

Buildings are of low-to-medium rise scale, with the highest intensity of built form at the centre of the zone and lower scale built form adjoining a zone primarily intended to accommodate residential development.

DTS/DPF 3.1

Building height does not exceed:

- a. 2 building levels or 9 metres on sites adjoining a residential allotment within a different zone; or
- b. 3 building levels or 12 metres in all other cases.

PO 3.2

Buildings set back from primary street boundaries to contribute to a consistent streetscape.

DTS/DPF 3.2

Buildings set back from the primary street frontage the lesser of the following:

- (a) the average of any existing buildings on either of the adjoining sites having frontage to the same street; or
- (b) not less than 5m where no building exists on an adjoining site.

PO 3.3

Buildings set back from secondary street boundaries (other than rear laneways) to contribute to a consistent streetscape.

DTS/DPF 3.3

Buildings set back from the secondary street frontage:

- (a) the average of any existing buildings on adjoining sites having frontage to the same street; or
- (b) not less than 0.9m where no building exists on an adjoining site.

PO 3.4

Boundary walls are limited in height and length to manage impacts on adjoining properties.

DTS/DPF 3.4

Except where the development is a dwelling located on a central site within a row dwelling development, buildings with side boundary walls are sited on only one side boundary and either:

- a. adjoin or abut a boundary wall of a building on adjoining land for the same length and height; or
- b. do not exceed the following:
 - i. 3m in height from the top of the footings;
 - ii. 10m in length;
 - iii. when combined with other walls on the boundary of the subject development site, maximum 45% of the length of the boundary; and
- c. are setback at least 3 metres from any other existing or proposed boundary walls on the subject land.

PO 3.5

Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character.

DTS/DPF 3.5

Dwellings in a semi-detached or row arrangement are setback at least 900mm from side boundaries shared with allotments outside the development site.

PO 3.6

Buildings are set back from side boundaries to provide:

- (a) separation between dwellings in a way that complements the established character of the locality; and
- (b) access to natural light and ventilation for neighbours.

DTS/DPF 3.6

Other than walls located on a side boundary, buildings are set back at least 0.9 metres from side boundaries.

PO 3.7

Buildings are set back from rear boundaries to provide:

- (a) separation between dwellings in a way that complements the established character of the locality;
- (b) access to natural light and ventilation for neighbours;
- (c) open space recreational opportunities; and
- (d) space for landscaping and vegetation.

DTS/DPF 3.7

- 1 Buildings are set back from the rear boundary at least:
 - (a) 3m for the first building level; and
 - (b) 5m for any second building level.

Land Division

PO 4.1

Land division and site amalgamation that creates allotments that vary in size and are suitable for a variety of residential and commercial activities and that improve the level of development integration.

DTS/DPF 4.1

None are applicable.

Advertisements

PO 5.1

Freestanding advertisements are not visually dominant within the locality.

DTS/DPF 5.1

Freestanding advertisements:

- (a) do not exceed 6m in height above natural ground level; and
- (b) do not have a face that exceeds 4m2 per side.

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

(a) development identified as "all other code assessed development" in Business Neighbourhood Zone Table 3

(b) development that fails to comply with DPF 3.1

(c) hotel

- (d) industry
- (e) shop, office or consulting room with a floor area exceeding 250m2

Community Facilities Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 Building work is associated with a railway It is situated (or to be situated) on railway land It is required for the conduct or maintenance of railway activities.
 Internal building work Except where any of the following apply: Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	 3 There will be no increase in the total floor area of the building 4 There will be no alteration to the external appearance of the building.
 Private bushfire shelters Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Primary street setback – at least as far back as the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place).

 Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay Shade sail Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 Shade sail consists of permeable material 10 The total area of the sail - does not exceed 40m² 11 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 12 Primary street setback – at least as far back as the building line of the building to which it is ancillary 13 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 14 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	 4 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof 5 Panels and associated components do not overhang any part of the roof 6 Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.

 Spa pool Swimming pool Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Character Area Overlay Character Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 6 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 7 It is ancillary to a building erected on the site 8 Allotment boundary setback – not less than 1m 9 Primary street setback – at least as far back as the building line of the building to which it is ancillary 10 Location of filtration system from a building on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case.
 Water tank (above ground) Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Character Area Overlay Character Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank is part of a roof drainage system Total floor area - not exceeding 15m² The tank is located wholly above ground Tank height – does not exceed 4m above natural ground level Primary street setback – at least as far back as the building line of the building to which it is ancillary In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.

 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay 	 3 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 4 The tank (including any associated pump) is located wholly below the level of the ground.
--	---

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development	nt Deemed-to-Satisfy Development Classification Criteria			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Advertisement Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Area Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Native Vegetation Overlay 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2 Defence Aviation Area: DTS 1.1, 1.3 Hazards (Acid Sulfate Soils): DTS 1.1 Future Road Widening: DTS 1.1 Key Outback and Rural Routes: 8.1 Major Urban Transport Routes: 8.1 Native Vegetation: DTS 1.1

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Non-stop Corridor Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 				Urban Transport Routes: 8.1

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Advertisement	None	Clearance from Overhead Powerlines: PO 1.1 Advertisements [Appearance]: PO 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Future Road Widening: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: All Local Heritage Place: All

Class of Development	Applicable PoliciesThe following policies are applicable to the assessment of the identified Class of Development.Policies referred to are Performance Outcome policies, and any associated Designated Performance Features.Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance AssessedDevelopment.Where a development comprises more than one Class of Development the relevant policies will be taken to bethe sum of the applicable policies for each Class of Development.			
				d Designated Performance Features. tion to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Major Urban Transport Routes: All Mt Lofty Ranges Catchment (Area 2): All Native Vegetation: All Non-stop Corridor: All Ramsar Wetlands: All River Murray Flood Plain: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: All
Demolition of a State or Local Heritage Place	None	None	None	Local Heritage Place: All State Heritage Place: All
Demolition within the Historic Area Overlay or	All	None	None	Historic Area: All State Heritage Area: All

Class of Development	The following p Policies referre Relevant Desir Development. Where a develo	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
State Heritage Area Overlay				
Tree Damaging Activity	None	None	None	Regulated Trees: All
All other Code Assessed Development	AII	All	None	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
None Specified	

Assessment Provisions

Desired Outcomes (DO)

DO 1

Provision of a range of public and private community, educational, recreational and health care facilities.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Development is associated with or ancillary to the provision of community, educational, recreational and / or health care services.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Consulting room
- Educational establishment
- Indoor recreation facility
- Office
- Place of worship
- Pre-school
- Recreation area
- Shop

PO 1.2

Integration and coordination of adjoining land uses to enhance accessibility and efficiency in service delivery.

DTS/DPF 1.2

None are applicable.

PO 1.3

Development avoids inhibiting or prejudicing future delivery of community, educational, recreational or health care services.

DTS/DPF 1.3

None are applicable.

Built Form and Character

PO 2.1

A range of low to medium rise buildings, with the highest intensity of built form at the centre of the zone and lower scale at the peripheral zone interface.

DTS/DPF 2.1

Building height does not exceed a maximum height specified in the *Building Height Technical and Numeric Variations Overlay*.


Interface Height

PO 3.1

Buildings mitigate visual impacts of building massing on residential development within a neighbourhood zone.

DTS/DPF 3.1

Buildings constructed within a building envelope provided by a 45 degree plane measured from a height of 3 metres above natural ground level at the allotment boundary of a residential allotment within a neighbourhood zone as shown in the following diagram (except where this boundary is a southern boundary in which case DTS/DPF 3.2 will apply, or where this boundary is the <u>primary street</u> boundary):




PO 3.2

Buildings mitigate overshadowing of residential development within a neighbourhood zone.

DTS/DPF 3.2

Buildings on sites with a southern boundary adjoining a residential allotment within a neighbourhood zone are constructed within a building envelope provided by a 30 degree plane grading north measured from a height of 3m above natural ground level at the southern boundary, as shown in the following diagram:



Procedural Matters (PM)

Notification of Performance assessed development

All classes of development are excluded from notification except where it involves any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) development identified as "all other code assessed development" in Community Facilities Zone Table 3

Conservation Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 4 Building work is associated with a railway 5 It is situated (or to be situated) on railway land 6 It is required for the conduct or maintenance of railway activities.
 Internal building work Except where any of the following apply: A Historic Shipwreck identified in the Historic Shipwrecks Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.
 Private bushfire shelters Except where any of the following apply: Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) General Overlay Historic Area Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Primary street setback – at least as far back as the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place).

 Historic Shipwrecks Overlay Local Heritage Place Overlay Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Resources Overlay 	
 Shade sail Except where any of the following apply: Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) General Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Shade sail consists of permeable material The total area of the sail - does not exceed 40m² No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment Primary street setback – at least as far back as the building line of the building to which it is ancillary If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all

 Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Resources Overlay 	relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Water tank (above ground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay 	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 The tank is part of a roof drainage system 10 Total floor area - not exceeding 15m² 11 The tank is located wholly above ground 12 Tank height – does not exceed 4m above natural ground level 13 Primary street setback – at least as far back as the building line of the building to which it is ancillary 14 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.

 Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Resources Overlay 	
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Historic Shipwrecks Overlay Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay State Significant Native Vegetation Overlay Water Resources Overlay 	 5 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 6 The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 - Deemed-to-Satisfy Development Classification

Development Type The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Relevant Requirements Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Advertisement Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) General Overlay Historic Area Overlay Local Heritage Place Overlay Non-stop Corridor Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Area Overlay Water Resources Overlay 	[Advertisemen t]: DTS 6.1, 6.2	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertisements [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Defence Aviation Area: DTS 1.1, 1.3 Hazards (Acid Sulfate Soils): DTS 1.1 Historic Shipwrecks: DTS 1.1 Key Outback and Rural Route Overlay: DTS 8.1, 10.1 Major Transport Routes: DTS 8.1, DTS 10.1 Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS 8.1, 10.1	

Table 3 – Applicable Policies for Performance Assessed Development

Development Type	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 			Designated Performance ly in relation to a relevant policies will be
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Advertisement	[Advertisement]: PO 6.1, 6.2	Advertisements [Appearance]: PO 1.1, 1.3, 1.4, 1.5 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2

		Advertisements [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5		Building Near Airfields: PO 1.1
		Clearance from Overhead		Character Preservation
		Powerlines: PO 1.1		District: All Coastal Areas: All
				Defence Aviation Area:
				PO 1.1, 1.3
				Hazards (Acid Sulfate Soils): PO 1.1
				Hazards (Flooding)
				General: All Historic Area: All
				Historic Shipwrecks: PO 1.1
				Key Outback and Rural Route: PO 8.1, 10.1
				Local Heritage Place: All
				Major Transport Routes: PO 8.1, DTS 10.1
				Native Vegetation: PO
				1.1, 1.2 Non-stop Corridor: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				Significant Landscape
				Protection: All Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				State Significant Native Vegetation: PO 1.1
				Urban Transport
				Routes: PO 8.1, 10.1 Water Resources: All
Agricultural building Except where any of the	[Land Use] PO 1.1, 1.3	Clearance from Overhead Powerlines: PO 1.1	Visitor Experience	Airport Building Heights (Aircraft Landing Area):
following apply:	[Environmental	Infrastructure and Renewable	Subzone: All	All
Dwelling Subzone	Protection]: PO 3.1 [Built Form and	Energy Facilities [Wastewater Services]: PO 12.2	Dwelling Subzone: All	Airport Building Heights (Regulated): All
Small Scale Settlement Subzone	Character]: PO 4.1,	Interface between Land Uses	Small-scale	Building Near Airfields:
Visitor Experience	4.2, 4.4 [Access and Car	[Activities Generating Noise or Vibration]: PO 4.1	settlement Subzone: All	PO 1.1 Character Preservation
Subzone	Parking]: PO 5.1,	Transport, Access and Parking	Aquaculture	District: All
	5.2, 5.6	[Movement Systems]: PO 1.4 Transport, Access and Parking	and Recreation	Coastal Areas: All
		[Vehicle Access]: PO 3.1	Subzone: All	Defence Aviation Area: PO 1.1, 1.3
				Hazards (Acid Sulfate Soils): All
				Hazards (Bushfire -
				General Risk): PO 1.1, 2.1, 2.2
				Hazards (Bushfire -
				High Risk): PO 2.1, 3.1, 3.2
				Hazards (Bushfire - Medium Risk): PO 1.1,
				2.1, 2.2
				Hazards (Bushfire - Regional): PO 1.1, 2.1, 2.2
				Hazards (Flooding): PO
				2.1, 2.2, 2.3, 2.4, 3.1, 3.2, 4.1, 4.2
				Historic Area: All
				Historic Shipwrecks: All
				Key Outback and Rural Routes: All
				Key Railway Crossings: All
				Local Heritage Place: All
				Major Urban Transport Routes: All
				RUULES. All

				Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Mt Lofty Ranges Catchment (Area 1): All Mt Lofty Ranges Catchment (Area 2): All Native Vegetation: All Ramsar Wetlands: All River Murray Flood Plain: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All Water Resources: All
Demolition of a State or Local Heritage Place	None	None	None	Local Heritage Place: All State Heritage Place: All
Demolition within an Historic Areas Overlay area or State Heritage Area	None	None	None	Historic Area: All State Heritage Area: All
Area Dwelling Where any of the following apply: Dwelling Subzone Small Scale Settlement Subzone	[Land use]: PO 1.1 [Built Form and Character]: PO 4.1, 4.2, 4.4 [Hazard Risk Minimisation]: PO 8.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: PO 6.1 Design in Rural Areas [All Residential Development – External Appearance]: PO 10.1, 10.2 Design in Rural Areas [All Residential Development - Outlook and Amenity] PO 11.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 14.1, 14.2, 14.3 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 14.1, 14.2, 14.3 Design in Rural Areas [Residential Development – 3 Building Levels or Less – Car Parking, Access and Manoeuvrability]: PO 18.3, 18.4, 18.5 Design in Rural Areas [Design of Transportable Dwellings]: PO 20.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Interface Between Land Uses [Interface Between Rural Activities]: PO 9.6, 9.7	Dwelling Subzone: All Small-scale settlement Subzone: All	Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All Building Near Airfields: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Cutback): All Hazards (Bushfire - Urban Interface): All Hazards (Bushfire - Urban Interface): All Hazards (Flooding): All Historic Area: All Historic Shipwrecks: All Key Outback and Rural Routes: All Key Railway Crossings: All Local Heritage Place: All Major Urban Transport Routes: All Marine Parks (Managed Use): All

		Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: PO 10.1 Site Contamination: PO 1.1 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6		Marine Parks (Restricted Use): All Mt Lofty Ranges Catchment (Area 1): All Mt Lofty Ranges Catchment (Area 2): All Murray Darling Basin: All Native Vegetation: All Noise and Air Emissions: All Non-stop Corridor: All Prescribed Water Resources Area: All Prescribed Water Resources Area: All Prescribed Wells Area: All Ramsar Wetlands: All Resource Extraction Protection Area: All River Murray Flood Plain: All River Murray Tributaries Area: All Significant Landscape Protection: All Significant Landscape Protection: All State Heritage Area: All State Heritage Place: All State Heritage Place: All State Significant Native Vegetation: All
				Water Protection Area: All
				Water Resources: All
Dwelling addition	[Built Form and Character]: PO 4.1, 4.2, 4.4 [Hazard Risk Minimisation]: PO 8.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: PO 6.1 Design in Rural Areas [All Residential Development – External Appearance]: PO 10.1	Visitor Experience Subzone: All Dwelling Subzone: All Small-scale settlement Subzone: All Aquaculture and Recreation Subzone: All	Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All Building Near Airfields: PO 1.3 Character Preservation District: PO 3.1, 3.2, 3.3, 3.4, 4.1 Coastal Areas [Hazard Risk Minimisation] [Environment Protection]: All Defence Aviation Area: PO 1.1 Hazards (Acid Sulfate Soils): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All

Farming	[Land Use]: PO 1.1,	None	None	Hazards (Bushfire – Urban Interface): All Hazards (Bushfire – Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): PO 3.1, 3.2, 3.3, 3.4, 4.1, 5.1, 5.2 Historic Area: PO 2.1, 2.2 Historic Shipwrecks: All Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Managed Use): All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Mt Lofty Ranges Catchment (Area 1): All Mt Lofty Ranges Catchment (Area 2): All Noise and Air Emissions: All Ramsar Wetlands: All Resource Extraction Protection Area: All River Murray Flood Plain: All Significant Landscape Protection: All State Heritage Area: All State Heritage Place: All State Heritage Place: All State Heritage Place: All State Heritage Place: All Water Resources: All
 Except where any of the following apply: Dwelling Subzone Small Scale Settlement Subzone Visitor Experience Subzone 	1.3 [Environmental Protection]: PO 3.1			District: All Coastal Areas Overlay: All Historic Area: All Historic Shipwrecks: All Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Mt Lofty Ranges Catchment (Area 1): All Mt Lofty Ranges Catchment (Area 2): All Mt Lofty Ranges Catchment (Area 2): All Native Vegetation: All Ramsar Wetlands: All River Murray Flood Plain: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All Water Resources: All
Land division	[Land Division]: PO 2.1 [Environmental Protection]: PO 3.1	Land Division in Rural Areas: All	Visitor Experience Subzone: All Dwelling Subzone: All	Character Preservation District: All Coastal Areas: PO 1.1, 1.2, 1.3 Environment and Food Production Area: All

			Small-scale settlement Subzone: All Aquaculture and Recreation Subzone: All	Hazards (Bushfire - General Risk) [Land Division]: All Hazards (Bushfire - High Risk) [Land Division]: All Hazards (Bushfire - Medium Risk) [Land Division]: All Hazards (Bushfire - Regional) [Land Division]: All Hazards (Bushfire - Urban Interface) [Land Division]: All Hazards (Flooding) [Land Division]: All Historic Area: PO 4.1 Key Outback and Rural Routes: All Local Heritage Place: PO 4.1 Major Urban Transport Routes: All Marine Parks (Managed Use): All Marine Parks (Managed Use): All Marine Parks (Managed Use): All Marine Parks (Catchment (Area 1): PO 5.1, 5.2 Mt Lofty Ranges Catchment (Area 2): 5.1, 5.2 Mative Vegetation: 2.1 Non-stop Corridor: All Ramsar Wetlands: 2.1 Regulated Trees: 3.1 Resource Extraction Protection Area: All River Murray Tributaries Area: 2.1, 2.2 Sloping Land: All State Heritage Place: PO 4.1 State Significant Native Vegetation: PO 2.1 Strategic Infrastructure (Gas Pipelines): PO 1.1 Traffic Generating Parielement (Area 2):
				(Gas Pipelines): PO 1.1
 Tourist accommodation Where any of the following apply: Visitor Experience Subzone In an area proclaimed under the National Parks and Wildlife Act 1972 and is contemplated by the relevant 'management plan' prepared in accordance with that Act. 	[Land Use]: PO 1.1, 1.2 [Environmental Protection]: PO 3.1 [Built Form and Character]: PO 4.1, 4.2, 4.4 [Access and Car Parking]: PO 5.1, 5.2, 5.3	Design in Rural Areas [All Development – External Appearance]: PO 1.4, 1.5 Design in Rural Areas [All Development – Landscaping]: PO 3.1 Design in Rural Areas [All Development – Water Sensitive Design]: PO 5.1 Design in Rural Areas [All Development – On-site Waste Treatment Systems]: DTS 6.1 Design in Rural Areas [All Development – Vehicle Parking Areas]: PO 7.4, 7.5	Visitor Experience Subzone: All	Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All Building Near Airfields: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All

In an area proclaimed under the <i>Wilderness</i>	Design in Rural Areas [All Development – Earthworks]: PO	Hazards (Bushfire - General Risk): All
Protection Act 1992	8.1	Hazards (Bushfire -
and is contemplated by the relevant 'plan of	Infrastructure and Renewable	High Risk): All
management' prepared in accordance with that	Energy Facilities [Water Supply]: PO 11.1	Hazards (Bushfire - Medium Risk): All
Act.	Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1	Hazards (Bushfire – Outback): All
	Interface between Land Uses [Interface with Rural Activities]: PO	Hazards (Bushfire - Regional): All
	9.1, 9.2, 9.3, 9.4, 9.5 Interface between Land Uses	Hazards (Bushfire – Urban Interface): All
	[Interface with Mines and Quarries (Rural and Remote Areas)]: PO	Hazards (Flooding): All
	10.1 Site Contamination: All	Historic Area: All
	Tourism Development: All	Historic Shipwrecks: All
	Transport, Access and Parking [Movement Systems]: PO 1.4	Key Outback and Rural Routes: All
	Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.5 Transport, Access and Parking	Key Railway Crossings: All
	Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1	Local Heritage Place: All
	Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1,	Major Urban Transport Routes: All
	6,6	Marine Parks (Managed Use): All
		Marine Parks (Restricted Use): All
		Mt Lofty Ranges Catchment (Area 1): All
		Mt Lofty Ranges Catchment (Area 2): All
		Murray Darling Basin: All
		Native Vegetation: All
		Noise and Air Emissions: All
		Non-stop Corridor: All
		Prescribed Water Resources Area: All
		Prescribed Watercourses: All
		Prescribed Wells Area: All
		Ramsar Wetlands: All
		Resource Extraction Protection Area: All
		River Murray Flood Plain: All

	River Murray Tributaries Area: All
	Significant Landscape Protection: All
	Sloping Land: All
	State Heritage Area: All
	State Heritage Place: All
	State Significant Native Vegetation: All
	Strategic Infrastructure (Gas Pipelines): PO 2.1
	Urban Transport Routes: All

				Water Protection Area: All Water Resources: All
Tree damaging activity	None	None	None	Regulated Tree: All
All other Code Assessed Development	All	All	Any Relevant Subzone: All	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development The following Classes of Development are classified as Restricted subject to any	Exclusions
'Exclusions'	
Dwelling	Detached dwelling in the Dwelling Subzone where it will not result in more than one dwelling per allotment. In the Small-scale Settlement Subzone .
Land division	Where Conservation Zone DTS / DPF 2.1 is met. In the Visitor Experience Subzone to create an allotment with an area of 5ha or more for existing tourist accommodation. In the Small Scale Settlement Subzone .
Tourist Accommodation	In the Visitor Experience Subzone . In an area proclaimed under the <i>National Parks and Wildlife Act</i> <i>1972</i> and is contemplated by the relevant 'management plan' prepared in accordance with that Act. In an area proclaimed under the <i>Wilderness Protection Act 1992</i> and is contemplated by the relevant 'plan of management' prepared in accordance with that Act.

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

The conservation and enhancement of the natural environment and natural ecological processes for their historic, scientific, landscape, faunal habitat, biodiversity and cultural values and provision of opportunities for the public to experience these through low-impact recreational and tourism development.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use

PO 1.1

Small-scale, low-impact land uses that provide for the conservation and protection of the area, while allowing the public to experience these important environmental assets.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

Advertisement Camp ground Farming Public amenity Renewable energy facility

PO 1.2

Development primarily in the form of:

- (a) directional, identification and/or interpretative advertisements and/or advertising hoardings for conservation management and tourist information purposes;
- (b) scientific monitoring structures or facilities;
- (c) small-scale facility associated with the interpretation and appreciation of natural and cultural heritage such as public amenities, camping grounds, remote shelters or huts; or
- (d) structures for conservation management purposes.

DTS 1.2

None are applicable.

PO 1.3

Farming activities occur on already cleared land and outside of areas containing native vegetation, coastal dunes and wetlands of national importance.

DTS 1.3

None are applicable.

Land Division

PO 2.1

Land division supports the management or improvement of the natural environment and does not result in any additional allotments, nor allotments with frontage or access to the coast.

DTS/DPF 2.1

Land division that does not create any additional allotments, nor any additional allotments with frontage or direct access to the coast and is for the:

- (a) creation of a public road or a public reserve; or
- (b) minor adjustment of allotment boundaries to remove an anomaly in existing boundaries with respect to the location of existing buildings or structures

Environmental Protection

PO 3.1

Development avoids important nesting or breeding areas or areas that are important for the movement/migration patterns of fauna.

DTS 3.1

None are applicable.

Built Form and Character

PO 4.1

Development sited and designed unobtrusively to minimise the visual impact on the natural environment by:

- (a) using low reflective materials and finishes that blend with, and colours that complement, the surrounding landscape;
- (b) being located below hilltops and ridgelines; and
- (c) being screened by existing vegetation.

DTS 4.1

None are applicable.

PO 4.2

Development sited and designed to minimise impacts on the natural environment by:

(a) containing construction and built form within a tightly defined site boundary; and

(b) minimising the extent of earthworks.

DTS 4.2

None are applicable.

PO 4.3

Recreation or visitor facilities located in publicly accessible areas in proximity to recreation trails to minimise impact on the natural environment.

DTS 4.3

None are applicable.

PO 4.4

Development does not obscure existing public views to landscape, river or seascape features and is not visibly prominent from key public vantage points, including public roads or car parking areas.

DTS 4.4

None are applicable.

Access and Car Parking

PO 5.1

Vehicle access points are limited to minimise impact on the natural environment.

DTS/DPF 5.1

No more than one vehicle access point is provided to a site, landmark or lookout.

PO 5.2

Roads and vehicle access ways are located to minimise vegetation clearance and are constructed of permeable materials.

DTS 5.2

None are applicable.

PO 5.3

Roads are of a width and route to encourage low speeds and to minimise impact on the natural environment.

DTS 5.3

None are applicable.

PO 5.4

Recreational trails and access ways located to direct the public away from sensitive areas to minimise impact on the natural environment.

DTS 5.4

None are applicable.

PO 5.5

Recreational trails are raised or surfaced with permeable materials to minimise impact on the natural environment.

DTS/DPF 5.5

Pedestrian access ways/Recreational trails are raised or constructed of permeable materials.

PO 5.6

Car parking areas designed to minimise impact on the natural environment.

DTS/DPF 5.6

Car parking areas:

(a) are constructed of permeable material; and

- (b) are located on already legally cleared land; and
- (c) are consolidated in one location.

Advertisement

PO 6.1

Advertisements limited to those needed for direction, identification and/or interpretation of environmental or cultural values and recreational and tourism facilities.

DTS/DPF 6.1

Advertisements are for one or more of the following:

- (a) direction;
- (b) identification and interpretation of environmental values; or
- (c) identification of recreational and tourism facilities.

PO 6.2

Advertisements limited in number and size to minimise impact on the visual and natural environment.

DTS/DPF 6.2

Total combined area of advertisement(s) is not greater than 2m² on any one site.

Landscaping

PO 7.1

Screening and planting is provided to buildings and structures and comprises locally indigenous species to enhance the natural environment.

DTS 7.1

None are applicable.

Hazard Risk Minimisation

PO 8.1

Habitable buildings designed and sited to manage the risks of natural hazards on personal and public safety and property.

DTS 8.1

None are applicable.

Concept Plans

PO 9.1

Development is compatible with the outcomes sought by any relevant Concept Plan contained within the *Concept Plans Technical and Numeric Variation Overlay*

DTS 9.1

None are applicable

Procedural Matters (PM)

Notification

All classes of performance assessed development is excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent to land in a different zone
- (b) development identified as "all other code assessed development" in Conservation Zone Table 3.

Notification

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Deferred Urban Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 7 Building work is associated with a railway 1 It is situated (or to be situated) on railway land 2 It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 40m² Post height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not
OverlayState Significant Native Vegetation Overlay	exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and

- Ramsar Wetlands
 Overlay
- River Murray Flood Plain
 Overlay

9

- Sloping Land Overlay
- Future Road Widening Overlay where an existing access is altered or a new access is created
- Key Railway Crossings Overlay where an existing access is altered or a new access is created
- Major Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Non-stop Corridor Overlay where an existing access is altered or a new access is created
- Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Water Resources Overlay

- (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
- If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
 - (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and
- (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
- 10 The total roofed area of all existing or proposed buildings on the allotment does not exceed 60% of the area of the allotment
- 11 Door opening for vehicle access does not exceed, in total,7m in width or 50% of the width of the allotment frontage (whichever lesser)
- 12 Internal dimensions does not exceed 3.2m in width and 6m in length between all fences, walls and doors
- 13 The carport:
 - (a) is located so that vehicle access:
- i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or
 ii. will use a driveway that:
 A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
 B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or
 - iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and
 - (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
 - (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access

Internal building work

5

There will be no increase in the total floor area of the building

 Except where any of the following apply: A Historic Shipwreck identified in the Historic Shipwrecks Overlay A Local Heritage Place identified in the Local Heritage Place Overlay A State Heritage Place identified in the State Heritage Place Overlay 	6 There will be no alteration to the external appearance of the building.
 Outbuilding (in the form of a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Future Road Widening Overlay where an existing access is altered or a new access is created Key Railway Crossings Overlay where an existing access is altered or a new access is created 	 15 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 16 It is detached from and ancillary to a dwelling erected on the site. 17 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 18 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 19 Total floor area - does not exceed 40m² 20 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 21 Building height - does not exceed 5m 22 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 23 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary; and and thene in envicine will be or blace the same or bit is event.
 Major Urban Transport Routes Overlay where an existing access is altered or a new access is created 	 boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 24 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%

 Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 25 Internal dimensions – exceed 3.2m in width and 6m in length between all walls and doors 26 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 27 The garage: (a) is located so that vehicle access: i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A.is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B.will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
 Outbuilding (not being a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay 	 13 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 14 It is detached from and ancillary to a dwelling erected on the site 15 Primary street setback – at least as far back as the building line of the building to which it is ancillary 16 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 17 Side boundary setbacks – at least 900mm from the boundary of the allotment 18 Total floor area does not exceed 40m² 19 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end)

 Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 20 Building height - does not exceed 5m 21 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 22 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 23 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 24 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Private bushfire shelters Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 5 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 6 Primary street setback – at least as far back as the building to which it is ancillary 7 Secondary street setback – at least 900mm from the boundary of the allotment 8 At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place).

Shade sail	15 The development will not be built, or encroach, on an area
Except where any of the following apply:	that is, or will be, required for a sewerage system or waste control system
Character Preservation	16 Shade sail consists of permeable material
District Overlay	17 The total area of the sail - does not exceed 40m ²
Coastal Areas Overlay	18 No part of the shade sail will be:
 Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place 	 (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment
OverlayState Heritage Place	(b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment
OverlayNative Vegetation	19 Primary street setback – at least as far back as the building line of the building to which it is ancillary
 Overlay State Significant Native Vegetation Overlay Ramsar Wetlands 	20 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m
 Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	21 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
Solar photovoltaic panels (roof mounted)	10 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than
Except where any of the	100mm above the surface of the roof
following apply:	11 Panels and associated components do not overhang any part of the roof
 Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
Spa pool	11 The development will not be built, or encroach, on an area
Swimming pool	that is, or will be, required for a sewerage system or waste
Except where any of the	control system
following apply:	12 It is ancillary to a dwelling erected on the site
Character Preservation	13 Allotment boundary setback – not less than 1m
District OverlayCoastal Areas Overlay	14 Primary street setback – at least as far back as the building line
 Hazards (Flooding) Overlay 	of the building to which it is ancillary 15 Location of filtration system from a dwelling on an adjoining allotment:
Historic Area OverlayLocal Heritage Place Overlay	 (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise
• State Heritage Place	

 Historic Shipwrecks Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay Water Resources Overlay. 	
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Water Resources Overlay 	 9 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 10 It is ancillary to a dwelling erected on the site 11 Primary street setback – as far back as the building line of the building to which it is ancillary 12 Total floor area - does not exceed 40m² 13 Post height - does not exceed 3m measured from natural ground level 14 Building height - does not exceed 5m 15 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment 16 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.
 Water tank (above ground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay 	 15 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 16 The tank is part of a roof drainage system 17 Total floor area - not exceeding 15m² 18 The tank is located wholly above ground 19 Tank height – does not exceed 4m above natural ground level 20 Primary street setback – at least as far back as the building line of the building to which it is ancillary

 Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay Water Resources Overlay Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Historic Shipwrecks Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands State Significant Native Vegetation Overlay 	 21 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour. 7 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 8 The tank (including any associated pump) is located wholly below the level of the ground.
 Protective tree netting structure Except where any of the following apply: Coastal Areas Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system No part of the protective tree netting structure will be more than 6m above natural ground level (depending on where it is situated) Netting visible from the outside of the protective tree netting structure is of a low light-reflective nature, and, in the case of a structure that has side netting, the side netting is of a dark colour In the case of a development on a site that is within a Hazards (Bushfire - Outback) Overlay, Hazards (Bushfire – Regional) Overlay, Hazards (Bushfire – General Risk) Overlay, Hazards

- Ramsar Wetlands
 Overlay
- River Murray Flood Plain Overlay
- Sloping Land Overlay
- Water Protection Area Overlay
- Water Resources Overlay

(Bushfire Medium - Risk) Overlay or Hazards (Bushfire - High Risk) Overlay, the protective tree netting structure provides for access to the site in accordance with the following:

- (a) no part of the protective tree netting structure (including cables and points of attachment of cables (known as "auger" or "anchor" points) will be within 5m of any boundary of the site; or
- (b) does not prevent access or movement of vehicles of 4m height and 3.5m width (or less) on any access road or track (including fire tracks) on the site
- 5 No part of the netting canopy of the protective tree netting structure:
 - (a) will cover native vegetation; or
 - (b) will be within 5m of a road (including any road reserve)
- 6 The points of attachment of any cables will not be located:
 - (a) outside the boundaries of the site; or
 - (b) within a watercourse (within the meaning of the Natural Resources Management Act 2004)
- 7 In relation to a dwelling located on an allotment adjoining the site on which the protective tree netting structure is located, the protective tree netting structure complies with the following:
 - (a) if the netting canopy nearest the dwelling on the adjoining allotment is 4m or less above ground level (depending on where it is situated), no part of the netting canopy is within 10m of the dwelling
 - (b) in any other case, no part of the netting canopy is within 15m of the dwelling.

Table 2 – Deemed-to-Satisfy Development Classification

	Deemed-to-Satisfy Development Classification Criteria				
The following Classes of Development are	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'			(applies only in the area affected by the Subzon e)	(applies only in the area affected by the Overlay)	
AgriculturalbuildingExcept whereany of thefollowing apply:• CharacterPreservationDistrict Overlay• Coastal AreasOverlay• Hazards(Flooding)Overlay• Historic AreaOverlay• HistoricShipwrecksOverlay• Local HeritagePlace Overlay• Major UrbanTransportRoutes Overlay• RamsarWetlandsOverlay• River MurrayFlood PlainOverlay• Sloping LandOverlay• State HeritagePlace Overlay	None	Clearance from Overhead Powerlines: DTS 1.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Interface between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1, 1.2 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2 Defence Aviation Area: DTS 1.1, 1.3 Future Road Widening: DTS 1.1 Hazards (Acid Sulfate Soils): DTS 1.1 Key Outback and Rural Routes: All Major Urban Transport Routes: All Mt Lofty Ranges Catchment (Area 2): DTS 3.4 Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: All	

Deemed-to-Satisfy Development Classification Criteria

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Where a c Developm	referred to are Deemed- levelopment comprises m ent the relevant criteria v r each Class of Developme	ore than o vill be take	ne Class of
Water Resources Overlay				
 Land division Character Preservation District Overlay Coastal Areas Overlay Environment and Food Production Area Overlay Local Heritage Place Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 	[Land Division]: DTS 3.1	None	None	Native Vegetation: DTS 2.1

Table 3 – Applicable Policies for Performance Assessed Development

Т

	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
Demolition of a State or Local Heritage Place	None	None	N/A	Local Heritage Place: All State Heritage Place: All
Demolition within an Historic Area: All or State Heritage Area: All	None	None	N/A	Historic Area: All State Heritage Area: All
Tree damaging activity	None	None	N/A	Regulated Tree: All
All other Code Assessed Development	All	All	N/A	All

Table 4 – Restricted Development Classification

The following Classes of Development are classified as Restricted	
Dwelling that results in more than one dwelling on an allotment	N/A
Land division	Land division that does not create additional allotments other than for the purpose of providing public infrastructure

Assessment Provisions

Desired Outcome (DO)

DO 1

To safeguard land for future urban growth.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Development that is incompatible, prejudicial or detrimental to the orderly and efficient servicing and conversion of the land for future urban growth does not occur.

DTS/DPF 1.1

None are applicable.

Built Form and Character

PO 2.1

Development maintains an open character.

DTS/DPF 2.1

None are applicable

PO 2.2

Buildings limited to those that:

- (a) are ancillary to and necessary to support existing land use activities on the same allotment;
- (b) are for the purposes of public infrastructure.

DTS/DPF 2.2

None are applicable

Land Division

PO 3.1

Land division limited to that which:

- (a) corrects anomalies in the placement of allotment boundaries with respect to the location of existing buildings or structures; or
- (b) enables the provision of public infrastructure.

DTS/DPF 3.1

Land division is for:

- (a) the alteration of allotment boundaries, where no additional allotments are created; or
- (b) the purpose of providing public infrastructure.

Concept Plans

PO 4.1

Development is compatible with the outcomes sought by any relevant Concept Plan contained within the *Concept Plans Technical and Numeric Variation Overlay*.

DTS 4.1

None are applicable.

Procedural Matters

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

(a) the site of the development is adjacent land to land in a different zone

(b) development identified as "all other code assessed development" in Deferred Urban Zone Table 3

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Employment Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria		
Building work on railway land	 Building work is associated with a railway It is situated (or to be situated) on railway land It is required for the conduct or maintenance of railway activities. 		
 Internal building work Except where any of the following apply: A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building. 		
 Shade sail Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Shade sail consists of permeable material The total area of the sail - does not exceed 40m² No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment Primary street setback – at least as far back as the building line of the building to which it is ancillary If any part of the sail will be situated on a boundary does not exceed 8m In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary. 		

 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Water tank (above ground) Except where any of the following apply Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank is part of a roof drainage system Total floor area - not exceeding 15m² The tank is located wholly above ground Tank height – does not exceed 4m above natural ground level Primary street setback – at least as far back as the building line of the building to which it is ancillary In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development	Deemed-to-Satisfy Development Classification Criteria						
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum						
Development Classification Criteria	Zone	General Development Policies	Subzone	Overla			
			(applies only in the area affected by the Subzone)	(applies			
 Advertisement Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Area Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Murray Darling Basin Overlay 	[Advertisements]: DTS 7.1	Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5 Clearance from Overhead Powerlines: DTS 1.1	None	Airport E 1.1 Airport E Building Defence Future R Key Outl Key Rail Major Tr Native V			
 Non-stop Corridor Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay 				State Sig Urban Tr			
 Consulting room Except where any of the following apply: Character Area Overlay Character Preservation District Overlay Coastal Areas Overlay Concept Plans Technical and Numeric Variation Overlay Future Road Widening Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - High Risk) Overlay 	[Land Use and Intensity]: DTS 1.2 [Built Form and Character]: DTS 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.1, 5.2	 Design in Urban Areas [Car Parking Appearance]: DTS 6.4, 6.5 Interface Between Land Uses [Hours of Operation]: DTS 2.1 Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 	None	Airport E 1.1 Airport E Building Defence Future R Key Outh Key Raily			

im of the criteria for each Class of Development.

lay

es only in the area affected by the Overlay)

Building Heights (Aircraft Landing Area): DTS

t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 Road Widening: DTS 1.1 utback and Rural Routes: DTS 8.1, 10.1 ailway Crossings: DTS 1.1 Transport Routes: DTS 8.1, 10.1

Vegetation: DTS 1.1, 1.2

Significant Native Vegetation: DTS 1.1

Transport Routes: DTS 8.1, 10.1

Building Heights (Aircraft Landing Area): DTS

t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 Road Widening: DTS 1.1 utback and Rural Routes: DTS 8.1, 10.1 ailway Crossings: DTS 1.1

Class of Development

The following Classes of Development are classified as Deemed-to-Satisfy Developmen subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

classified as Deemed-to-Satisfy Development Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to meeting the 'Deemed-to-Satisty					
Development Classification Criteria	Zone	General Development Policies	Subzone (applies only in the	Overla (applies	
			area affected by the Subzone)		
 Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Bushfire - Urban Interface) Overlay Hazards (Flooding) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Murray Darling Basin Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Prescribed Water courses Overlay Prescribed Water Courses Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Place Overlay State Heritage Place Overlay Yraffic Generating Development Overlay Water Protection Area Overlay Water Resources Overlay 		Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		Major Tr Native V State Sig Urban Tr Strategio	
 Office Except where any of the following apply: Character Area Overlay Character Preservation District Overlay Coastal Areas Overlay Future Road Widening Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - High Risk) Overlay 	[Land Use and Intensity]: DTS 1.2 [Built Form and Character]: DTS 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.1, 5.2	 Design in Urban Areas [Car Parking Appearance]: DTS 6.4, 6.5 Interface Between Land Uses [Hours of Operation]: DTS 2.1 Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 	None	Airport E 1.1 Airport E Building Defence Future R Key Out	

lay

es only in the area affected by the Overlay)

Transport Routes: DTS 8.1, 10.1

Vegetation: DTS 1.1, 1.2

Significant Native Vegetation: DTS 1.1

Transport Routes: DTS 8.1, 10.1

egic Infrastructure Gas Pipelines: DTS 2.1

Building Heights (Aircraft Landing Area): DTS

t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 e Road Widening: DTS 1.1

utback and Rural Routes: DTS 8.1, 10.1

ailway Crossings: DTS 1.1

Class of Development

Deemed-to-Satisfy Development Classification Criteria

The following Classes of Development are classified as Deemed-to-Satisfy Development Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to meeting the Deemed-to-Satisfy				
Development Classification Criteria	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overla (applies
 Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Bushfire - Urban Interface) Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Murray Darling Basin Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Prescribed Water Courses Overlay Prescribed Wells Area Overlay River Murray Tributaries Area Overlay River Murray Tributaries Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay Water Resources Overlay 		Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		Major Tr Native V State Sig Urban Tr Strategie

lay

es only in the area affected by the Overlay)

Transport Routes: DTS 8.1, 10.1

Vegetation: DTS 1.1, 1.2

Significant Native Vegetation: DTS 1.1

Transport Routes: DTS 8.1, 10.1

gic Infrastructure Gas Pipelines: DTS 2.1

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.						
	Policies referred to Features. Relevant Assessed Developm Where a developme	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development					
		be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
Advertisement	[Advertisements]: PO 7.1	Advertisements [Appearance]: PO 1.1, 1.3, 1.4	None	Advertising Near Signalised Intersections : All			
		Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2		Airport Building Heights (Aircraf Landing Area): PO 1.1			
		Advertisements [Advertising Content]: PO 3.1		Airport Building Heights (Regulated): PO 1.1, 1.2			
		Advertisements [Amenity Content]: PO 4.1		Building Near Airfields: PO 1.1, 1.2			
		Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5		Character Area : All Character Preservation District			
		Clearance from Overhead Powerlines: PO 1.1		All			
				Coastal Areas : All			
				Defence Aviation Area: PO 1.1, 1.3			
				Future Road Widening: PO 1.1			
				Hazards (Flooding) : All			
				Historic Area : All			
				Key Outback and Rural Routes: PO 8.1, 10.1			
				Key Railway Crossings: PO 1.1			
				Local Heritage Place : All			
				Major Transport Routes: PO 8.1 10.1			
				Marine Parks (Managed Use) : All			
				Murray Darling Basin : All			
				Native Vegetation: PO 1.1, 1.2			
				Non-stop Corridor : All			
				River Murray Flood Plain : All			
				River Murray Tributaries Area : All			
				Sloping Land : All			
				State Heritage Area : All			
				State Heritage Place : All			
				State Significant Native Vegetation: PO 1.1			
				Urban Transport Routes: PO 8.1 10.1			
				Water Protection Area : All			
				Water Resources : All			

Class of	Applicable Pol	icies					
Development	The following polici	es are applicable to the assessment of	the identified	Class of Development.			
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.						
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.						
	Zone	General Development	Subzone	Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
Bulky goods outlet	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1			
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2			
	Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		Building Near Airfields: PO 1.1, 1.2			
	[Interface Height]: DTS 4.1,	Design in Urban Areas [All development – Water Sensitive		Character Preservation District: All			
	4.2	Urban Design]: PO 5.1		Coastal Areas: All			
	[Landscaping]: DTS 5.2, 5.3 [Concept Plans]: PO 8.1	Design in Urban Areas [Car Parking Appearance]: PO 6.2		Defence Aviation Area: PO 1.1, 1.3			
		Design in Urban Areas [All Non- Residential Development – Water		Future Road Widening: All Hazards (Bushfire - High Risk):			
		Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		All Hazards (Bushfire - Medium Risk): All			
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Bushfire - General Risk): All			
		Services]: PO 12.1, 12.2		Hazards (Bushfire - Urban Interface): All			
		[General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All			
		Interface Between Land Uses		Hazards (Flooding): All			
		[Hours of Operation]: PO 2.1		Historic Area: All			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2		Key Outback and Rural Routes: All			
		Interface Between Land Uses [Light		Key Railway Crossings: PO 1.1			
		Spill]: PO 6.1, 6.2		Local Heritage Place: All			
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2,		Major Transport Routes: All			
		1.3, 1.4		Marine Parks (Managed Use): All			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Murray Darling Basin: All			
		Transport, Access and Parking		Native Vegetation: PO 1.1, 1.2			
		[Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Non-stop Corridor: All			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Water Resources Area: All			
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescribed Watercourses: All			
				Prescribed Wells Area: All			
		0.2, 0.0, 0.0		River Murray Flood Plain: All River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Hernaye Flace. All			

Class of	Applicable Policies					
Development	The following polic	ies are applicable to the assessment (of the identified	Class of Development.		
	Features. Relevant Assessed Developr Where a developm	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
				State Significant Native Vegetation: PO 1.1		
				Strategic Infrastructure Gas Pipelines: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
Consulting room	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.7	1	Airport Building Heights (Regulated): PO 1.1, 1.2		
	Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5	development – External		Building Near Airfields: PO 1.1, 1.2		
	[Interface Height]: DTS 4.1,	appearance]: PO 1.4, 1.5 Design in Urban Areas [All		Character Preservation District: All		
	4.2	development – Water Sensitive Urban Design]: PO 5.1		Coastal Areas: All		
	[Landscaping]: DTS 5.2, 5.3	Design in Urban Areas [Car Parking Appearance]: PO 6.2)	Defence Aviation Area: PO 1.1, 1.2, 1.3		
	[Concept Plans]: PO 8.1	Design in Urban Areas [All Non-		Future Road Widening: All		
		Residential Development – Water Sensitive Design]: PO 42.1		Hazards (Bushfire - High Risk): All		
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Medium Risk): All		
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Bushfire - General Risk): All		
		Services]: PO 12.1, 12.2 Interface Between Land Uses		Hazards (Bushfire - Urban Interface): All		
		[General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All		
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Flooding): All		
		Interface Between Land Uses		Historic Area: All		
		[Activities Generating Noise or Vibration]: PO 4.2		Key Outback and Rural Routes: All		
		Interface Between Land Uses [Ligh Spill]: PO 6.1, 6.2	t	Key Railway Crossings: PO 1.1		
		Transport, Access and Parking		Local Heritage Place: All		
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Major Transport Routes: All		
		Transport, Access and Parking		Marine Parks (Managed Use): A Murray Darling Basin: All		
		[Sightlines]: PO 2.1, 2.2		Native Vegetation: PO 1.1, 1.2		
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Non-stop Corridor: All		

Class of	Applicable Policies				
Development	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.				
		ent comprises more than one Class of l applicable policies for each Class of Dev		he relevant policies will be taken to	
	Zone General Development Subzone			Overlay	
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Water Resources Area: All	
		Transport, Access and Parking		Prescribed Watercourses: All	
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescribed Wells Area: All	
				River Murray Flood Plain: All	
				River Murray Tributaries Area: All	
				Sloping Land: All	
				State Heritage Area: All	
				State Heritage Place: All	
				State Significant Native Vegetation: PO 1.1	
				Strategic Infrastructure Gas Pipelines: All	
				Traffic Generating Development: All	
				Urban Transport Routes: All	
				Water Protection Area: All	
				Water Resources: All	
Demolition of a State or	None	None	None	Local Heritage Place: All	
Local Heritage Place				State Heritage Place: All	
Demolition within an Historic Area Overlay or State Heritage Area Overlay	None	None	None	Historic Area: All State Heritage Area: All	
General industry	[Land Use and Intensity]: PO 1.1	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1	
	[Built Form and Character]: DTS	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2	
	3.1, 3.2, 3.3, 3.4, 3.5	Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2	
	[Interface Height]: DTS 4.1, 4.2	appearance]: PO 1.4, 1.5 Design in Urban Areas [All		Character Preservation District: All	

4.2	Design in Urban Areas [All development – Water Sensitive	All
[Landscaping]:	Urban Design]: PO 5.1	Coastal Areas: All
DTS 5.1, 5.2, 5.3	Design in Urban Areas [Car Parking	Defence Aviation Area: PO 1.1,
[Concept Plans]: PO 8.1	Appearance]: PO 6.2	1.2, 1.3
	Design in Urban Areas [All Non-	Future Road Widening: All
	Residential Development – Water Sensitive Design]: PO 42.1	Hazards (Bushfire - High Risk): All
	Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1	Hazards (Bushfire - Medium Risk): All
	Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2	Hazards (Bushfire - General Risk): All

Class of Development		Applicable Policies					
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.						
		Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
		Interface Between Land Uses [General Land Use Compatibility]:		Hazards (Bushfire - Urban Interface): All			
		PO 1.2 Interface Between Land Uses		Hazards (Bushfire - Regional): All			
		[Hours of Operation]: PO 2.1		Hazards (Flooding): All			
		Interface Between Land Uses [Activities Generating Noise or		Historic Area: All			
		Vibration]: PO 4.1, 4.2, 4.5 Interface Between Land Uses [Air		Key Outback and Rural Routes: All			
		Quality]: PO 5.1, 5.2 Interface Between Land Uses [Light		Key Railway Crossings: PO 1.1			
		Spill]: PO 6.1, 6.2		Local Heritage Place: All			
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2,		Major Transport Routes: All Marine Parks (Managed Use): All			
		1.3, 1.4		Murray Darling Basin: All			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Native Vegetation: PO 1.1, 1.2			
		Transport, Access and Parking		Non-stop Corridor: All			
		[Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Prescribed Water Resources Area: All			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Watercourses: All			
		Transport, Access and Parking		Prescribed Wells Area: All			
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Flood Plain: All			
		0.2, 0.0, 0.0		River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Significant Native Vegetation: PO 1.1			
				Strategic Infrastructure Gas Pipelines: All			
				Traffic Generating Development: All			
				Urban Transport Routes: All			
				Water Protection Area: All			
				Water Resources: All			
Light industry	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None.	Airport Building Heights (Aircraft Landing Area): PO 1.1			
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2			
	Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		Building Near Airfields: PO 1.1, 1.2 Character Preservation District:			
				All			

Class of	Applicable Policies						
Development	The following policies are applicable to the assessment of the identified Class of Development.						
	Policies referred to Features. Relevant	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Where a developme						
	Zone	General Development	Subzone	Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
	[Interface	Design in Urban Areas [All		Coastal Areas: All			
	Height]: DTS 4.1, 4.2	development – Water Sensitive Urban Design]: PO 5.1		Defence Aviation Area: PO 1.1, 1.2, 1.3			
	[Landscaping]: DTS 5.1, 5.2, 5.3	Design in Urban Areas [Car Parking Appearance]: PO 6.2		Future Road Widening: All			
	[Concept Plans]: PO 8.1	Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1		Hazards (Bushfire - High Risk): All			
		Infrastructure and Renewable		Hazards (Bushfire - Medium Risk): All			
		Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - General Risk): All			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire - Urban Interface): All			
		Interface Between Land Uses [General Land Use Compatibility]:		Hazards (Bushfire - Regional): All			
		PO 1.2		Hazards (Flooding): All			
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Historic Area: All			
		Interface Between Land Uses [Activities Generating Noise or		Key Outback and Rural Routes: All			
		Vibration]: PO 4.1, 4.2, 4.5		Key Railway Crossings: PO 1.1			
		Interface Between Land Uses [Air		Local Heritage Place: All			
		Quality]: PO 5.1, 5.2		Major Transport Routes: All			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Marine Parks (Managed Use): All			
		Transport, Access and Parking		Murray Darling Basin: All			
		[Movement Systems]: PO 1.1, 1.2,		Native Vegetation: PO 1.1, 1.2			
		1.3, 1.4		Non-stop Corridor: All			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Prescribed Water Resources Area: All			
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4,		Prescribed Watercourses: All			
		3.5, 3.7, 3.8, 3.9		Prescribed Wells Area: All			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		River Murray Flood Plain: All			
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Tributaries Area: All Sloping Land: All			

6.2, 6.5, 6.6	Sloping Land: All
	State Heritage Area: All
	State Heritage Place: All
	State Significant Native Vegetation: PO 1.1
	Strategic Infrastructure Gas Pipelines: All
	Traffic Generating Development: All
	Urban Transport Routes: All
	Water Protection Area: All

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
Development					
	Zone	General Development Policies	Subzone (applies only in the area affected by the	Overlay (applies only in the area affected by the Overlay)	
			Subzone)	Water Resources: All	
Motor repair station	[Land Use and Intensity]: PO 1.1 [Built Form and Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.1, 5.2, 5.3 [Concept Plans]: PO 8.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5 Interface Between Land Uses [Air Quality]: PO 5.1 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 Transport, Access and Parking [Sightlines]: PO 2.1, 2.2 Transport, Access and Parking [Sightlines]: PO 2.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9	None.	Water Resources: All Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Character Preservation District: All Coastal Areas: All Defence Aviation Area: PO 1.1, 1.2, 1.3 Future Road Widening: All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All Hazards (Bushfire - Urban Interface): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: All Key Railway Crossings: PO 1.1 Local Heritage Place: All Major Transport Routes: All Marine Parks (Managed Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Non-stop Corridor: All Prescribed Water Resources Area: All	
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescribed Watercourses: All Prescribed Wells Area: All River Murray Flood Plain: All River Murray Tributaries Area: All Sloping Land: All	

Class of	Applicable Policies				
Development	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				 State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines: All Traffic Generating Development: All Urban Transport Routes: All Water Protection Area: All Water Resources: All 	
Office	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.2, 5.3 [Concept Plans]: PO 8.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6. Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Ligh Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2 1.3, 1.4	g	Airport Building Heights (Aircraft Landing Area): PO 1.1Airport Building Heights (Regulated): PO 1.1, 1.2Building Near Airfields: PO 1.1, 1.2Building Near Airfields: PO 1.1, 1.2Character Preservation District: AllCoastal Areas: AllDefence Aviation Area: PO 1.1, 1.2, 1.3Future Road Widening: AllHazards (Bushfire - High Risk): AllHazards (Bushfire - Medium Risk): AllHazards (Bushfire - General Risk): AllHazards (Bushfire - Urban Interface): AllHazards (Bushfire - Regional): AllHazards (Flooding): AllHistoric Area: All Key Outback and Rural Routes: AllKey Railway Crossings: PO 1.1 Local Heritage Place: All Major Transport Routes: All	

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.				
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4,		Non-stop Corridor: All Prescribed Water Resources	
		3.5, 3.7, 3.8, 3.9 Transport, Access and Parking		Area: All	
		[Vehicle Parking Rates]: PO 5.1		Prescribed Watercourses: All	
		Transport, Access and Parking		Prescribed Wells Area: All	
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Flood Plain: All	
				River Murray Tributaries Area: All	
				Sloping Land: All	
				State Heritage Area: All	
				State Heritage Place: All	
				State Significant Native Vegetation: PO 1.1	
				Strategic Infrastructure Gas Pipelines: All	
				Traffic Generating Development: All	
				Urban Transport Routes: All	
				Water Protection Area: All	
				Water Resources: All	
Personal or domestic services establishment	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1	
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2	
	Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		Building Near Airfields: PO 1.1, 1.2	
	[Interface Height]: DTS 4.1, 4.2	Design in Urban Areas [All development – Water Sensitive		Character Preservation District: All	
	4.2 [Landscaping]:	Urban Design]: PO 5.1		Coastal Areas: All	
	DTS 5.2, 5.3	Design in Urban Areas [Car Parking Appearance]: PO 6.2		Defence Aviation Area: PO 1.1, 1.2, 1.3	
	[Concept Plans]: PO 8.1	Design in Urban Areas [All Non- Residential Development – Water		Future Road Widening: All	
		Sensitive Design]: PO 42.1		Hazards (Bushfire - High Risk): All	
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Medium Risk): All	
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire - General Risk): All Hazards (Bushfire - Urban	
		Interface Between Land Uses [General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Orban Interface): All Hazards (Bushfire - Regional): All	
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Flooding): All	

Class of	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance					
Development						
	Assessed Development. Where a development comprises more than one Class of Development the relevant polic be the sum of the applicable policies for each Class of Development.					
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
		Interface Between Land Uses		Historic Area: All		
		[Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Key Outback and Rural Routes: All		
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Key Railway Crossings: PO 1.1		
		Transport, Access and Parking		Local Heritage Place: All		
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Major Transport Routes: All		
		Transport, Access and Parking		Marine Parks (Managed Use): All		
		[Sightlines]: PO 2.1, 2.2		Murray Darling Basin: All		
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4,		Native Vegetation: PO 1.1, 1.2		
		3.5, 3.7, 3.8, 3.9		Non-stop Corridor: All		
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Water Resources Area: All		
		Transport, Access and Parking		Prescribed Watercourses: All		
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescribed Wells Area: All		
				River Murray Flood Plain: All		
				River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: PO 1.1		
				Strategic Infrastructure Gas Pipelines: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
Retail fuel outlet	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		

Intensity]: PO	Powerlines: PO 1.1	Landing Area): PO 1.1
1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1	Airport Building Heights (Regulated): PO 1.1, 1.2
Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive	Building Near Airfields: PO 1.1, 1.2 Character Preservation District: All Coastal Areas: All
[Landscaping]: DTS 5.2, 5.3 [Concept Plans]: PO 8.1	Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2	Defence Aviation Area: PO 1.1, 1.2, 1.3 Future Road Widening: All

Class of Development	Applicable Policies					
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1		Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium		
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Risk): All Hazards (Bushfire - General		
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Risk): All Hazards (Bushfire - Urban Interface): All		
		Interface Between Land Uses [General Land Use Compatibility]:		Hazards (Bushfire - Regional): All		
		PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Flooding): All Historic Area: All		
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Key Outback and Rural Routes: All		
		Interface Between Land Uses [Air Quality]: PO 5.1, 5.2		Key Railway Crossings: PO 1.1 Local Heritage Place: All		
		Interface Between Land Uses [Ligh Spill]: PO 6.1, 6.2	t	Major Transport Routes: All Marine Parks (Managed Use): All		
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2		
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Non-stop Corridor: All Prescribed Water Resources Area: All		
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Prescribed Watercourses: All		
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Wells Area: All River Murray Flood Plain: All		
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Tributaries Area: All Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: PO 1.1		
				Strategic Infrastructure Gas Pipelines: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All Water Protection Area: All Water Resources: All		
				Water Resources: All		

Class of Development	Applicable Policies					
	The following policies are applicable to the assessment of the identified Class of Development.					
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.					
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
Service trade premises	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2		
	Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		Building Near Airfields: PO 1.1, 1.2		
	[Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.2, 5.3 [Concept Plans]: PO 8.1	Design in Urban Areas [All development – Water Sensitive		Character Preservation District: All Coastal Areas: All		
		Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2		Defence Aviation Area: PO 1.1, 1.2, 1.3		
		Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1		Future Road Widening: All Hazards (Bushfire - High Risk):		
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		All Hazards (Bushfire - Medium Risk): All		
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Bushfire - General Risk): All		
		Services]: PO 12.1, 12.2 Interface Between Land Uses		Hazards (Bushfire - Urban Interface): All		
		[General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All		
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Flooding): All		
		Interface Between Land Uses		Historic Area: All Key Outback and Rural Routes:		
		[Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		All		
		Interface Between Land Uses [Air Quality]: PO 5.1, 5.2		Key Railway Crossings: PO 1.1		
		Interface Between Land Uses [Light		Local Heritage Place: All		
		Spill]: PO 6.1, 6.2		Major Transport Routes: All Marine Parks (Managed Use): All		
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Murray Darling Basin: All		
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Native Vegetation: PO 1.1, 1.2 Non-stop Corridor: All		

Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9

Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1

Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6 Prescribed Water Resources Area: All
Prescribed Watercourses: All
Prescribed Wells Area: All
River Murray Flood Plain: All
River Murray Tributaries Area: All
Sloping Land: All
State Heritage Area: All
State Heritage Place: All

Class of Development	Applicable Poli		the identifiest		
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	Conoral Dovelopment	Subzone Overlay		
	Zone	General Development Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
				State Significant Native Vegetation: PO 1.1	
				Strategic Infrastructure Gas Pipelines: All	
				Traffic Generating Development: All	
				Urban Transport Routes: All	
				Water Protection Area: All	
				Water Resources: All	
Shop	[Land Use and	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1	
Except where any of the	Intensity]: PO 1.1, 1.2 [Built Form and Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5	Design in Rural Areas [On-site		Airport Building Heights	
following apply:		Waste Treatment Systems]: PO 6.1		(Regulated): PO 1.1, 1.2	
 The gross leasable floor area is more than 1000m² other than a 		Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		Building Near Airfields: PO 1.1, 1.2	
bulky goods outlet or it is ancillary to an	[Interface	Design in Urban Areas [All		Character Preservation District:	
industry	4.2	development – Water Sensitive		All	
		Urban Design]: PO 5.1		Coastal Areas: All	
	DTS 5.2, 5.3	Design in Urban Areas [Car Parking Appearance]: PO 6.2		Defence Aviation Area: PO 1.1, 1.2, 1.3	
	[Concept Plans]: PO 8.1	8.1 Design in Urban Areas [All Non-		Future Road Widening: All	
		Residential Development – Water Sensitive Design]: PO 42.1		Hazards (Bushfire - High Risk): All	
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Medium Risk): All	
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Bushfire - General Risk): All	
		Services]: PO 12.1, 12.2 Interface Between Land Uses		Hazards (Bushfire - Urban Interface): All	
		[General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All	
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Flooding): All	
		Interface Between Land Uses		Historic Area: All	
		[Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Key Outback and Rural Routes: All	
		Interface Between Land Uses [Air Quality]: PO 5.1, 5.2		Key Railway Crossings: PO 1.1	
		Interface Between Land Uses [Light		Local Heritage Place: All	
		Spill]: PO 6.1, 6.2		Major Transport Routes: All	
		Transport, Access and Parking		Marine Parks (Managed Use): All	
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Murray Darling Basin: All	
		Transport, Access and Parking		Native Vegetation: PO 1.1, 1.2	
		[Sightlines]: PO 2.1, 2.2		Non-stop Corridor: All	

Class of Development	Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.				
		ent comprises more than one Class of applicable policies for each Class of De		he relevant policies will be taken to	
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		 Prescribed Water Resources Area: All Prescribed Watercourses: All Prescribed Wells Area: All River Murray Flood Plain: All River Murray Tributaries Area: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines: All Traffic Generating Development: All Urban Transport Routes: All Water Protection Area: All Water Resources: All 	
Store	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.2, 5.3 [Concept Plans]: PO 8.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1	None	 Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Character Preservation District: All Coastal Areas: All Defence Aviation Area: PO 1.1, 1.2, 1.3 Future Road Widening: All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All Hazards (Bushfire - Urban Interface): All Hazards (Bushfire - Regional): All Hazards (Flooding): All 	
		[General Land Use Compatibility]: PO 1.2		All	

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.				
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone	Overlay	
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Key Outback and Rural Routes: All	
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Key Railway Crossings: PO 1.1 Local Heritage Place: All	
		Transport, Access and Parking		Major Transport Routes: All	
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Marine Parks (Managed Use): Murray Darling Basin: All	
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Native Vegetation: PO 1.1, 1.2	
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Non-stop Corridor: All Prescribed Water Resources	
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Area: All Prescribed Watercourses: All	
		Transport, Access and Parking		Prescribed Wells Area: All	
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Flood Plain: All	
				River Murray Tributaries Area: All	
				Sloping Land: All	
				State Heritage Area: All	
				State Heritage Place: All	
				State Significant Native Vegetation: PO 1.1	
				Strategic Infrastructure Gas Pipelines: All	
				Traffic Generating Developme All	
				Urban Transport Routes: All	
				Water Protection Area: All	
				Water Resources: All	
elecommunications	[Land Use and Intensity]: PO 1.1	Infrastructure and Renewable Energy Facilities	None	Advertising Near Signalised Intersections : All	
facility		[Telecommunication Facilities]: PO 6.1, 6.2		Airport Building Heights (Aircr Landing Area): PO 1.1	
				Airport Building Heights (Regulated): PO 1.1, 1.2	
				Building Near Airfields: PO 1.1 1.2	
				Character Area : All	
				Character Preservation Distric	
				Coastal Areas : All	
				Defence Aviation Area: PO 1.1 1.3	

Class of	Applicable Policies					
Development	The following policies are applicable to the assessment of the identified Class of Development.					
	Features. Relevant	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Where a developm					
	Zone	General Development Subzone Overlay				
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
				Future Road Widening: PO 1.1		
				Hazards (Flooding) : All		
				Historic Area : All		
				Key Outback and Rural Routes: PO 8.1, 10.1		
				Key Railway Crossings: PO 1.1		
				Local Heritage Place : All		
				Major Transport Routes: PO 8.1, 10.1		
				Marine Parks (Managed Use) : All		
				Murray Darling Basin : All		
				Native Vegetation: PO 1.1, 1.2		
				Non-stop Corridor : All		
				River Murray Flood Plain : All		
				River Murray Tributaries Area : All		
				Sloping Land : All		
				State Heritage Area : All		
				State Heritage Place : All		
				State Significant Native Vegetation: PO 1.1		
				Urban Transport Routes: PO 8.1, 10.1		
				Water Protection Area : All		
				Water Resources : All		
Tree damaging activity	None	None	None	Regulated Tree: All		
Warehouse	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: DTS	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2		

Character]: DTS 3.1, 3.2, 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.2, 5.3 [Concept Plans]: PO 8.1	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1	Building Near Airfields: PO 1.1, 1.2 Character Preservation District: All Coastal Areas: All Defence Aviation Area: PO 1.1, 1.2, 1.3 Future Road Widening: All Hazards (Bushfire - High Risk): All
---	---	---

Class of Development	The following p Policies referre Features. Rele Assessed Deve Where a devel	Applicable PoliciesThe following policies are applicable to the assessment of the identified Class of Development.Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development	Subzone	Overlay	
		Policies (app only area affe the	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
		Infrastructure and Renewable Energy Facilities [Water Supply]:		Hazards (Bushfire - Medium Risk): All	
		PO 11.1 Infrastructure and Renewable		Hazards (Bushfire - General Risk): All	
		Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire - Urban Interface): All	
		Interface Between Land Uses [General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All	
		Interface Between Land Uses		Hazards (Flooding): All	
		[Hours of Operation]: PO 2.1		Historic Area: All	
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Key Outback and Rural Routes: All	
		Interface Between Land Uses [Light		Key Railway Crossings: PO 1.1	
		Spill]: PO 6.1, 6.2		Local Heritage Place: All	
		Transport, Access and Parking		Major Transport Routes: All	
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Marine Parks (Managed Use): All	
		Transport, Access and Parking		Murray Darling Basin: All	
		[Sightlines]: PO 2.1, 2.2		Native Vegetation: PO 1.1, 1.2	
		Transport, Access and Parking		Non-stop Corridor: All	
		[Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking		Prescribed Water Resources Area: All	
		[Vehicle Parking Rates]: PO 5.1		Prescribed Watercourses: All	
		Transport, Access and Parking		Prescribed Wells Area: All	
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Flood Plain: All	
				River Murray Tributaries Area: All	
				Sloping Land: All	
				State Heritage Area: All	
				State Heritage Place: All	
				State Significant Native Vegetation: PO 1.1	
				Strategic Infrastructure Gas Pipelines: All	

				Pipelines: All
				Traffic Generating Development: All
				Urban Transport Routes: All
				Water Protection Area: All
				Water Resources: All
All other Code Assessed Development	All	All	None	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
Industry	Special Industry
Shop	 Where: (a) the gross leasable floor area is no more than 1000m²: or (b) it is a bulky goods outlet; or (c) it is ancillary to an industry on the same allotment.

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

A comprehensive range of industrial, logistical, warehousing, storage, research and training land uses together with compatible business activities generating wealth and employment for the State.

DO 2

Employment generating uses are arranged to:

- (a) support the efficient movement of goods and materials on land in the vicinity of major transport infrastructure such as ports and intermodal freight facilities;
- (b) maintain access to waterfront areas for uses that benefit from direct water access including harbour facilities, port related industry and warehousing, ship building and related support industries;
- (c) create new and enhance existing business clusters;
- (d) support opportunities for the convenient co-location of rural related industries and allied businesses that may detract from scenic rural landscapes; and
- (e) be compatible with its location and setting to manage adverse impacts on the amenity of land in adjacent zones.

DO 3

Development achieves a pleasant visual amenity when viewed from adjacent arterial roads, adjoining zones and entrance ways to cities, towns and settlements.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Development primarily for a range of higher impacting land uses including general industry, warehouse, transport distribution and the like supplemented by other compatible development so as not to unduly impede the use of land in other ownership in the zone for employment generating land uses, particularly those parts of the zone unaffected by an interface with another zone that would be sensitive impact generating uses.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Automotive collision repair
- Electricity substation
- Fuel depot
- General industry
- Light Industry
- Motor repair station
- Public service depot
- Retail fuel outlet
- Service trade premises
- Shop
- Store
- Telecommunications facility
- Training facility
- Warehouse

PO 1.2

Development adjacent land in another zone used for or primarily accommodating residential development incorporates a range of low impact non-residential uses to mitigate adverse amenity and safety impacts on the adjoining zone.

DTS/DPF 1.2

Development involving any of the following uses on a site adjacent land in another zone used for or expected to be primarily used for residential purposes:

- Bulky goods outlet
- Consulting room
- Indoor recreation facility
- Light industry
- Office
- Research facility
- Service trade premises
- Store
- Training facility.

PO 1.3

Shops, other than a bulky goods outlet and shops not ancillary to an industry, primarily cater to the surrounding workforce to enhance the amenity of the zone for those workers.

DTS/DPF 1.3

Shop:

- (a) with a gross leasable floor area up to 500m2;
- (b) in the form of a bulky goods outlet; or
- (c) ancillary to and located on the same allotment as an industry.

PO 1.4

Residential development is subordinate and necessary to support the efficient management, security and/or operational aspects of a non-residential land use.

DTS/DPF 1.4

None are applicable.

Site Dimensions and Land Division

PO 2.1

Land division creating allotments of a size and shape suitable for a range of industrial, transport, warehouse and other similar or complementary land uses that support employment generation.

DTS/DPF 2.1

Allotments have:

- (a) an area of 2500m2 or more; and
- (b) a frontage width of 30m or more.

Built Form and Character

PO 3.1

Development that achieves distinctive building, landscape and streetscape design to achieve high visual and environmental amenity particularly along arterial roads, zone boundaries and public open spaces.

DTS/DPF 3.1

None are applicable.

PO 3.2

Building facades facing a boundary of a zone primarily intended to accommodate sensitive receivers, public road, or public open space incorporate design elements to add visual interest by considering the following:

- (a) a variety of building finishes and avoid elevations that consist solely of metal cladding;
- (b) using materials with a low reflectivity; and
- (c) techniques to add visual interest and reduce large expanses of blank walls including modulation and incorporation of offices and showrooms along elevations visible to a public road.

DTS/DPF 3.2

None are applicable.

PO 3.3

Buildings set back from the primary street boundary to contribute to a consistent streetscape.

DTS/DPF 3.3

Buildings are no closer to the primary street frontage than:

- (a) the average of existing buildings on adjoining sites with the same primary street frontage and, if there is only one such building, the setback of that building; or
- (b) where no building exists on an adjoining site.
 - i. 8m or more for buildings up to 6m high;
 - ii. not less than 10m for buildings greater than 6m high.

PO 3.4

Buildings setback from secondary street boundaries to accommodate the provision of landscaping between buildings and the road to enhance the appearance of land and buildings when viewed from the street.

DTS/DPF 3.4

Buildings setback 4m or more from a secondary street boundary.

PO 3.5

Buildings are sited to accommodate vehicle access to the rear of a site for deliveries, maintenance and emergency purposes.

DTS/DPF 3.5

Buildings setback 3m or more from at least one side boundary, unless an alternative means for vehicular access to the rear of the site is available.


Interface Height

PO 4.1

Buildings mitigate visual impacts of building massing on residential development within a neighbourhood zone.

DTS/DPF 4.1

Buildings constructed within a building envelope provided by a 45 degree plane measured from a height of 3 metres above natural ground level at the allotment boundary of a residential allotment within a neighbourhood zone as shown in the following diagram (except where this boundary is a southern boundary in which case DTS/DPF 4.2 will apply, or where this boundary is the <u>primary street</u> boundary):




PO 4.2

Buildings mitigate overshadowing of residential development within a neighbourhood zone.

DTS/DPF 4.2

Buildings on sites with a southern boundary adjoining a residential allotment within a neighbourhood zone are constructed within a building envelope provided by a 30 degree plane grading north measured from a height of 3m above natural ground level at the southern boundary, as shown in the following diagram:



Landscaping

PO 5.1

Landscaping provided along public roads and thoroughfares and zone boundaries to enhance the visual appearance of development and soften the impact of larger buildings when viewed from public spaces and adjacent land outside the zone.

DTS/DPF 5.1

Other than to accommodate a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land, a landscaped area is provided within the development site (excluding any land required for road widening purposes):

- (a) where a building is setback less than 3m from the street boundary within the area remaining between a relevant building and the street boundary; or
- (b) in accordance with the following:

Minimum∙ width¤	Description¤
5m×	Along•any•boundary•with•a• Highway,•Freeway•or•Expressway.¤
5m×	Along·any·boundary·on·the· perimeter·of·the·zone·not·fronting· a·public·road·or·thoroughfare,· except·where·the·adjacent·zone·is· one·of·the·following:·¶
	(a)→Employment·(Bulk·Handling)· Zone;¶
	(b)→Suburban·Employment·Zone;¶
	(c)→Resource·Extraction·Zone.×
3m¤	Along·any·boundary·on·the· perimeter·of·the·zone·that·fronts·a· public·road·or·thoroughfare.×
3m¤	Along·an·arterial·or·main·road· frontage·within·the·zone·(and·not· on·the·perimeter·of·the·zone)¤

PO 5.2

Development incorporates areas for landscaping to enhance the overall amenity of the site and locality.

DTS/DPF 5.2

Landscape areas comprise:

- (a) not less than 10 percent of the site; and
- (b) a dimension of at least 1.5m.

PO 5.3

Landscape areas incorporate a range of plant species of varying heights at maturity, including tree species with a canopy above clear stems, to complement the scale of relevant buildings.

DTS/DPF 5.3

None are applicable.

Fencing

PO 6.1

Fencing exceeding 2.1m in height integrated and designed to complement the appearance of land and buildings and does not form a dominant visual feature from adjacent streets to enhance the character of employment areas.

DTS/DPF /DPF 6.1

Fencing exceeding 2.1m in height:

- (a) located behind a façade of an associated building located on the same site; or
- (b) located behind a landscaped area along relevant street frontages; or
- (c) consists of visually permeable materials with landscaping behind.

Advertisements

PO 7.1

Freestanding advertisements do not create a visually dominant element within the locality.

DTS/DPF /DPF 7.1

Freestanding advertisements:

- (a) do not exceed 6m in height; and
- (b) do not have a sign face exceeding 8m2 per side.

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) development identified as "all other code assessed development" in Employment Zone Table 3
- (c) dwelling
- (d) pre-school
- (e) bulky goods outlet
- (f) shop exceeding 500m² other than where associated with an industry on the same allotment
- (g) tourist accommodation.

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Employment (Bulk Handling) Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	4 Building work is associated with a railway5 It is situated (or to be situated) on railway land6 It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Key Railway Crossings Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created 	 14 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 15 It is ancillary to an office erected on the site 16 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 17 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 18 Total floor area - does not exceed 40m² 19 Post height - does not exceed 3m measured from natural ground level (and not including a gable end) 20 Building height - does not exceed 5m 21 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent

Urban Transport Routes Overlay where an existing access is altered	22 If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
 or a new access is created Water Resources Overlay 	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and
	(b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
	23 The total roofed area of all existing or proposed buildings on the allotment does not exceed 60% of the area of the allotment
	24 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser)
	25 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors
	26 The carport:
	(a) is located so that vehicle access:
	i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or
	ii. will use a driveway that:
	 A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
	 B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or
	iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and
	(b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
	(c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access

 Internal building work Except where any of the following apply: A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 3 There will be no increase in the total floor area of the building 4 There will be no alteration to the external appearance of the building.
 Outbuilding (in the form of a garage) Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Key Railway Crossings Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 29 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 30 It is detached from and ancillary to an office erected on the site 31 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 32 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 33 Total floor area - does not exceed 40m² 34 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 35 Building height - does not exceed 5m 36 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent 37 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and

	 (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 38 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 39 Internal dimensions - exceed 3.2m in width and 6m in length between all walls and doors 40 Door opening for vehicle access - does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 41 The garage: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
Solar photovoltaic panels (roof mounted) Except where any of the following apply: • Historic Area Overlay	 4 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof 5 Panels and associated components do not overhang any part of the roof

 A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	6 Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Water tank (above ground) Except where any of the following apply Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 The tank is part of a roof drainage system 10 Total floor area - not exceeding 15m² 11 The tank is located wholly above ground 12 Tank height – does not exceed 4m above natural ground level 13 Primary street setback – at least as far back as the building line of the building to which it is ancillary 14 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Coastal Areas Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 3 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 4 The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development	Deemed-to-Satis	fy Development Classification Criteria				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum					
	Zone	General Development Policies	Subzone	Overla		
			(applies only in the area affected by the Subzone)	(applies		
Advertisement	[Advertisements]: DTS 3.1	Advertisements [Appearance]: DTS 1.1, 1.3, 1.4	None	Airport E		
Except where any of the following apply:	D15 3.1	Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2		Building		
 Advertising Near Signalised Intersections Overlay 		Advertisements [Advertising Content]: DTS 3.1		Defence		
Coastal Areas Overlay Hazards (Flooding) Overlay		Advertisements [Amenity Content]: DTS 4.1		Key Rail		
		Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5		Major Tr		
Historic Area OverlayLocal Heritage Place Overlay		Clearance from Overhead Powerlines: DTS 1.1		Native V		
Marine Parks (Managed Use) Overlay				State Sig		
River Murray Flood Plain OverlaySloping Land Overlay				Urban Ti		
State Heritage Area Overlay						
State Heritage Place Overlay						
Water Protection Area OverlayWater Resources Overlay						
Office	[Land Use and	Clearance from Overhead Powerlines: DTS 1.1		Airport E		
Except where any of the following apply:Coastal Areas Overlay	Intensity]: DTS 1.3	Design in Rural Areas [On-site Waste Treatment Systems]: DTS 6.1		Building Defence		
 Coastal Areas Overlay Hazards (Bushfire - High Risk) Overlay Hazards (Bushfire - Medium Risk) 		Design in Rural Areas [Car Parking Appearance]: DTS 7.4, 7.5		Key Rail		
 Hazards (Bushfire - General Risk) 		Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1		Major Tr Native V		
Overlay		Infrastructure and Renewable Energy Facilities		State Sig		
 Hazards (Bushfire - Urban Interface) Overlay 		[Wastewater Services]: DTS 12.1, 12.2		Urban Ti		
Hazards (Bushfire - Regional) OverlayHazards (Flooding) Overlay		Transport, Access and Parking [Movement Systems]: DTS 1.4				
Historic Area OverlayLocal Heritage Place Overlay		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5				
Marine Parks (Managed Use) OverlayMurray Darling Basin Overlay		Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1				

Im of the criteria for each Class of Development.

lay

es only in the area affected by the Overlay)

- t Building Heights (Regulated): DTS 1.1, 1.2
- ng Near Airfields: DTS 1.1, 1.2
- ce Aviation Area: DTS 1.1, 1.3
- ailway Crossings: DTS 1.1
- Transport Routes: DTS 8.1, 10.1
- Vegetation: DTS 1.1, 1.2
- Significant Native Vegetation: DTS 1.1
- Transport Routes: DTS 8.1, 10.1

t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 ailway Crossings: DTS 1.1 Transport Routes: All e Vegetation: DTS 1.1, 1.2 Significant Native Vegetation: DTS 1.1 Transport Routes: All

Class of Development

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

The following Classes of Development are classified as Deemed-to-Satisfy Development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development. Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to mooting the Boomou to outlong				
Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overla (applies
 Prescribed Water Resources Area Overlay Prescribed Wells Area Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay Traffic Generating Development Overlay Water Protection Area Overlay Water Resources Overlay 		Transport, Access and Parking [Vehicle Parking Areas]: DTS 6.1, 6.6		

lay

es only in the area affected by the Overlay)

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	Applicable Policies							
	The following policies are applicable to the assessment of the identified Class of Development.							
		Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Releva automatically apply in relation to a Performance Assessed Development.						
	Where a development of Development.	comprises more than one Class of Development the relevant	policies will be taken to	be the su				
	Zone	General Development Policies	Subzone	Overl				
			(applies only in the area affected by the Subzone)	(applies				
Advertisement	[Advertisements]: PO	Advertisements [Appearance]: PO 1.1, 1.3, 1.4	None	Adverti				
	3.1	Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2		Airport				
		Advertisements [Advertising Content]: PO 3.1		Building				
		Advertisements [Amenity Content]: PO 4.1		Coastal				
		Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5		Defence				
		Clearance from Overhead Powerlines: PO 1.1		Hazard				
				Historic				
				Key Ra Local H				
				Major T				
				Marine				
				Native				
				River M				
				Sloping				
				State H				
				State H				
				State S				
				Urban T				
				Water F				
				Water I				
Demolition of a State or Local Heritage	e None	None	None	Local H				

ant Desired Outcomes are not listed, but

sum of the applicable policies for each Class of

rlay

es only in the area affected by the Overlay)

rtising Near Signalised Intersections: All ort Building Heights (Regulated): PO 1.1, 1.2 ing Near Airfields: PO 1.1, 1.2 tal Areas: All nce Aviation Area: PO 1.1, 1.3 rds (Flooding): All ric Area: All Railway Crossings: PO 1.1 Heritage Place: All r Transport Routes: PO 8.1, 10.1 ne Parks (Managed Use): All ve Vegetation: PO 1.1, 1.2 Murray Flood Plain: All ng Land: All Heritage Area: All Heritage Place: All e Significant Native Vegetation: PO 1.1 Transport Routes: PO 8.1, 10.1 Protection Area: All Resources: All

Heritage Place: All

Class of Development	Applicable Policies						
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevan automatically apply in relation to a Performance Assessed Development.						
	5 5	comprises more than one Class of Development the relevant	policies will be taken to	be the sur			
	Zone	General Development Policies	Subzone	Overla			
			(applies only in the area affected by the Subzone)	(applies			
				State He			
Demolition within an Historic Area	None y	None	None	Historic			
Overlay or State Heritage Area Overlay				State He			
Light industry	[Land Use and Intensity]: PO 1.1, 1.2	Clearance from Overhead Powerlines: PO 1.1	None.	Airport E			
		Design in Rural Areas [All development – External appearance]: PO 1.5		Building			
		Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Coastal Defence			
		Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7		Hazards Hazards			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards Hazards			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Hazards Historic			
		Interface Between Land Uses [Air Quality]: PO 5.1, 5.2		Key Rail			
		Interface Between Land Uses [Light Spill]: PO 6.1		Local He			
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Major Tr			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Marine F			
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Murray I Native V			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescrib			
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescrib River Mu			

int Desired Outcomes are not listed, but

um of the applicable policies for each Class of

lay

es only in the area affected by the Overlay)

Heritage Place: All ic Area: All Heritage Area: All t Building Heights (Regulated): PO 1.1, 1.2 ng Near Airfields: PO 1.1, 1.2 al Areas: All ce Aviation Area: PO 1.1, 1.3 ds (Bushfire - High Risk): All ds (Bushfire - Medium Risk): All ds (Bushfire - General Risk): All ds (Bushfire - Urban Interface): All ds (Bushfire - Regional): All ds (Flooding): All ic Area: All ailway Crossings: PO 1.1 Heritage Place: All Transport Routes: All Parks (Managed Use): All y Darling Basin: All Vegetation: PO 1.1, 1.2 ibed Water Resources Area: All ibed Wells Area: All Murray Flood Plain: All

Class of Development	Applicable Policies							
	The following policies are applicable to the assessment of the identified Class of Development.							
	Policies referred to	are Performance Outcome policies, and any associated Designation to a Performance Assessed Development.		s. Relevan				
		ent comprises more than one Class of Development the relevant	policies will be taken to	be the sur				
	Zone	General Development Policies	Subzone	Overla				
			(applies only in the area affected by the Subzone)	(applies				
				River M				
				Sloping				
				State H				
				State H				
				State Si				
				Traffic C				
				Urban T				
				Water P				
				Water R				
General industry	[Land Use and	Clearance from Overhead Powerlines: PO 1.1	None.	Airport				
	Intensity]: PO 1.1, 1.2	Design in Rural Areas [All development – External	gnated Performance Features vant policies will be taken to b Subzone (applies only in the area affected by the Subzone) None.	Building				
		appearance]: PO 1.5		Coastal				
		Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Defence				
		Design in Rural Areas [Car Parking Appearance]: PO 7.2,		Hazards				
		7.4, 7.5, 7.6, 7.7		Hazards				
		Infrastructure and Renewable Energy Facilities [Water		Hazards				
		Supply]: PO 11.1						
				Hazards Hazards				
		Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities		Hazards Hazards				
		Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use		Hazards				

ant Desired Outcomes are not listed, but

um of the applicable policies for each Class of

rlay

es only in the area affected by the Overlay)

Murray Tributaries Area: All

- ng Land: All
- Heritage Area: All
- Heritage Place: All
- Significant Native Vegetation: PO 1.1
- Generating Development: All
- Transport Routes: All
- Protection Area: All
- Resources: All

ort Building Heights (Regulated): PO 1.1, 1.2 ing Near Airfields: PO 1.1, 1.2 tal Areas: All nce Aviation Area: PO 1.1, 1.3 rds (Bushfire - High Risk): All rds (Bushfire - Medium Risk): All rds (Bushfire - General Risk): All rds (Bushfire - Urban Interface): All

- rds (Bushfire Regional): All
- rds (Flooding): All
- ic Area: All
- ailway Crossings: PO 1.1
- Heritage Place: All

Class of Development	Applicable Policies							
	The following policies are applicable to the assessment of the identified Class of Development.							
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevan automatically apply in relation to a Performance Assessed Development.							
	Where a development Development.	comprises more than one Class of Development the relevant	policies will be taken to	be the sun				
	Zone	General Development Policies	Subzone	Overla				
			(applies only in the area affected by the Subzone)	(applies				
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2, 3.3		Major Tr Marine F				
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Murray I				
		Interface Between Land Uses [Air Quality]: PO 5.1, 5.2		Native V				
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Prescrib				
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Prescrib River Mu				
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		River Mu				
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Sloping				
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		State He				
		Transport, Access and Parking [Vehicle Parking Areas]:		State Si				
		PO 6.1, 6.2, 6.5, 6.6		Traffic G				
				Urban T				
				Water P				
				Water R				
Office	[Land Use and	Clearance from Overhead Powerlines: PO 1.1	None.	Airport E				
	Intensity]: PO 1.1, 1.3	Design in Urban Areas [External Appearance]: PO 1.4		Building				
		Design in Urban Areas [Car Parking Appearance]: PO 6.1,		Coastal				
		6.4, 6.5		Defence				
		Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3		Hazards				
				Hazards				

nt Desired Outcomes are not listed, but

um of the applicable policies for each Class of

lay

es only in the area affected by the Overlay)

Transport Routes: All

e Parks (Managed Use): All

y Darling Basin: All

e Vegetation: PO 1.1, 1.2

ibed Water Resources Area: All

ribed Wells Area: All

Murray Flood Plain: All

Murray Tributaries Area: All

ng Land: All

Heritage Area: All

Heritage Place: All

Significant Native Vegetation: PO 1.1

Generating Development: All

Transport Routes: All

Protection Area: All

Resources: All

t Building Heights (Regulated): PO 1.1, 1.2

ng Near Airfields: PO 1.1, 1.2

al Areas: All

ce Aviation Area: PO 1.1, 1.3

ds (Bushfire - High Risk): All

ds (Bushfire - Medium Risk): All

Class of Development	Applicable Policies							
	The following policies are applicable to the assessment of the identified Class of Development.							
		to are Performance Outcome policies, and any associated Designat oply in relation to a Performance Assessed Development.	ted Performance Feature	s. Relevant				
	Where a develop Development.	Where a development comprises more than one Class of Development the relevant policies will be taken to be the s Development.						
	Zone	General Development Policies	Subzone	Overla				
			(applies only in the area affected by the Subzone)	(applies				
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards Hazards				
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		Hazards				
		Transport, Access and Parking [Movement Systems]: PO 1.4		Hazards Historic				
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Key Rail				
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Local He Major Tr				
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Marine P				
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Murray [Native V				
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribe				
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescribe River Mu				
				River Mu				
				Sloping I				
				State He				
				State He				
				State Sig				
				Traffic G				
				Urban Tr				
				Water Pr				
				Water Re				

int Desired Outcomes are not listed, but

um of the applicable policies for each Class of

lay

es only in the area affected by the Overlay)

ds (Bushfire - General Risk): All ds (Bushfire - Urban Interface): All ds (Bushfire - Regional): All ds (Flooding): All ic Area: All ailway Crossings: PO 1.1 Heritage Place: All Transport Routes: All Parks (Managed Use): All Darling Basin: All Vegetation: PO 1.1, 1.2 bed Water Resources Area: All ibed Wells Area: All Murray Flood Plain: All Murray Tributaries Area: All g Land: All Heritage Area: All Heritage Place: All Significant Native Vegetation: PO 1.1 Generating Development: All Transport Routes: All Protection Area: All Resources: All

Class of Development	Applicable Policies								
	The following policies are applicable to the assessment of the identified Class of Development.								
	Policies referred to ar	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevan							
	automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum Development.								
	Zone	General Development Policies	Subzone	Overla					
			(applies only in the area affected by the Subzone)	(applies					
Starra	Fland Has and	Clearance from Overhead Deverlines, DO 1.1	None	Airport					
-	[Land Use and Intensity]: PO 1.1	Clearance from Overhead Powerlines: PO 1.1	None.	Airport I					
		Design in Rural Areas [All development – External appearance]: PO 1.5		Building Coastal					
		Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Defence					
		Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7		Hazards Hazards					
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards					
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards Hazards					
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Hazards					
		Interface Between Land Uses [Air Quality]: PO 5.1		Historic					
		Interface Between Land Uses [Light Spill]: PO 6.1		Key Rail Local He					
		Transport, Access and Parking [Movement Systems]: PO		Major Tr					
		1.1, 1.2, 1.3, 1.4		Marine F					
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Murray I					
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Native V					
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescrib					
				Prescrib					
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Mu					
				River Mu					
				Sloping					

Int Desired Outcomes are not listed, but

um of the applicable policies for each Class of

lay

es only in the area affected by the Overlay)

: Building Heights (Regulated): PO 1.1, 1.2 ng Near Airfields: PO 1.1, 1.2 al Areas: All ce Aviation Area: PO 1.1, 1.3 ds (Bushfire - High Risk): All ds (Bushfire - Medium Risk): All ds (Bushfire - General Risk): All ds (Bushfire - Urban Interface): All ds (Bushfire - Regional): All ds (Flooding): All ic Area: All ailway Crossings: PO 1.1 Heritage Place: All Transport Routes: All Parks (Managed Use): All y Darling Basin: All Vegetation: PO 1.1, 1.2 ribed Water Resources Area: All ibed Wells Area: All Murray Flood Plain: All Murray Tributaries Area: All ng Land: All

Class of Development	Applicable Policies							
	The following policies are applicable to the assessment of the identified Class of Development.							
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevan							
	automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sur							
	Development.	ent comprises more than one class of Development the relevant	policies will be taken to	be the sur				
	Zone	General Development Policies	Subzone	Overla				
			(applies only in the area affected by the Subzone)	(applies				
				State H				
				State H				
				State Si				
				Traffic C				
				Urban T				
				Water P				
				Water R				
Tree damaging activity	None	None	None	Regulat				
Warehouse	[Land Use and	Clearance from Overhead Powerlines: PO 1.1	None.	Airport				
	Intensity]: PO 1.1	Design in Rural Areas [All development – External		Building				
		appearance]: PO 1.5		Coastal				
		Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Defence				
		Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7		Hazards				
		Infrastructure and Renewable Energy Facilities [Water		Hazards				
		Supply]: PO 11.1		Hazards				
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards				
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5		Hazards				
		Interface Between Land Uses [Air Quality]: PO 5.1		Historic				
		Interface Between Land Uses [Light Spill]: PO 6.1		Key Rail				
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Local He Major Ti				

ant Desired Outcomes are not listed, but

um of the applicable policies for each Class of

lay

es only in the area affected by the Overlay)

Heritage Area: All

- Heritage Place: All
- Significant Native Vegetation: PO 1.1
- Generating Development: All
- Transport Routes: All
- Protection Area: All
- Resources: All

ated Tree: All

rt Building Heights (Regulated): PO 1.1, 1.2 ng Near Airfields: PO 1.1, 1.2 al Areas: All nce Aviation Area: PO 1.1, 1.3 rds (Bushfire - High Risk): All rds (Bushfire - Medium Risk): All rds (Bushfire - General Risk): All rds (Bushfire - General Risk): All rds (Bushfire - Urban Interface): All rds (Bushfire - Regional): All rds (Bushfire - Regional): All rds (Flooding): All ric Area: All railway Crossings: PO 1.1 Heritage Place: All Transport Routes: All

Class of Development	Applicable F	Applicable Policies					
	The following po	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Releva automatically apply in relation to a Performance Assessed Development.					
	Policies referred automatically ap						
	Where a develop Development.	Where a development comprises more than one Class of Development the relevant policies will be taken to be the su Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overla (applies			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Marine			
		Transport, Access and Parking [Vehicle Access]: PO 3.1,		Murray			
		3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Native			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescrit			
		Transport, Access and Parking [Vehicle Parking Areas]:		Prescrit			
		PO 6.1, 6.2, 6.5, 6.6		River M			
				River M			
				Sloping			
				State H			
				State H			
				State S			
				Traffic			
				Urban 7			
				Water F			
				Water F			
All other Code Assessed Developm	ent All	All	None	Any Rel			

int Desired Outcomes are not listed, but

um of the applicable policies for each Class of

lay

es only in the area affected by the Overlay)

- e Parks (Managed Use): All
- y Darling Basin: All
- e Vegetation: PO 1.1, 1.2
- ribed Water Resources Area: All
- ribed Wells Area: All
- Murray Flood Plain: All
- Murray Tributaries Area: All
- ng Land: All
- Heritage Area: All
- Heritage Place: All
- Significant Native Vegetation: PO 1.1
- Generating Development: All
- n Transport Routes: All
- Protection Area: All
- Resources: All

elevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
Dwelling	Where ancillary to a non-residential land use and will not result in more than one dwelling on an allotment.

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

A zone in which agricultural and other commodities are received, stored and dispatched in bulk to generate wealth and employment for the State.

DO 2

Development achieves a pleasant visual amenity when viewed from: adjacent arterial roads; adjoining zones and; entrance ways to towns, settlements and cities.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Development primarily in the form of facilities for the handling and storage of bulk commodities to enhance economic activity and supply chain efficiencies.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Advertisement
- Bulk handling facility including bunkers and silos for the reception, storage and dispatch of commodities in bulk
- Office in association with a facility for the reception, storage and dispatch of commodities in bulk
- Truck parking area
- Store.

PO 1.2

Value-adding industries, including the processing and packaging of commodities, that complement facilities for the reception, storage and dispatch of agricultural and other commodities in bulk to enhance the use of the zone and local job opportunities.

DTS/DPF 1.2

None are applicable.

PO 1.3

Office associated with and ancillary to facilities for the handling and storage of bulk commodities to support the management and operational aspects of those facilities.

DTS/DPF 1.3

Office:

- (f) in association with and ancillary to a facility for the reception, storage and dispatch of commodities in bulk; and
- (g) with a gross leasable floor area up to 150m2.

Land Division

PO 2.1

Land division that creates allotments that are of a size and shape suitable for bulk handling and complementary uses.

DTS/DPF 2.1

None are applicable.

Fencing

PO 3.1

Fencing exceeding 2.1m in height integrated and designed to complement the appearance of land and buildings and does not form a dominant visual feature from adjacent streets to enhance the character of employment areas.

DTS/DPF /DPF 3.1

Fencing exceeding 2.1m in height:

- (a) located behind a façade of an associated building located on the same site; or
- (b) located behind a landscaped area along relevant street frontages; or
- (c) consists of visually permeable materials with landscaping behind.

Advertisements

PO 4.1

Freestanding advertisements do not create a visually dominant element within the locality.

DTS/DPF /DPF 4.1

Freestanding advertisements:

- (c) up to 4m in height from natural ground level; and
- (d) with a sign face up to 6m2 per side.

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) development identified as "all other code assessed development" in Employment (Bulk Handling) Zone Table 3.

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Infrastructure (Airfield) Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Carport Except where any of the following	1 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system
apply:	2 It is ancillary to a dwelling erected on the site
Except where any of the following	3 Primary street setback – at least 5.5m from the primary street boundary and as far back
apply:	as the building line of the building to which it is ancillary
Coastal Areas Overlay	4 Secondary street setback – at least 900mm from the boundary of the allotment (if the land
Hazards (Flooding) Overlay	has boundaries on two or more roads)
State Heritage Place OverlayNative Vegetation Overlay	 5 Total floor area - does not exceed 40m² 6 Post height - does not exceed 3m measured from natural ground level (and not including a
 Native vegetation overlay State Significant Native Vegetation 	gable end)
Overlay	7 Building height - does not exceed 5m
Sloping Land Overlay	8 If situated on or abutting a boundary (not being a boundary with a primary street or
Key Outback and Rural Routes	secondary street) – a length not exceeding 10m unless:
Overlay where an existing access is altered or a new access is	 (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and
created	(b) the proposed wall or structure will be built along the same length of boundary as the
 Major Urban Transport Routes 	existing adjacent wall or structure to the same or lesser extent
Overlay where an existing access	9 If the carport abuts or is situated on the boundary of the allotment (not being a boundary
is altered or a new access is	with a primary street or secondary street):
created	(a) it will not result in all relevant walls or structures located along the boundary exceeding
Urban Transport Routes Overlay	45% of the length of the boundary; and
where an existing access is altered or a new access is created	(b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be
 Water Resources Overlay 	adjacent to or abut the proposed wall or structure
	10 The total roofed area of all existing or proposed buildings on the allotment does not exceed
	60% of the area of the allotment
	11 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the
	width of the allotment frontage (whichever lesser)

	 12 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors 13 The carport: (a) is located so that vehicle access: i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access 1 There will be no increase in the total floor area of the building
 Internal building work Except where any of the following apply: A State Heritage Place identified in the State Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.
 Outbuilding (in the form of a garage) Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Key Outback and Rural Routes Overlay where an existing access 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site. Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 40m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless:

is altered or a new access is created

- Major Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Water Resources Overlay

- (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and
- (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
- 9 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
 - (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and
 - (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
- 10 Total roofed area of all existing and proposed buildings on the allotment does not exceed 60%
- 11 Internal dimensions exceed 3.2m in width and 6m in length between all walls and doors
- 12 Door opening for vehicle access does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser)
- 13 The garage:
 - (a) is located so that vehicle access:
 - i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or
 - ii. will use a driveway that:
 - A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
 - B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or
 - iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and
 - (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
 - (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
- Outbuilding (not being a garage)1If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.Outbuilding (not being a garage)1The development will not be built, or encroach, on an area that is, or will be, required for a
sewerage system or waste control system2It is detached from and ancillary to a dwelling erected on the site

• Hazards (Flooding) Overlay

 State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 Primary street setback – at least as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Side boundary setbacks – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Side boundary setbacks – at least 900mm from the boundary of the allotment (and not including a gable end) Building height - does not exceed 40m² Wall height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 10 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent to or abut the proposed wall or structure 11 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 12 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Private bushfire shelters Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Primary street setback – at least as far back as the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place).
Shade sail Except where any of the following apply:	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Shade sail consists of permeable material

 Coastal Areas Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 3 The total area of the sail - does not exceed 40m² 4 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 5 Primary street setback – at least as far back as the building line of the building to which it is ancillary 6 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 7 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: A State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Spa pool Swimming pool Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Allotment boundary setback – not less than 1m Primary street setback – at least as far back as the building line of the building to which it is ancillary Location of filtration system from a dwelling on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case.
 Verandah Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay State Heritage Place Overlay Native Vegetation Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – as far back as the building line of the building to which it is ancillary Total floor area - does not exceed 40m² Post height - does not exceed 3m measured from natural ground level

 State Significant Native Vegetation Overlay Water Resources Overlay 	 6 Building height - does not exceed 5m 7 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment 8 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.
 Water tank (above ground) Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank is part of a roof drainage system Total floor area - not exceeding 15m² The tank is located wholly above ground Tank height – does not exceed 4m above natural ground level Primary street setback – at least as far back as the building line of the building to which it is ancillary In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Coastal Areas Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 - Deemed-to-Satisfy Development Classification

Class of Development	Deemed-to-Satisfy Development Classification Criteria			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Where a develop	red to are Deemed-to-Satisfy Criteria pment comprises more than one Class of criteria for each Class of Development.	Development th	e relevant criteria will be taken to be
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Advertisement Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Sloping Land Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resource Overlay 	[Advertiseme nts]: DTS 5.1	Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5 Clearance from Overhead Powerlines: DTS 1.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2 Hazards (Acid Sulfate Soils): DTS 1.1 Key Outback and Rural Routes: DTS 8.1, 10.1 Major Transport Routes: DTS 8.1, 10.1 Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1

Class of Development	Deemed-to-Satisfy Development Classification Criteria				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Urban Transport Routes: DTS 8.1, 10.1	
Carport Outbuilding in the form of a garage Except where any of the following apply: • Coastal Areas Overlay • Hazards (Bushfire - General Risk) Overlay • Hazards (Bushfire - High Risk) Overlay • Hazards (Bushfire - Medium Risk) Overlay • Hazards (Bushfire - Outback) Overlay	None	Clearance from Overhead Powerlines: DTS 1.1 Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2 Hazards (Acid Sulfate Soils): DTS 1.1 Key Outback and Rural Routes: DTS All Major Transport Routes: DTS All	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy	Provisions referred to are Deemed-to-Satisfy Criteria				
Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay 		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6		Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS All	
 Outbuilding Except where any of the following apply: Coastal Areas Overlay Hazards (Bushfire - General Risk) Overlay 	None	Clearance from Overhead Powerlines: DTS 1.1 Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2	

Class of Development	Deemed-to-	Deemed-to-Satisfy Development Classification Criteria			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Hazards (Bushfire - High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay 				Building Near Airfields: DTS 1.1, 1.2 Hazards (Acid Sulfate Soils): DTS 1.1 Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1	

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Advertisement	[Advertisement s]: DTS 5.1	Advertisements [Appearance]: PO 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5 Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Flooding): All Key Outback and Rural Routes: PO 8.1, 10.1 Major Transport Routes: PO 8.1, 10.1 Native Vegetation: PO 1.1, 1.2 Sloping Land: All

Class of Development	Applicable Po	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				State Heritage Place: All State Significant Native Vegetation: PO 1.1 Urban Transport Routes: PO 8.1, 10.1 Water Protection Area: All Water Resource: All	
Carport	[Land Use]: PO 1.2 [Hazard Management]: PO 4.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or	Residential Aviation Estate Subzone:	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1	

Class of Development	Applicable P	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Less – External Appearance]: PO 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6		Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Major Transport Routes: PO All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Sloping Land: All State Heritage Place: All	

Class of Development	Applicable Po	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All	
Demolition of a State or Local Heritage Place	None	None	None	State Heritage Place: All	
Dwelling Addition	[Land Use]: PO 1.2 [Hazard Management]: PO 4.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Residential Development – External Appearance]: PO 14.1	Residential Aviation Estate Subzone [Land Use and Intensity]: PO 1.3 Residential Aviation Estate	Aircraft Noise Exposure: All Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2	

Class of Development	Applicable P	olicies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Design in Urban Areas [All Residential Development – Outlook and Amenity]: PO 15.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: PO 19.1, 19.2, 19.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Overlooking / Visual Privacy]: PO 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: PO 21.1, 21.2, 21.3	Subzone [Building Height]: PO 3.1 Residential Aviation Estate Subzone [Primary Street Setback]: PO 4.1 Residential Aviation Estate Subzone [Secondary Street Setback]: PO 5.1	Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Sloping Land: All		

Class of Development	Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Landscaping]: PO 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2	Residential Aviation Estate Subzone [Side Boundary Setback]: PO 6.1 Residential Aviation Estate Subzone [Rear Boundary Setback]: PO 7.1	State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All Water Resources: All	

Class of Development	Applicable Po	Applicable Policies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.4 Site Contamination: PO 1.1			
 Detached Dwelling Where any of the following apply: Residential Aviation Estate Subzone 	[Land Use]: PO 1.2 [Hazard Management]: PO 4.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development – Car Parking Appearance]: PO 6.1 Design in Urban Areas [All Residential Development – External Appearance]: PO 14.1, 14.2 Design in Urban Areas [All Residential Development – Outlook and Amenity]: PO 15.1	Residential Aviation Estate Subzone [Land Use and Intensity]: PO 1.1, 1.3 Residential Aviation Estate Subzone [Building Height]: PO 3.1 Residential Aviation Estate	Aircraft Noise Exposure: All Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All	

Class of Development	Applicabl	e Policies				
	Policies refer Relevant Des Developmen Where a dev	red to are Performance Outcome policies, sired Outcomes are not listed, but automa t. elopment comprises more than one Class	ties are applicable to the assessment of the identified Class of Development. The are Performance Outcome policies, and any associated Designated Performance Features. Outcomes are not listed, but automatically apply in relation to a Performance Assessed ment comprises more than one Class of Development the relevant policies will be taken to be policable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		 Design in Urban Areas [All Residential Development – Access and Servicing]: PO 16.1 Design in Urban Areas [All Residential Development – Flooding]: PO 18.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: PO 19.1, 19.2, 19.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Overlooking / Visual Privacy]: PO 20.1 Design in Urban Areas [All Residential Development – 3 	Subzone [Primary Street Setback]: PO 4.1 Residential Aviation Estate Subzone [Secondary Street Setback]: PO 5.1 Residential Aviation Estate Subzone [Side Boundary Setback]: PO 6.1	Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Major Transport Routes: PO All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Water Resources Area: All Prescribed Wells Area: All Sloping Land: All State Heritage Place: All		

Class of Development	Applicable P	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Building Levels or Less –Private Open Space]: PO 21.1, 21.2, 21.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Landscaping]: PO 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Water Sensitive Design]: PO 23.1, 23.2, 23.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Car Parking and Manoeuvrability]: PO 24.1, 24.2, 24.3, 24.4, 24.5, 24.6	Residential Aviation Estate Subzone [Rear Boundary Setback]: PO 7.1	State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All	

Class of Development	Applicable Policies					
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Fear Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1				
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2				
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2				
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses				
		[Interface Between Rural Activities]: PO 9.3, 9.4, 9.5				

Class of Development	Applicable Po	olicies			
	Policies referred t Relevant Desired Development. Where a develop	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: PO 10.1 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1			
		Site Contamination: PO 1.1			
Light industry Except where any of the	[Land Use]: PO 1.2	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1	
following apply:Residential Aviation Estate Subzone	[Built Form and Character]: PO 2.1	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All	

Class of Development	Policies referred Relevant Desired Development. Where a develop	icies are applicable to the assessment to are Performance Outcome policies, Outcomes are not listed, but automat ment comprises more than one Class	and any associate ically apply in rel	ed Designated Performance Features.
	the sum of the ap	oplicable policies for each Class of Dev General Development Policies	elopment. Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Hazard Management]: PO 4.1, 4.2	Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Major Transport Routes: PO All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Water Resources Area: All

Class of Development	Applicable Policies				
	Policies referred Relevant Desire Development. Where a develop	following policies are applicable to the assessment of the identified Class of Development. cies referred to are Performance Outcome policies, and any associated Designated Performance Features. evant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed relopment. ere a development comprises more than one Class of Development the relevant policies will be taken to be sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 Transport, Access and Parking [Sightlines]: PO 2.1, 2.2 		Prescribed Wells Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All	

Class of Development	Applicable Po	olicies			
	Policies referred t Relevant Desired Development. Where a develop	following policies are applicable to the assessment of the identified Class of Development. ties referred to are Performance Outcome policies, and any associated Designated Performance Features. vant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed elopment. re a development comprises more than one Class of Development the relevant policies will be taken to be sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6			
Outbuilding (in the form of a garage)	[Land Use]: PO 1.2 [Built Form and Character]: PO 2.1	Clearance from Overhead Powerlines: DTS 1.1 Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2	Residential Aviation Estate Subzone [Land Use and Intensity]: PO 1.2 Residential Aviation Estate	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All	

Class of Development	Applicable Po	olicies		
	Policies referred Relevant Desired Development. Where a develop	icies are applicable to the assessment to are Performance Outcome policies, Outcomes are not listed, but automat ment comprises more than one Class o oplicable policies for each Class of Dev	and any associate tically apply in rel of Development t	ed Designated Performance Features.
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Hazard Management]: PO 4.1	Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6	Subzone [Building Height]: PO 3.1 Residential Aviation Estate Subzone [Primary Street Setback]: PO 4.1 Residential Aviation Estate Subzone [Secondary Street Setback]: PO 5.1	Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Major Transport Routes: PO All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Sloping Land: All

Class of Development	The following poli Policies referred t Relevant Desired Development. Where a developi	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to he sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
			Residential Aviation Estate Subzone [Side Boundary Setback]: PO 6.1 Residential Aviation Estate Subzone [Rear Boundary Setback]: PO 7.1	State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All			
Outbuilding (not being a garage or a hangar)	[Land Use]: PO 1.2 [Built Form and Character]: PO 2.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Residential Development –	Residential Aviation Estate Subzone [Land Use and Intensity]: PO 1.2, 1.3	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2			

Class of Development	Applicable Po	olicies				
	Policies referred t Relevant Desired Development. Where a develop	Outcomes are not listed, but automa	and any associate tically apply in rel of Development t	ated Designated Performance Features.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
	[Hazard Management]: PO 4.1	Ancillary Development]: PO 17.1, 17.2	Residential Aviation Estate Subzone [Building Height]: PO 3.2 Residential Aviation Estate Subzone [Primary Street Setback]: PO 4.1 Residential Aviation Estate Subzone [Secondary Street	Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Sloping Land: All		

Class of Development	Policies referred Relevant Desired Development. Where a develop	icies are applicable to the assessment to are Performance Outcome policies, Outcomes are not listed, but automa	and any associate tically apply in rel of Development t	ified Class of Development. ociated Designated Performance Features. in relation to a Performance Assessed ent the relevant policies will be taken to be		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
			Setback]: PO 5.1 Residential Aviation Estate Subzone [Side Boundary Setback]: PO 6.1 Residential Aviation Estate Subzone [Rear Boundary Setback]: PO 7.1	State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All Water Resources: All		
Shop Except where any of the following apply:	[Land Use]: PO 1.2	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		

Class of Development	Applicable Po	olicies		
	Policies referred t Relevant Desired Development. Where a develop	icies are applicable to the assessment to are Performance Outcome policies, Outcomes are not listed, but automat ment comprises more than one Class oplicable policies for each Class of Dev	and any associate tically apply in rel of Development t	ed Designated Performance Features.
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Residential Aviation Estate Subzone	[Built Form and Character]: PO 2.1 [Hazard Management]: PO 4.1, 4.2	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All

Class of Development	Applicable	e Policies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 		Major Transport Routes: PO All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Water Resources Area: All Prescribed Wells Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All	

Class of Development	Applicable Po	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2			
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1			
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6			
Store Except where any of the	[Land Use]: PO 1.2	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1	
following apply:Residential Aviation Estate Subzone	[Built Form and Character]: PO 2.1	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2	

Class of Development	Applicable Po	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
	[Hazard Management]: PO 4.1, 4.2	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Major Transport Routes: PO All Murray Darling Basin: All	

Class of Development	Applicable	Policies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 		Native Vegetation: PO 1.1, 1.2 Prescribed Water Resources Area: All Prescribed Wells Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All	

Class of Development	Applicable Po	olicies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		
Tree damaging activity	None	None	None	Regulated Tree: All
Verandah	[Land Use]: PO 1.2	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1

Class of Development	Applicable Po	Applicable Policies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feat Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
	[Hazard Management]: PO 4.1	Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2		Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Local Heritage Place: All	

Class of Development	Applicable Po	olicies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Sloping Land: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Water Protection Area: All Water Resources: All
 Warehouse Except where any of the following apply: Residential Aviation Estate Subzone 	[Land Use]: PO 1.2	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2

Class of Development	Policies referred t Relevant Desired Development. Where a develop	icies are applicable to the assessment to are Performance Outcome policies, Outcomes are not listed, but automat	and any associate ically apply in rel of Development tl	ed Designated Performance Features.
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Built Form and Character]: PO 2.1 [Hazard Management]: PO 4.1, 4.2	Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Building Near Airfields: PO 1.1, 1.2 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Major Transport Routes: PO All Murray Darling Basin: All

Class of Development	Applicable	Policies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 		Native Vegetation: PO 1.1, 1.2 Prescribed Water Resources Area: All Prescribed Wells Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: PO All Water Protection Area: All Water Resources: All

Class of Development	Applicable P	olicies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6			
All other Code Assessed Development	All	AII	None	Any Relevant Overlays: All	

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
Shop	 Where: (a) the gross leasable floor area is no more than 250m²; or (b) it is ancillary to and located on the same allotment as an airfield passenger terminal.

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

A zone providing for aviation operations together with allied and complementary activities to support the long term ongoing use and expansion of airfield development and activities for commercial freight and passenger transport as well as aviation related recreational pursuits.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use

PO 1.1

Development primary catering for take-off and landing, on-ground movement, maintenance, repair and storage of aircraft, as well as facilities associated with the handling of freight and passengers to enhance the safe and efficient transportation of people and cargo by air.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Aircraft operational facilities beacons, transmitting installations and their associated towers
- Aircraft control tower
- Light industry associated with, and ancillary to, aviation activities
- Passenger and/or air freight terminal
- Aircraft hangar
- Shop within the terminal building
- Store associated with, and ancillary to, aviation activities
- Fuel depot associated with aviation and airport related purposes
- Office associated with, and ancillary to, aviation activities
- Flight simulation and training facility.

PO 1.2

Development does not impede aviation operations and the expansion of airfields.

DTS/DPF 1.2

None are applicable.

Built Form and Character

PO 2.1

Development of a scale and design consistent with the role and function of the airfield and complementary to the wider setting.

DTS/DPF 2.1

None are applicable.

Land Division

PO 3.1

Land division suitable for the intended use of the land where it maintains the efficient and safety operations of the airfield.

DTS/DPF 3.1

None are applicable.

Hazard Management

PO 4.1

Movement between aircraft taxiways and open runway corridors and areas used for non-aviation purposes is regulated through the incorporation of fencing or other barriers to mitigate hazard to aircraft operations and provide for the safety of users and occupiers of land use for non-aviation purposes.

DTS/DPF 4.1

None are applicable.

PO 4.2

Landscaping uses species to minimise the nesting and attraction of birds and spread of leaf and other debris to mitigate hazard to aircraft.

DTS/DPF 4.2

None are applicable.

Advertisements

PO 5.1

Advertisements limited to those in connection with the terminal building and the display of business services on non-residential premises to mitigate visual clutter and untidiness.

DTS/DPF 5.1

None are applicable.

Procedural Matters (PM)

Notification of Performance assessed development

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent land to land in a different zone that is located within the area of council
- (b) development identified as "all other code assessed development" in Infrastructure (Airfield) Zone Table 3.

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Open Space Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 Building work is associated with a railway It is situated (or to be situated) on railway land It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Character Preservation District Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site

Coastal Areas Overlay	3	Primary street setback – at least 5.5m from the primary street boundary and as far back
 Hazards (Acid Sulfate Soils) 		as the building line of the building to which it is ancillary
Overlay	4	Secondary street setback – at least 900mm from the boundary of the allotment (if the land
 Hazards (Flooding) Overlay 		has boundaries on two or more roads)
Character Area Overlay	5	Total floor area - does not exceed 40m ²
Historic Area Overlay	6	Post height - does not exceed 3m measured from natural ground level (and not including a
Local Heritage Place Overlay		gable end)
State Heritage Area Overlay	7	Building height - does not exceed 5m
State Heritage Place Overlay	8	If situated on or abutting a boundary (not being a boundary with a primary street or
Native Vegetation Overlay		secondary street) – a length not exceeding 10m unless:
 State Significant Native Vegetation Overlay 		 (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and
Ramsar Wetlands Overlay		(b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
River Murray Flood Plain Overlay	9	If the carport abuts or is situated on the boundary of the allotment (not being a boundary
Sloping Land Overlay		with a primary street or secondary street):
 Future Road Widening Overlay where an existing access is altered 		(a) it will not result in all relevant walls or structures located along the boundary exceeding
or a new access is created		45% of the length of the boundary; and
 Key Railway Crossings Overlay where an existing access is altered 		(b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
or a new access is createdKey Outback and Rural Routes	10	The total roofed area of all existing or proposed buildings on the allotment does not exceed 60% of the area of the allotment
Overlay where an existing access is altered or a new access is created	11	Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser)
 Major Urban Transport Routes Overlay where an existing access 	12	Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors
is altered or a new access is	13	The carport:
created		(a) is located so that vehicle access:
 Non-stop Corridor Overlay where an existing access is altered or a new access is created 		i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or

ii. will use a driveway that:

 Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
 Demolition Except where any of the following apply: Historic Area Overlay A Historic Shipwreck identified in the Historic Shipwrecks Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	None.
 Internal building work Except where any of the following apply: A Historic Shipwreck identified in the Historic Shipwrecks Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.

 is altered or a new access is created Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access 14 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Outbuilding (not being a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site Primary street setback – at least as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Side boundary setbacks – at least 900mm from the boundary of the allotment Total floor area does not exceed 40m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and

 State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 10 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 11 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 12 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Shade sail Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Shade sail consists of permeable material The total area of the sail - does not exceed 40m² No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment Primary street setback – at least as far back as the building line of the building to which it is ancillary If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.

 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – as far back as the building line of the building to which it is ancillary Total floor area - does not exceed 40m² Post height - does not exceed 3m measured from natural ground level Building height - does not exceed 5m Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.
Water tank (above ground) Except where any of the following apply:	22 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system23 The tank is part of a roof drainage system

	24 Total floor area - not exceeding 15m ²
Character Preservation District	č
Overlay	25 The tank is located wholly above ground
Coastal Areas Overlay	26 Tank height – does not exceed 4m above natural ground level
Hazards (Flooding) Overlay	27 Primary street setback – at least as far back as the building line of the building to which it
Character Area Overlay	is ancillary
Historic Area Overlay	28 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-
Local Heritage Place Overlay	reflective colour.
State Heritage Area Overlay	
State Heritage Place Overlay	
Native Vegetation Overlay	
State Significant Native Vegetation	
Overlay	
Ramsar Wetlands Overlay	
River Murray Flood Plain Overlay	
Sloping Land Overlay	
Water Resources Overlay	
Water tank (underground)	9 The development will not be built, or encroach, on an area that is, or will be, required for a
Except where any of the following	sewerage system or waste control system
apply:	10 The tank (including any associated pump) is located wholly below the level of the ground.
Character Preservation District Overlay	
 Coastal Areas Overlay 	
 Hazards (Acid Sulfate Soils) 	
Overlay	
 Native Vegetation Overlay 	
State Significant Native Vegetation	
Overlay	
Ramsar Wetlands Overlay	
Sloping Land Overlay	
Water Resources Overlay	

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Advertisement Except where any of the following apply: Coastal Areas Overlay Character Area Overlay Character Preservation District Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Marine Parks (Restricted Use) 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections: DTS 1.1 Airport Building Heights (Aircraft Landing Areas) Overlay: DTS 1.1 Airport Building Heights (Regulated) Overlay: DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1 Defence Aviation Area: DTS 1.1, 1.3 Future Road Widening Overlay: DTS 1.1 Hazards (Acid Sulfate Soil): DTS 1.1 Key Outback and Rural Routes: DTS 8.1 Major Transport Routes: DTS 8.1, 10.1	

Class of Development	Deemed-to-Satisfy Development Classification Criteria				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-	Provisions referred to are Deemed-to-Satisfy Criteria				
	Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
Satisfy Development Classification Criteria'	Zone	General Development	Subzone	Overlay	
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
 Non-stop Corridor Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay Water Resources Overlay 				State Significant Native Vegetation Overlay: DTS 1.1 Native Vegetation Overlay: DTS 1.1 Urban Transport Routes Overlay: DTS 8.1, 10.1	

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Advertisement	[Built Form and Character]: PO 2.1	Advertisements [Appearance]: PO 1.1, 1.2, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections Overlay: PO 1.1 Airport Building Heights (Aircraft Landing Area) Overlay: PO 1.1 Airport Building Heights (Regulated) Overlay: PO 1.1, 1.2 Building Near Airfields Overlay: PO 1.1 Character Preservation District Overlay: PO 2.1, 2.2, 3.2, 3.3, 3.4, 3.5, 3.6, 4.1 Coastal Areas Overlay: All Character Area Overlay: PO 1.1, 1.2, 1.3, 1.5, 3.3, 5.2	

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Clearance from Overhead Powerlines: PO 1.1		Defence Aviation Area Overlay: PO 1.1, 1.3 Future Road Widening Overlay: All Hazards (Acid Sulfate Soil) Overlay: All Hazards (Flooding) Overlay: All Historic Area Overlay: All Key Outback and Rural Routes Overlay: PO 8.1, 10.1 Local Heritage Place Overlay: All Major Transport Routes Overlay: PO 8.1, 10.1 Marine Parks (Managed Use) Overlay: All Marine Parks (Restricted Use) Overlay: All

Class of Development	Provisions refer Features. Relev Assessed Develo Where a develo	rovisions are applicable to the assessmen red to are Performance Outcome policies, ant Desired Outcomes are not listed, but	ted Designated Performance ply in relation to a Performance	
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Native Vegetation Overlay: PO 1.1, 1.2 Non-stop Corridor Overlay: All Ramsar Wetlands Overlay: All River Murray Flood Plain Overlay: All Sloping Land Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All State Significant Native Vegetation Overlay: PO 1.1 Urban Transport Routes Overlay: PO 8.1, 10.1 Water Resources Overlay: All

Class of Development	Provisions refer Features. Releva Assessed Develo Where a develo	rovisions are applicable to the assessmen red to are Performance Outcome policies, ant Desired Outcomes are not listed, but opment.	and any associa automatically ap Development th	d any associated Designated Performance omatically apply in relation to a Performance velopment the relevant policies will be taken to be		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Outbuilding (not being a garage) Verandah	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: PO 2.1, 2.3 [Concept Plans]: PO 4.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2	None	Airport Building Heights (Aircraft Landing Area) Overlay: PO 1.1 Airport Building Heights (Regulated) Overlay: PO 1.1, 1.2 Building Near Airfields Overlay: PO 1.1, 1.2 Character Preservation District Overlay: All Character Area Overlay: All Coastal Areas Overlay: All Defence Aviation Area Overlay: PO 1.1, 1.3		

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Future Road Widening Overlay: All Hazards (Acid Sulfate Soils) Overlay: All Hazards (Bushfire - General Risk) Overlay: All Hazards (Bushfire - High Risk) Overlay: All Hazards (Bushfire - Medium Risk) Overlay: All Hazards (Bushfire - Regional) Overlay: All Hazards (Flooding) Overlay: All		

Class of Development	Provisions refer Features. Relev Assessed Devel	d Class of Development. Ited Designated Performance Iply in relation to a Performance e relevant policies will be taken to be		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Historic Area Overlay: All Key Outback and Rural Routes Overlay: PO 8.1, 10.1 Local Heritage Place Overlay: All Major Transport Routes Overlay: PO 8.1, 10.1 Marine Parks (Managed Use) Overlay: All Marine Parks (Restricted Use) Overlay: All Mount Lofty Ranges Catchment (Area 1): All

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Mount Lofty Ranges Catchment (Area 2) Overlay: All Native Vegetation Overlay: PO 1.1, 1.2 Ramsar Wetlands Overlay: All River Murray Flood Plain Overlay: All Sloping Land Overlay: All State Heritage Area Overlay: All State Heritage Place Overlay: All State Significant Native Vegetation Overlay: PO 1.1		

Class of Development	Provisions refer Features. Relev Assessed Develo Where a develo	rovisions are applicable to the assessmen red to are Performance Outcome policies ant Desired Outcomes are not listed, but opment.	, and any associa automatically ap Development th	ssociated Designated Performance		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Urban Transport Routes Overlay: PO 8.1, 10.1 Water Protection Area Overlay: All Water Resources Overlay: All		
Shop	[Land Use and Intensity]: PO 1.1, 1.2, 1.3 [Built Form and Character]: PO 2.1 [Concept Plans]: PO 4.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4, 1.5 Design in Urban Areas [Car Parking Appearance]: PO 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3	None	Airport Building Heights (Aircraft Landing Area) Overlay: PO 1.1 Airport Building Heights (Regulated) Overlay: PO 1.1, 1.2 Building Near Airfields Overlay: PO 1.1, 1.2 Character Preservation District Overlay: All		

Class of Development	Provisions refer Features. Relev Assessed Deve Where a develo	provisions are applicable to the assessmen rred to are Performance Outcome policies, vant Desired Outcomes are not listed, but	, and any associa automatically ap Development th	ated Designated Performance oply in relation to a Performance
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6		Coastal Areas Overlay: All Defence Aviation Area Overlay: PO 1.1, 1.3 Future Road Widening Overlay: All Hazards (Acid Sulfate Soils) Overlay: All Hazards (Bushfire - General Risk) Overlay: All Hazards (Bushfire - High Risk) Overlay: All Hazards (Bushfire - Medium Risk) Overlay: All

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6 Transport, Access and Parking [Bicycle Parking in Designated Areas]: PO 9.1		Hazards (Bushfire - Urban Interface) Overlay: All Hazards (Bushfire - Regional) Overlay: All Hazards (Flooding) Overlay: All Historic Area Overlay: All Key Outback and Rural Routes Overlay: All Key Railway Crossings Overlay: PO 1.1 Local Heritage Place Overlay: All		

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Major Transport Routes Overlay: All Marine Parks (Managed Use) Overlay: All Marine Parks (Restricted Use) Overlay: All Mount Lofty Ranges Catchment (Area 1) Overlay: All Mount Lofty Ranges Catchment (Area 2) Overlay: All Murray Darling Basin Overlay: All	

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Native Vegetation Overlay: PO 1.1, 1.2		
				Prescribed Water Resources Area Overlay: All		
				Prescribed Watercourses Overlay: All		
				Prescribed Wells Area Overlay: All		
				Ramsar Wetlands Overlay: All		
				River Murray Flood Plain Overlay: All		
				River Murray Tributaries Area Overlay: All		

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Sloping Land Overlay: All	
				State Heritage Area Overlay: A;;	
				State Heritage Place Overlay: All	
				State Significant Native Vegetation Overlay: PO 1.1	
				Traffic Generating Development Overlay: All	
				Urban Transport Routes Overlay: All	
				Water Protection Area Overlay: All	
				Water Resources Overlay: All	

Class of Development	 Applicable Policies The following provisions are applicable to the assessment of the identified Class of Development. Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
All other Code Assessed Development	All	All	None	All

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
Nil	

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Areas of natural and landscaped open space that provide visual relief to the built environment for the enjoyment of the community.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Development is associated with or ancillary to the provision of unstructured outdoor passive and active recreation facilities.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Open space
- Outdoor sports courts
- Recreation area
- Sporting ovals and fields

PO 1.2

Buildings are limited in number and size to provide a natural, landscaped setting.

DTS/DPF 1.2

None are applicable.

PO 1.3

Shops including restaurants are of a scale that is subordinate to the principal open space and recreation use of the land.

DTS/DPF 1.3

Shop gross leasable floor area does not exceed 50m2.

PO 1.4

Offices are of a scale that is subordinate to the principal open space use of the land.

DTS/DPF 1.4

Office gross leasable floor area does not exceed 80m2.

Built Form and Character

PO 2.1

Development sited unobtrusively so as not to spoil the open space character or interrupt views of natural or landscape features.

DTS/DPF 2.1

None are applicable.

PO 2.2

Playgrounds are ancillary to and enhance enjoyment of areas of open space.

DTS/DPF 2.2

Playgrounds:

- (a) do not occupy more than 200m2 in area; and
- (b) have a building height that does not exceed 3m.

PO 2.3

Outbuildings are of a scale that mitigates visual impacts of buildings on natural or landscape features.

DTS/DPF 2.3

Outbuildings have a:

- (a) floor area that does not exceed 80m2;
- (b) wall height that does not exceed 3m; and
- (c) building height that does not exceed 5m.

Land Division

PO 3.1

Land division supports the provision of open space

DTS/DPF 3.1

Land division is for the purposes of:

- (a) the creation of a public road or a public reserve; or
- (b) a minor adjustment of allotment boundaries to remove an anomaly in existing boundaries with respect to the location of existing buildings or structures.

Procedural Matters

Notification of Performance assessed development

Performance assessed development is excluded from notification except where it involves any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) any development that is identified (either partly or wholly) as 'All other Code Assessed Development' in Open Space Zone - Table 3.

Recreation Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 Building work is associated with a railway It is situated (or to be situated) on railway land It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Future Road Widening Overlay where an existing access is altered or a new access is created Key Railway Crossings Overlay where an existing access is altered Key Outback and Rural Routes Overlay where an existing access 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 40m² Post height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):

is altered or a new access is created

- Major Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Non-stop Corridor Overlay where an existing access is altered or a new access is created
- Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Water Resources Overlay

- (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and
- (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
- 10 The total roofed area of all existing or proposed buildings on the allotment does not exceed 60% of the area of the allotment
- 11 Door opening for vehicle access does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser)
- 12 Internal dimensions does not exceed 3.2m in width and 6m in length between all fences, walls and doors
- 13 The carport:

None.

- (a) is located so that vehicle access:
 - i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or
 - ii. will use a driveway that:
 - A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
 - B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or
 - iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and
- (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
- (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access

Demolition

Except where any of the following apply:Historic Area Overlay

 A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay Internal building work Except where any of the following apply: A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the Local Heritage Place Overlay A State Heritage Place Overlay A State Heritage Place identified in the State Heritage Place overlay Outbuilding (in the form of a 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building. The development will not be built, or operands, on an area that is, or will be required for a
 Outbuilding (in the form of a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Future Road Widening Overlay where an existing access is altered or a new access is created Key Railway Crossings Overlay where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site. Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 40m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary with a primary street or the same or lesser extent If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):

is altered or a new access is created

- Major Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Non-stop Corridor Overlay where an existing access is altered or a new access is created
- Urban Transport Routes Overlay where an existing access is altered or a new access is created
- Water Resources Overlay

(b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure

- 10 Total roofed area of all existing and proposed buildings on the allotment does not exceed 60%
- 11 Internal dimensions exceed 3.2m in width and 6m in length between all walls and doors
- 12 Door opening for vehicle access does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser)
- 13 The garage:
 - (a) is located so that vehicle access:
 - i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or
 - ii. will use a driveway that:
 - A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
 - B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or
 - iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and
 - (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
 - (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
- 14 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.

Outbuilding (not being a garage)	25 The development will not be built, or encroach, on an area that is, or will be, required for a
Except where any of the following	sewerage system or waste control system
apply:Character Preservation District	26 It is detached from and ancillary to a dwelling erected on the site
Overlay	27 Primary street setback – at least as far back as the building line of the building to which it
Coastal Areas Overlay	is ancillary

• Hazards (Flooding) Overlay

 Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 28 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 29 Side boundary setbacks – at least 900mm from the boundary of the allotment 30 Total floor area does not exceed 40m² 31 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 32 Building height - does not exceed 5m 33 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 34 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 35 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 36 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Shade sail Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay 	 22 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 23 Shade sail consists of permeable material 24 The total area of the sail - does not exceed 40m² 25 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment

 State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 26 Primary street setback – at least as far back as the building line of the building to which it is ancillary 27 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 28 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 13 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof 14 Panels and associated components do not overhang any part of the roof 15 Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Water Resources Overlay 	 17 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 18 It is ancillary to a dwelling erected on the site 19 Primary street setback – as far back as the building line of the building to which it is ancillary 20 Total floor area - does not exceed 40m² 21 Post height - does not exceed 3m measured from natural ground level 22 Building height - does not exceed 5m 23 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment 24 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.
Water tank (above ground) Except where any of the following apply:	29 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system30 The tank is part of a roof drainage system

 Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 31 Total floor area - not exceeding 15m² 32 The tank is located wholly above ground 33 Tank height – does not exceed 4m above natural ground level 34 Primary street setback – at least as far back as the building line of the building to which it is ancillary 35 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 11 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 12 The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 – Deemed-to-Satisfy Development Classification

able 2 – Deemed-to-Satisfy L				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Advertisement Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Non-stop Corridor Overlay River Murray Flood Plain Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections: DTS 1.1 Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Defence Aviation Area: DTS 1.1, 1.3 Hazards (Acid Sulfate Soils): DTS 1.1 Historic Shipwrecks: DTS 1.1 Key Outback and Rural Route Overlay: DTS 8.1 Major Transport Routes: DTS 8.1, DTS 10.1 Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS 8.1, 10.1
 Outbuilding (not being a garage) Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Hastoric Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay River Murray Flood Plain Overlay 	[Built Form and Character]: DTS 2.1, 2.2	Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2 Defence Aviation Area: DTS 1.1, 1.3 Historic Shipwrecks: DTS 1.1 Key Outback and Rural Routes: DTS All Key Railway Crossings: DTS 1.1 Major Transport Routes: DTS All Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay 				

Table 3 - Performance Assessed Development Assessment Table

Class of Development	The following provisions are applicable to the assessment of the identified Class of Development.			
	Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Advertisement	None	Clearance from Overhead Powerlines: PO 1.1	None	Advertising Near Signalised Intersections: All
		Advertisements [Appearance]: PO 1.1, 1.3, 1.4		Airport Building Heights (Aircraft Landing Area): PO 1.1
		Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2		Airport Building Heights (Regulated): PO 1.1, 1.2
		Advertisements [Advertising Content]: PO 3.1		Building Near Airfields: PO 1.1, 1.2
		Advertisements [Amenity Content]: PO 4.1		Character Preservation District: All
		Advertising [Safety]: PO 5.1, 5.2,		Coastal Areas: All
		5.3, 5.4, 5.5		Defence Aviation Area: PO 1.1, 1.3
				Hazards (Flooding): All
				Historic Area: All
				Key Outback and Rural Routes: PO 8.1, 10.1
				Key Railway Crossings: PO 1.1
				Local Heritage Place: All
				Major Transport Routes: PO 8.1, 10.1
				Marine Parks (Managed Use): All
				Mt Lofty Ranges Catchment (Area 1): All Mt Lofty Ranges Catchment (Area 2): All
				River Murray Flood Plain: All
				Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				Native Vegetation: PO 1.1, 1.2
				State Significant Native Vegetation: PO 1.1
				Urban Transport Routes: PO 8.1, 10.1
				Water Resources: All
Outbuilding (not being a garage) Verandah	[Built Form and Character]: PO 2.1, 2.2	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Character Preservation District: All
				Coastal Areas: All Hazards (Acid Sulfate Soils): All

Class of Development	Applicable PoliciesThe following provisions are applicable to the assessment of the identified Class of Development.Provisions referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.ZoneGeneral Development PoliciesSubzone (applies onlyOverlay (applies only in the area affected			
			in the area affected by the Subzone)	by the Overlay)
				Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All Hazards (Bushfire - Urban Interface): All Hazards (Bushfire - Regional): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: PO 8.1, 10.1 Key Railway Crossings: All Local Heritage Place: All Major Transport Routes: PO 8.1, 10.1 Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 2): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 River Murray Flood Plain: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: PO 8.1, 10.1 Water Protection Area: All Water Resources: All
All other Code Assessed Development	All	All	None	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development

The following Classes of Development are classified as Restricted

None Specified

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Provision of a range of accessible recreational facilities.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Development is associated with or ancillary to the provision of structured, unstructured, active and / or passive recreational facilities.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Change rooms
- Golf course
- Indoor recreation facility
- Open space
- Outdoor sports courts
- Recreation area
- Sporting clubrooms
- Sporting ovals and fields

PO 1.2

Shops including restaurants are of a scale that is subordinate to the principal recreational use of land.

DTS/DPF 1.2

Shop gross leasable floor area does not exceed 80m2.

PO 1.3

Offices are of a scale that is subordinate to the principal recreational use of land.

DTS/DPF 1.3

Office gross leasable floor area does not exceed 80m2.

Built Form and Character

PO 2.1

Buildings designed and sited to manage visual impacts.

DTS/DPF 2.1

Buildings are set back:

- (a) 50m or greater from a primary street frontage; and
- (b) 50m from the boundary of an allotment containing, or zoned to primarily accommodate, a sensitive receiver in other ownership.

PO 2.2

Outbuildings of a scale that manages visual impacts.

DTS/DPF 2.2 Outbuildings have a:

- (a) floor area that does not exceed 80m2;
- (b) wall height that does not exceed 3m; and
- (c) building height that does not exceed 5m.

Land Division

PO 3.1

Land division supports the provision of recreational facilities

DTS/DPF 3.1

Land division is for the purposes of:

- (a) the creation of a public road or a public reserve; or
- (b) a minor adjustment of allotment boundaries to remove an anomaly in existing boundaries with respect to the location of existing buildings or structures.

Concept Plans

PO 4.1

Development is compatible with the outcomes sought by any relevant Concept Plan contained within the *Concept Plans Technical and Numeric Variation Overlay*.

DTS 4.1

None are applicable.

Procedural Matters (PM)

Notification of Performance assessed

Performance assessed development is excluded from notification except where it involves any of the following:

- (a) the development is located adjacent to the boundary of a zone that primarily intendsto accommodate sensitive receivers; or
- (b) the development falls within the category of 'all other code assessed development' in Recreation Zone Table 3.

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Remote Areas Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 8 Building work is associated with a railway 9 It is situated (or to be situated) on railway land 10 It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Coastal Areas Overlay Historic Shipwrecks Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Key Railway Crossings Overlay where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access 	 14 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 15 It is ancillary to a dwelling erected on the site 16 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 17 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 18 Total floor area - does not exceed 60m² 19 Post height - does not exceed 3m measured from natural ground level (and not including a gable end) 20 Building height - does not exceed 5m 21 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
is altered or a new access is created • Urban Transport Routes Overlay where an existing access is altered or a new access is created • Water Resources Overlay	 22 If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 23 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 24 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors 25 The carport: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. ii adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	26 The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
 Internal building work Except where any of the following apply: A Historic Shipwreck identified in the Historic Shipwrecks Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 3 There will be no increase in the total floor area of the building 4 There will be no alteration to the external appearance of the building.
 Outbuilding (in the form of a Garage) Except where any of the following apply: Coastal Areas Overlay Historic Shipwrecks Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site. Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 60m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless:

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Sloping Land Overlay Key Railway Crossings Overlay where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 9 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 10 Internal dimensions - exceed 3.2m in width and 6m in length between all walls and doors 11 Door opening for vehicle access - does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 12 The garage: ois located so that vehicle access: i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	 ois located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and oThe centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access 13 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Outbuilding (not being a garage) Except where any of the following apply: Coastal Areas Overlay Historic Shipwrecks Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site Primary street setback – at least as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Side boundary setbacks – at least 900mm from the boundary of the allotment Total floor area does not exceed 60m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Private bushfire shelters Except where any of the following apply: Coastal Areas Overlay Historic Shipwrecks Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 10 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 9 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour. 10 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 11 Primary street setback – at least as far back as the building to which it is ancillary 12 Secondary street setback – at least 900mm from the boundary of the allotment 13 At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place).
Protective tree netting structure	8 development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Except where any of the following apply: Coastal Areas Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Protection Area Overlay Water Resources Overlay 	 9 No part of the protective tree netting structure will be more than 6m above natural ground level (depending on where it is situated) 10 Netting visible from the outside of the protective tree netting structure is of a low light-reflective nature, and, in the case of a structure that has side netting, the side netting is of a dark colour 11 In the case of a development on a site that is within a Hazards (Bushfire - Outback) Overlay, Hazards (Bushfire – Regional) Overlay, Hazards (Bushfire – Outback) Overlay, Hazards (Bushfire – Regional) Overlay or Hazards (Bushfire - General Risk) Overlay, Hazards (Bushfire tree netting structure provides for access to the site in accordance with the following: (c) no part of the protective tree netting structure (including cables and points of attachment of cables (known as "auger" or "anchor" points) will be within 5m of any boundary of the site; or (d) does not prevent access or movement of vehicles of 4m height and 3.5m width (or less) on any access road or track (including fire tracks) on the site 12 No part of the netting canopy of the protective tree netting structure: (c) will cover native vegetation; or (d) will be within 5m of a road (including any road reserve) 13 The points of attachment of any cables will not be located: (c) outside the boundaries of the site; or (d) within a watercourse (within the meaning of the Natural Resources Management Act 2004) 14 In relation to a dwelling located on an allotment adjoining the site on which the protective tree netting structure is located, the protective tree netting structure complies with the following: (c) if the netting canopy nearest the dwelling on the adjoining allotment is 4m or less above ground level (depending on where it is situated), no part of the netting canopy is within 10m of the dwelling

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	(d) in any other case, no part of the netting canopy is within 15m of the dwelling.
Shade sail Except where any of the following apply:	29 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system30 Shade sail consists of permeable material
 Coastal Areas Overlay Historic Shipwrecks Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 31 The total area of the sail - does not exceed 40m² 32 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 33 Primary street setback – at least as far back as the building line of the building to which it is ancillary 34 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 35 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
Solar photovoltaic panels (roof mounted)	16 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof17 Panels and associated components do not overhang any part of the roof

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Except where any of the following apply: State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	18 Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Solar photovoltaic panels (ground mounted) Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Significant Native Vegetation Overlay RAMSAR Wetlands Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 The system is freestanding rather than attached to a building or other structure. No part of the system: (a) is more than 4 metres in height (measured as a height above the natural surface of the ground); (b) is within 100 metres of a dwelling not associated with the system (whether the dwelling is on the same allotment as the system or another allotment); and (c) is within 10 metres of a boundary of an allotment containing a dwelling not associated with the system. The generating capacity of the system does not exceed 30 kW. Does not result in the clearance of any native vegetation
Spa pool Swimming pool Except where any of the following apply: • Coastal Areas Overlay • Hazards (Flooding) Overlay	 16 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 17 It is ancillary to a dwelling erected on the site 18 Allotment boundary setback – not less than 1m 19 Primary street setback – at least as far back as the building line of the building to which it is ancillary 20 Location of filtration system from a dwelling on an adjoining allotment:

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Historic Shipwrecks Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case.
VerandahExcept where any of the following apply:Except where any of the following apply:TBC	 25 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 26 It is ancillary to a dwelling erected on the site 27 Primary street setback – as far back as the building line of the building to which it is ancillary 28 Total floor area - does not exceed 60m² 29 Post height - does not exceed 3m measured from natural ground level 30 Building height - does not exceed 5m 31 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment
Water tank (underground)	13 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system14 The tank (including any associated pump) is located wholly below the level of the ground.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Except where any of the following apply: Coastal Areas Overlay Hazards (Acid Sulfate soils) Overlay Historic Shipwrecks Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay. 	
Any of the following where it is located within the boundary of a mining settlement associated with an approved mining lease that has been granted final development approval: Accommodation units Building or building work Bus terminal Car parking area Commercial development Community facility Industry Infrastructure Office	None

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Recreation facilities	
Shop or group of shops	
Site works	
Tavern / club	
Warehouse	

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Advertisement Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay 	None	Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Hazards (Acid Sulfate Soils): DTS 1.1 Historic Shipwrecks: DTS 1.1

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Marine Parks (Restricted Use) Overlay Murray Darling Basin Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay Water Protection Area Overlay 		Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5 Clearance from Overhead Powerlines: DTS 1.1		Key Outback and Rural Routes: DTS 8.1, 10.1 Key Railway Crossings; DTS 1.1 Native Vegetation: DTS1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS 8.1, 10.1

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Water Resources Overlay				
 Carport Outbuilding (in the form of a garage) Except where any of the following apply: Coastal Areas Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay 	None	Design in Rural Areas [All Residential Development – Ancillary Development]: DTS 13.1, 13.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Hazards (Acid Sulfate Soils): DTS 1.1 Historic Shipwrecks: DTS 1.1 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 Native Vegetation: DTS1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Marine Parks (Managed Use) Overlay Marine Parks (Restricted Use) Overlay Murray Darling Basin Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay 				

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Detached dwelling Except where any of the following apply: Coastal Areas Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Marine Parks (Restricted Use) Overlay Murray Darling Basin Overlay 	[Built Form and Character]: DTS 2.2	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: DTS 6.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: DTS 10.1 Site Contamination: DTS 1.1 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Hazards (Acid Sulfate Soils): DTS 1.1 Hazards (Bushfire - Outback): All Historic Shipwrecks: DTS 1.1 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 Native Vegetation: DTS1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Strategic Infrastructure Gas Pipelines: DTS 1.2 Urban Transport Routes: All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Prescribed Watercourses Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay Resource Extraction Protection Area Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay 				

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Dwelling addition Except where any of the following apply: Coastal Areas Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Marine Parks (Restricted Use) Overlay Murray Darling Basin Overlay 	[Built Form and Character]: DTS 2.2	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: DTS 6.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Hazards (Acid Sulfate Soils): DTS 1.1 Hazards (Bushfire - Outback): All Historic Shipwrecks: DTS 1.1 Native Vegetation: DTS1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Strategic Infrastructure Gas Pipelines: DTS 1.2

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Prescribed Watercourses Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay Resource Extraction Protection Area Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay Water Resources Overlay 				

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Essential infrastructure where it is required to service development within the Local Infrastructure (Airfield) Zone located on the Andamooka Road (11km east of the eastern most boundary of Roxby Downs [Municipality]) and / or the site of Olympic Dam mining settlement (as per the approved Olympic Dam mining lease) provided it is sited within 150m north, and 50m south, of the existing road alignment of Andamooka Road, between the eastern boundary of the Roxby Downs (Municipality) and the eastern zone boundary of the Local Infrastructure (Airfield) Zone.	None	None	None	None

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Excavation and filling Except where any of the following apply: Coastal Areas Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Heritage Area Overlay State Heritage Place Overlay Water Resources Overlay. 	None	Design in Rural Areas [Earthworks]: DTS 8.1	None	Hazards (Acid Sulfate Soils): DTS 1.1. Historic Shipwrecks: DTS 1.1	
Outbuilding (not being a garage) Verandah Except where any of the following apply: • Coastal Areas Overlay	None	Design in Rural Areas [All Residential Development – Ancillary Development]: DTS 13.1, 13.2	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Hazards (Acid Sulfate Soils): DTS 1.1 Historic Shipwrecks: DTS 1.1	

Class of Development	Deemed-to-Satisfy Development Classification Criteria				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Marine Parks (Restricted Use) Overlay Marine Parks (Restricted Use) Overlay Marine Parks (Restricted Use) Overlay Marine Parks (Restricted Use) Overlay Murray Darling Basin Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay 		Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2		Native Vegetation: DTS1.1, 1.2 State Significant Native Vegetation: DTS 1.1	

Class of Development	Deemed-to-	Deemed-to-Satisfy Development Classification Criteria			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay Water Protection Area Overlay Water Resources Overlay 					

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performa Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be tak to be the sum of the applicable policies for each Class of Development.							
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)				
Advertisement	None	Advertisements [Appearance]: PO 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5 Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Flooding): All Historic Shipwrecks: PO 1.1 Key Outback and Rural Routes: PO 8.1, 10.1 Key Railway Crossings; PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2				

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	Of Development Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development. Where a development comprises more than one Class of Development. Vertae Zone General Development Policies Policies Vertae Applies only in the area affected by the Subzone) (applies only in the overlay)					
				Ramsar Wetlands: All		
				River Murray Flood Plain: All		
				Significant Landscape Protection: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: PO 1.1 Urban Transport Routes: PO 8.1, 10.1 Water Protection Area: All Water Resources: All		

Class of Development	The following p Policies referre Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
Agricultural building	[Land Use and Intensity]: PO 1.1 [Built Form and Character]: PO 2.1, 2.2	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2 Interface between Land Uses [Activities Generating Noise or Vibration]: PO 4.1 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Shipwrecks: PO 1.1 Key Outback and Rural Routes: PO 8.1, 10.1 Key Railway Crossings: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All			

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performan Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be take to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Native Vegetation: PO 1.1, 1.2 Ramsar Wetlands: All River Murray Flood Plain: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Urban Transport Routes: PO 8.1, 10.1 Water Protection Area: All Water Resources: All		
Carport Outbuilding (in the form of a garage)	None	Clearance from Overhead Powerlines Overlay PO 1.1 Design in Rural Areas [All Residential Development – Ancillary Development] Overlay PO 13.1, 13.2	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All		

Class of Development	The following p Policies referred Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
		Infrastructure and Renewable Energy Facilities [Wastewater Services] Overlay PO 12.2 Transport, Access and Parking [Vehicle Access] Overlay PO 3.1, 3.5		Hazards (Acid Sulfate Soils): PO 1.1 Historic Shipwrecks Overlay PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Key Outback and Rural Routes: All Key Railway Crossings: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All			

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Marine Parks (Restricted Use): All		
				Murray Darling Basin: All		
				Native Vegetation: PO 1.1, 1.2 Ramsar Wetlands: All		
				River Murray Flood Plain: All		
				Significant Landscape Protection: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: PO 1.1 Urban Transport Routes: All Water Protection Area: All		
				Water Resources: All		

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Demolition of a State or Local Heritage Place	None	None	None	Local Heritage Place: All State Heritage Place: All		
Demolition within the Historic Area Overlay or the State Heritage Area Overlay	None	None	None	Historic Area: All State Heritage Area: All		
Detached dwelling	All	Clearance from Overhead Powerlines Overlay PO 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems] Overlay PO 6.1 Infrastructure and Renewable Energy Facilities [Water Supply] Overlay PO 11.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - Medium Risk): All		

Class of Development	The following p Policies referre Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Infrastructure and Renewable Energy Facilities [Wastewater Services] Overlay PO 12.1, 12.2 Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas] Overlay PO 10.1 Site Contamination Overlay PO 1.1 Transport, Access and Parking [Vehicle Access] Overlay PO 3.1, 3.5, 3.6		Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Shipwrecks: PO 1.1 Key Outback and Rural Routes: All Key Railway Crossings: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Watercourses: All Prescribed Wells Area: All Ramsar Wetlands: All		

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Resource Extraction Protection Area: All
				River Murray Flood Plain: All
				Significant Landscape Protection: All
				Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines Overlay PO 1.2 Urban Transport Routes Overlay All Water Protection Area: All Water Resources: All

Class of Development	The following p Policies referred Features. Relev Assessed Deve Where a develo	policies are applicable to the assessment d to are Performance Outcome policies, vant Desired Outcomes are not listed, b	ated Designated Performance apply in relation to a Performance the relevant policies will be taken	
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Dwelling addition	[Built Form and Character] Overlay PO 2.2	Clearance from Overhead Powerlines Overlay PO 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems] Overlay PO 6.1	None	Airport Building Heights (Aircraft Landing Area) Overlay PO 1.1, 1.2 Building Near Airfields Overlay PO 1.1 Coastal Areas: All Hazards (Acid Sulfate Soils):PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Hazards (Flooding): All Historic Shipwrecks: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Watercourses: All Prescribed Wells Area: All Ramsar Wetlands: All Resource Extraction Protection Area: All River Murray Flood Plain: All	

Class of Development	The following p Policies referred Features. Relev Assessed Devel Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines: PO 1.2 Water Protection Area: All Water Resources: All	
Excavation and filling	None	Design in Rural Areas [Earthworks] Overlay PO 8.1	None	Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1.	

Class of Development	The following p Policies referre Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Hazards (Flooding): All Historic Shipwrecks Overlay PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Watercourses: All Prescribed Wells Area: All Ramsar Wetlands: All Resource Extraction Protection Area: All River Murray Flood Plain: All		

Class of Development	The following p Policies referre Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines: PO 1.2 Water Protection Area: All Water Resources: All		
Farming	None	Interface Between Land Uses [General Land Use Compatibility] Overlay PO 1.2	None	Coastal Areas: All Local Heritage Place: All Marine Parks (Managed Use): All		

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Marine Parks (Restricted Use): All	
				Murray Darling Basin: All	
				Native Vegetation: PO 1.1, 1.2	
				Ramsar Wetlands: All	
				River Murray Flood Plain: All	
				Significant Landscape Protection: All	
				State Heritage Area: All	
				State Heritage Place: All	
				State Significant Native Vegetation: PO 1.1	
				Water Protection Area: All	
				Water Resources: All	

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Perforr Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Fence	None	Design in Rural Areas [All Development – Fences and Walls] Overlay PO 9.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Flooding): All	
				Historic Shipwrecks: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Ramsar Wetlands: All River Murray Flood Plain: All	

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Water Protection Area: All Water Resources: All	
Outbuilding (not being a garage) Verandah	None	Clearance from Overhead Powerlines Overlay PO 1.1 Design in Rural Areas [All Residential Development – Ancillary Development] Overlay PO 13.1, 13.2	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All Hazards (Acid Sulfate Soils): PO 1.1	

Class of Development	The following p Policies referre Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken o be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Infrastructure and Renewable Energy Facilities [Wastewater Services] Overlay PO 12.2		Hazards (Bushfire - General Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Shipwrecks: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Ramsar Wetlands: All		

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performa Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Perf Assessed Development. Where a development comprises more than one Class of Development the relevant policies will to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
				River Murray Flood Plain: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Water Protection Area: All Water Resources: All	
Solar farm	[Land Use and Intensity] Overlay PO 1.1	Clearance from Overhead Powerlines Overlay PO 1.1 Infrastructure and Renewable Energy Facilities [General] Overlay PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All	

Class of Development	The following p Policies referre Features. Relev Assessed Deve Where a develo	policies are applicable to the assessment d to are Performance Outcome policies, /ant Desired Outcomes are not listed, b	and any associa ut automatically of Development	apply in relation to a Performance the relevant policies will be taken
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Built Form and Character] Overlay PO 2.1, 2.2	Infrastructure and Renewable Energy Facilities [Visual Amenity] Overlay PO 2.1, 2.2, 2.3 Infrastructure and Renewable Energy Facilities [Rehabilitation] Overlay PO 3.1 Infrastructure and Renewable Energy Facilities [Hazard Management] Overlay PO 4.1, 4.2, 4.3 Infrastructure and Renewable Energy Facilities [Electricity Infrastructure and Battery Storage Facilities] Overlay PO 5.1 Infrastructure and Renewable Energy Facilities [Renewable Energy Facilities] [Renewable Energy Facilities] Overlay PO 7.1		Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Flooding): All Historic Shipwrecks: PO 1.1 Key Outback and Rural Routes: All Key Railway Crossings: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Restricted Use): All Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Prescribed Wells Area: All Ramsar Wetlands: All

Class of Development	The following p Policies referred Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Renewable Energy Facilities (Solar Power)] Overlay PO 9.1, 9.2 Infrastructure and Renewable Energy Facilities [Temporary Facilities] Overlay PO 13.1, 13.2 Design in Rural Areas [All Non- Residential Development – Wash- down and Waste Loading and Unloading] Overlay PO 31.1 Interface Between Land Uses [General land use compatibility] Overlay PO 1.2 Interface Between Land Uses [Activities Generating Noise or Vibration] Overlay PO 4.1		River Murray Flood Plain: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines Overlay: PO 1.2 Urban Transport Routes: All Water Protection Area: All Water Resources: All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Interface Between Land Uses [Solar Reflectivity / Glare] Overlay PO 7.1 Transport, Access and Parking [Movement Systems] Overlay PO 1.1, 1.4 Transport, Access and Parking [Sightlines] Overlay PO 2.1 Transport, Access and Parking [Vehicle Access] Overlay PO 3.1, 3.3, 3.4, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Areas] Overlay PO 6.1, 6.2, 6.6		
Wind farm	[Land Use and Intensity] Overlay PO 1.1	Clearance from Overhead Powerlines Overlay PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1, 1.2 Building Near Airfields: PO 1.1 Coastal Areas: All

Class of Development	The following p Policies referred Features. Relev Assessed Deve Where a develo	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Built Form and Character] Overlay PO 2.1, 2.2	Infrastructure and Renewable Energy Facilities [General] Overlay PO 1.1 Infrastructure and Renewable Energy Facilities [Visual Amenity] Overlay PO 2.1, 2.2, 2.3 Infrastructure and Renewable Energy Facilities [Rehabilitation] Overlay PO 3.1 Infrastructure and Renewable Energy Facilities [Hazard Management] Overlay PO 4.1, 4.2, 4.3 Infrastructure and Renewable Energy Facilities [Electricity Infrastructure and Battery Storage Facilities] Overlay PO 5.1		Hazards (Acid Sulfate Soils): PO 1.1 Hazards (Bushfire - General Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - Outback): All Hazards (Bushfire - Regional): All Historic Shipwrecks: PO 1.1 Hazards (Flooding): All Key Outback and Rural Routes: All Key Railway Crossings: PO 1.1 Local Heritage Place: All Marine Parks (Managed Use): All

Class of Development	The following p Policies referre Features. Releven Assessed Deven Where a deven	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Renewable Energy Facilities] Overlay PO 7.1 Infrastructure and Renewable Energy Facilities [Renewable Energy Facilities (Wind Farm)] Overlay PO 8.1, 8.2, 8.3, 8.4, 8.5 Infrastructure and Renewable Energy Facilities [Temporary Facilities] Overlay PO 13.1, 13.2 Design in Rural Areas [All Non- Residential Development – Wash- down and Waste Loading and Unloading] Overlay PO 31.1 Interface Between Land Uses [General land use compatibility] Overlay PO 1.2		Murray Darling Basin: All Native Vegetation: PO 1.1, 1.2 Ramsar Wetlands: All Resource Extraction Protection Area: All River Murray Flood Plain: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: PO 1.1 Strategic Infrastructure Gas Pipelines: PO 1.2 Urban Transport Routes: All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Interface Between Land Uses [Overshadowing] Overlay PO 3.4 Interface Between Land Uses [Activities Generating Noise or Vibration] Overlay PO 4.1 Interface Between Land Uses [Solar Reflectivity / Glare] Overlay PO 7.1 Transport, Access and Parking [Movement Systems] Overlay PO 1.1, 1.4 Transport, Access and Parking [Sightlines] Overlay PO 2.1 Transport, Access and Parking [Vehicle Access] Overlay PO 3.1, 3.3, 3.4, 3.8, 3.9		Water Protection Area: All Water Resources: All

Class of Development	Applicable I	Applicable Policies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone			(applies only in the area affected
		Transport, Access and Parking [Vehicle Parking Areas] Overlay PO 6.1, 6.2, 6.6		
All other Code Assessed Development	All	All	None	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development	
The following Classes of Development are classified as Restricted	
None Specified	
None Specified	

Assessment Provisions

Desired Outcome (DO)

DO 1

A diverse range of activities from pastoral, grazing and farming activities, agricultural processing and transportation, mining and petroleum (and associated settlement activities), the generation and storage of energy, pipelines or infrastructure, aerospace and defence related facilities (and associated settlement activities), tourism, remote settlements, Aboriginal lands and related rural land activities.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

The productive value of land for a range of rural activities.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- (a) Advertisement
- (b) Agricultural building
- (c) Carport
- (d) Demolition
- (e) Detached dwelling
- (f) Dwelling addition
- (g) Excavation and filling
- (h) Farming
- (i) Intensive animal husbandry
- (j) Outbuilding
- (k) Small-scale ground mounted solar power facility
- (I) Solar farm
- (m) Stock sales yard
- (n) Stock slaughter works
- (o) Tourist accommodation
- (p) Verandah
- (q) Wind farm

Built Form and Character

PO 2.1

Development sited and designed to protect natural features and the conservation value of the area.

DTS/DPF 2.1

None are applicable.

PO 2.2

Large buildings designed and sited to reduce impacts on scenic and rural vistas by:

- (a) having substantial setbacks from boundaries and adjacent public roads
- (b) using low reflective materials and finishes that blend with the surrounding landscape; and
- (c) being located below ridgelines where practicable.

DTS/DPF 2.2

Building are:

- (a) of a height no greater than 2 building levels and 9m; and
- (b) setback at least 40m from any allotment boundary or public road.

Hazard Risk Minimisation

PO 3.1

Habitable buildings designed and sited to manage the risks of natural hazards on personal and public safety and property.

DTS/DPF 3.1

None are applicable.

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) development identified as "all other code assessed development" in Remote Areas Zone Table 3
- (c) wind farm and ancillary development including electricity substation, maintenance sheds, access roads, and connecting power-lines where the base of any wind turbine is 2,000m or less from:
 - (i) an existing dwelling or tourist accommodation that is not associated with the wind farm;
 - (ii) a proposed dwelling or tourist accommodation for which an operable planning consent exists;
 - (iii) the boundaries of any airfield, airport, Local Infrastructure (Airfield) Zone, Settlement Zone, Township Zone or any State Heritage Area Overlay;
- (d) wind monitoring mast and ancillary development.

Rural Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 Building work is associated with a railway It is situated (or to be situated) on railway land It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 60m² Post height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Sloping Land Overlay Future Road Widening Overlay where an existing access is altered or a new access is created Key Railway Crossings Overlay where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 10 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 11 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors 12 The carport: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
Demolition	None.

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
Except where any of the following apply:	
 Historic Area Overlay Historic Shipwreck identified in the Historic Shipwrecks Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	
Farming	 There is no excavation of filling of land Does not involve the erection, construction or alteration of, or addition to, any building or structure Does not involve the clearance of native vegetation
Internal building work	1 There will be no increase in the total floor area of the building
Except where any of the following apply:	2 There will be no alteration to the external appearance of the building.
 Historic Shipwreck identified in the Historic Shipwrecks Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Outbuilding (in the form of a garage) Except where any of the following apply: Building Near Airfields Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay River Murray Flood Plain Overlay Sloping Land Overlay Future Road Widening Overlay where an existing access is altered or a new access is created 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site. Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 60m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure Internal dimensions – exceed 3.2m in width and 6m in length between all walls and doors Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) The garage:

Class of Development	Accepted Development Classification Criteria		
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'			
 Key Railway Crossings Overlay where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is altered or a new access is altered or a new access is 	 (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access 13 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour. 		
 Outbuilding (not being a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site Primary street setback – at least as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Side boundary setbacks – at least 900mm from the boundary of the allotment Total floor area does not exceed 60m² 		

Class of Development	Accepted Development Classification Criteria			
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'				
 Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 7 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 8 Building height - does not exceed 5m 9 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 10 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 			
 Private bushfire shelters Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Primary street setback – at least as far back as the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place). 			

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	
 Protective tree netting structure Except where any of the following apply: Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system No part of the protective tree netting structure will be more than 6m above natural ground level (depending on where it is situated) Netting visible from the outside of the protective tree netting structure is of a low light-reflective nature, and, in the case of a structure that has side netting, the side netting is of a dark colour In the case of a development on a site that is within a Hazards (Bushfire - Outback) Overlay, Hazards (Bushfire – Regional) Overlay, Hazards (Bushfire - General Risk) Overlay, Hazards (Bushfire Medium - Risk) Overlay or Hazards (Bushfire - High Risk) Overlay, the protective tree netting structure provides for access to the site in accordance with the following:

Class of Development	Accepted Development Classification Criteria			
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'				
 River Murray Flood Plain Overlay Sloping Land Overlay Water Protection Area Overlay Water Resources Overlay 	 (a) no part of the protective tree netting structure (including cables and points of attachment of cables (known as "auger" or "anchor" points) will be within 5m of any boundary of the site; or (b) does not prevent access or movement of vehicles of 4m height and 3.5m width (or less) on any access road or track (including fire tracks) on the site 5 No part of the netting canopy of the protective tree netting structure: (a) will cover native vegetation; or (b) will be within 5m of a road (including any road reserve) 6 The points of attachment of any cables will not be located: (a) outside the boundaries of the site; or (b) within a watercourse (within the meaning of the Natural Resources Management Act 2004) 7 In relation to a dwelling located on an allotment adjoining the site on which the protective tree netting structure is located, the protective tree netting structure complies with the following: (a) if the netting canopy nearest the dwelling on the adjoining allotment is 4m or less above ground level (depending on where it is situated), no part of the netting canopy is within 10m of the dwelling (b) in any other case, no part of the netting canopy is within 15m of the dwelling. 			
 Shade sail Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system Shade sail consists of permeable material The total area of the sail - does not exceed 40m² No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other 			

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Historic Area Overlay Historic Shipwrecks Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 5 Primary street setback – at least as far back as the building line of the building to which it is ancillary 6 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 7 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
Solar photovoltaic panels (ground mounted)	5 The system is freestanding rather than attached to a building or other structure.6 No part of the system:

Class of Development	Accepted Development Classification Criteria			
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'				
 Except where any of the following apply: Character Preservation District Overlay Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay State Significant Native Vegetation Overlay 	 (c) is more than 4 metres in height (measured as a height above the natural surface of the ground); (d) is within 100 metres of a dwelling not associated with the system (whether the dwelling is on the same allotment as the system or another allotment); and (e) is within 10 metres of a boundary of an allotment containing a dwelling not associated with the system. 7 The generating capacity of the system does not exceed 30 kW 8 Does not result in the clearance of any native vegetation. 			
 Spa pool Swimming pool Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay 	 1 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 2 It is ancillary to a dwelling erected on the site 3 Allotment boundary setback – not less than 1m 4 Primary street setback – at least as far back as the building line of the building to which it is ancillary 5 Location of filtration system from a dwelling on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case. 			

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay 	 1 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 2 It is ancillary to a dwelling erected on the site 3 Primary street setback – as far back as the building line of the building to which it is ancillary 4 Total floor area - does not exceed 60m² 5 Post height - does not exceed 3m measured from natural ground level 6 Building height - does not exceed 5m 7 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment

Class of Development	Accepted Development Classification Criteria			
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'				
Water Resources Overlay				
 Water tank (above ground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank is part of a roof drainage system Total floor area - not exceeding 15m² The tank is located wholly above ground Tank height - does not exceed 4m above natural ground level Primary street setback - at least as far back as the building line of the building to which it is ancillary In the case of a tank made of metal - the tank is pre-colour treated or painted in a non-reflective colour. 			
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank (including any associated pump) is located wholly below the level of the ground. 			

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Hazards (Acid Sulfate Soils) Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay 	

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Advertisement Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Area Overlay Character Preservation 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1 Historic Shipwrecks: DTS 1.1, 1.2 Sloping Land: DTS 3.1, 3.2
 Area Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Heritage Place Overlay 	Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5		Water Resources: DTS 1.5	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 State Significant Native Vegetation Areas Overlay 				
 Agricultural building Except where any of the following apply: Advertising Near Signalised Intersections Overlay Building Near Airfields Overlay Character Area Overlay Character Preservation District Area Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay 	[Siting and Design] DTS 2.1, 2.2. [Agricultural Buildings] 12.1	Clearance from Overhead Powerlines: DTS 1.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Interface between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1, 1.2 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 River Murray Flood Plain: DTS 3.1, 4.3, 5.4, 6.3 Sloping Land: DTS 3.1, 3.2 Water Resources: DTS 1.5

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions refer Where a develo	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Significant Landscape Protection Overlay State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 					
 Carport Except where any of the following apply: Local Heritage Place Overlay State Heritage Place Overlay 	[Siting and Design] DTS 2.1, 2.2. [Outbuildings, Carports and Verandahs]: DTS 13.2	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5	None	Key Outback and Rural Routes: DTS 1.1, 4.1 Key Railway Crossings: DTS 1.1 Native Vegetation: DTS 1.1, 1.2 Water Resources: DTS 1.5	
Dwelling additionExcept where any of the following apply:Coastal Areas Overlay	[Siting and Design] DTS 2.2.	Clearance from Overhead Powerlines: DTS 1.1	None	Airport Building Heights (Aircraft Landing Areas): DTS 1.1	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Hazards (Bushfire – High Risk) Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay Significant Industry Interface Overlay Significant Landscape Protection Overlay State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 	[Dwellings]: DTS 5.5	Design in Rural Areas [All Development - On-site Waste Treatment Systems]: DTS 6.1 Design in Rural Areas [All Residential Development – External Appearance]: DTS 10.1		Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2 Coastal Areas: DTS 2.1, 2.2, 2.3, 4.5 Hazards (Bushfire – General Risk): DTS 3.2, 5.1, 5.2 Hazards (Bushfire – Medium Risk): DTS 3.2, 5.1, 5.2 Hazards (Acid Sulfate Soils): DTS 1.1 Key Outback and Rural Routes: DTS 1.1, 4.1 Key Railway Crossings: DTS 1.1 River Murray Flood Plain: DTS 3.1, 3.2, 4.2, 4.4, 6.3 Sloping Land: DTS 3.1, 3.2

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Water Resources: DTS 1.5
 Excavation and filling Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay 	None	Design in Rural Areas [Earthworks]: DTS 8.1	None	Sloping Land: DTS 3.1, 3.2 Water Resources: DTS 1.5

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 				
 Horse keeping Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Murray-Darling Basin Overlay RAMSAR Wetlands Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 	[Siting and Design]: DTS 2.2	Animal Keeping and Horse Keeping [Horse Keeping]: DTS 2.2, 2.3, 2.4, 2.5	None	None

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referr Where a develor	ned-to-Satisfy Development Classification Criteria ons referred to are Deemed-to-Satisfy Criteria a development comprises more than one Class of Development the relevant criteria will be taken to sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Horticulture Except where any of the following apply: Coastal Areas Overlay Hazards (Flooding) Overlay Murray-Darling Basin Overlay Prescribed Surface Water Area Overlay RAMSAR Wetlands Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 	[Siting and Design]: DTS 2.2 [Horticulture]: DTS 3.1	Interface between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1	None	Building Near Airfields Overlay: DTS 1.1, 1.2 River Murray Flood Plain: DTS 4.4, 6.3, 7.4	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referi Where a develo	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 Industry Store Transport Distribution Warehouse Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Area Overlay Character Preservation District Area Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Local Heritage Place Overlay Murray-Darling Basin Overlay Prescribed Surface Water Area Overlay RAMSAR Wetlands Overlay 	[Siting and Design]: DTS 2.1, 2.2 [Rural Industry]: DTS 4.1, 4.2	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: DTS 6.1 Design in Rural Areas [Car Parking Appearance]: DTS 7.4, 7.5 Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1, 1.2 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 Sloping Land: DTS 3.1, 3.2 Water Resources: DTS 1.5	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1 Transport, Access and Parking [Vehicle Parking Areas]: DTS 6.1, 6.6		
Outbuilding (in the form of a garage) Except where any of the following apply: • Hazards (Flooding) Overlay • Local Heritage Place Overlay	[Siting and Design] DTS 2.1, 2.2. [Outbuildings, Carports and Verandahs]: DTS 13.1	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1, 1.2

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 RAMSAR Wetlands Overlay Significant Landscape Protection Overlay State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 				Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 Sloping Land: DTS 3.1, 3.2 Water Resources: DTS 1.5
 Outbuilding (not being a garage) Except where any of the following apply: Hazards (Flooding) Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay 	[Siting and Design] DTS 2.2. [Outbuildings, Carports and Verandahs]: DTS 13.1	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1, 1.2 Key Outback and Rural Routes: All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Significant Landscape Protection Overlay State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 				Key Railway Crossings: DTS 1.1 Sloping Land: DTS 3.1, 3.2 Water Resources: DTS 1.5
 Shop Except where any of the following apply: Character Area Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Hazards (Bushfire – High Risk) Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay 	[Siting and Design]: DTS 2.1, 2.2 [Shops, Tourism and Function Centres]: DTS 6.1, 6.2 [Adaptive Reuse of Existing Buildings]: DTS 8.1	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: DTS 6.1 Design in Rural Areas [Car Parking Appearance]: DTS 7.4, 7.5 Interface Between Land Uses [Hours of Operation]: DTS 2.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1, 1.2 Hazards (Acid Sulfate Soils): DTS 1.1 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
 Significant Landscape Protection Overlay State Heritage Place 		Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1, 4.6		River Murray Flood Plain: DTS 3.1, 4.3, 5.4, 6.3 Sloping Land: DTS 3.1, 3.2
OverlayState Significant Native Vegetation Areas		Interface Between Lands Uses [Air Quality]: DTS 5.2		Water Resources: DTS 1.5
OverlayWater Protection Area Overlay		Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1		
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2		
		Transport, Access and Parking [Movement Systems]: DTS 1.4		
		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5		
		Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Provisions referr Where a develo	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Areas]: DTS 6.1, 6.6			
 Tourist accommodation Except where any of the following apply: Character Area Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Hazards (Bushfire – High Risk) Overlay Local Heritage Place Overlay RAMSAR Wetlands Overlay Significant Industry Interface Overlay Significant Landscape Protection Overlay State Heritage Area Overlay 	[Siting and Design]: DTS 2.1, 2.2 [Shops, Tourism and Function Centres]: DTS 6.3, 6.4 [Adaptive Reuse of Existing Buildings]: DTS 8.1	Clearance from Overhead Powerlines: DTS 1.1 Infrastructure and Renewable Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1 Transport, Access and Parking [Vehicle Parking Areas]: DTS 5.1, 6.6	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields Overlay: DTS 1.1, 1.2 Hazards (Acid Sulfate Soils): DTS 1.1 Hazards (Bushfire – General Risk): DTS 3.2, 5.1, 5.2 Hazards (Bushfire – Medium Risk): DTS 3.2, 5.1, 5.2 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 River Murray Flood Plain: DTS 3.1, 4.3, 5.4, 6.3	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
 State Heritage Place Overlay State Significant Native Vegetation Areas Overlay Water Protection Area Overlay 				Sloping Land: DTS 3.1, 3.2 Water Resources: DTS 1.5	
 Verandah Except where any of the following apply: Local Heritage Place Overlay State Heritage Place Overlay 	[Siting and Design] DTS 2.2. [Outbuildings, Carports and Verandahs]: DTS 13.2	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2 Key Outback and Rural Routes: DTS 1.1, 4.1 Key Railway Crossings: DTS 1.1 Water Resources: DTS 1.5	

Table 3 – Applicable Policies f	or Performance	Assessed Development				
Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Advertisement	[Land Use and Intensity] PO 1.1 [Built Form and Character]: PO 10.1	Clearance from Overhead Powerlines: PO 1.1 Advertisements [Appearance]: PO 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Historic Shipwrecks: All Local Heritage Place: All Native Vegetation: All RAMSAR Wetlands: All Significant Landscape Protection: All		

				Sloping Land: All State Heritage place: All State Significant Native Vegetation Areas: All Water Protection Areas: All Water Resources: All
Agricultural building	[Land Use and Intensity] PO 1.1 [Siting and Design] PO 2.1, 2.2. [Built Form and Character]: PO 10.1 [Agricultural Buildings] PO 12.1	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2 Interface between Land Uses [Activities Generating Noise or Vibration]: PO 4.1 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1	None	 Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazard (Flooding): All Key Outback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Native Vegetation: All Significant Landscape Protection: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation Areas: All

				Water Resources: All
Brewery Cidery Distillery Winery	[Land Use and Intensity] PO 1.1 [Siting and	Beverage Production in Rural Areas: All Clearance from Overhead Powerlines: PO 1 1	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Areas): All
Winery	[Siting and Design: PO 2.1, 2.2. [Rural Industry]: PO 4.1, 4.2 [Built Form and Character]: PO 10.1	Powerlines: PO 1.1 Design in Rural Areas [All development – External appearance]: PO 1.5 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7 Design in Rural Areas [Earthworks]: PO 8.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Land Uses [Air Quality]: PO 5.1, 5.2		 Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazard (Flooding): All Hazard (Bushfire – General Risk) All Hazard (Bushfire – High Risk): Al Hazard (Bushfire – Medium Risk) All Hazard (Bushfire – Regional): All Hazard (Bushfire – Urban Interface): All Key Outback and Rural Route: Al Key Railway Crossings : All Local Heritage Place: All Native Vegetation: All RAMSAR Wetlands: All Significant Landscape Protection: All
		Interface Between Land Uses [Light Spill]: PO 6.1		State Heritage Area: All State Heritage Place: All

	Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6	State Significant Native Vegetation Areas: All Water Resources: All
Carport [Land U Intensity 1.1 [Siting a Design: 2.1, 2.2 [Built Fo and Characte PO 10.1 [Outbuil Carports Veranda PO 13.2	Se and Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2 Ind PO Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Immediate rm er]:	NoneCharacter Preservation District : All Hazards (Flooding) : All Historic Area : All Key Outback and Rural Routes : All Key Railway Crossings : All Local Heritage Place : All Native Vegetation : All Prescribed Watercourses : All Regulated Trees : All Sloping Land : All State Heritage Place: All State Heritage Place: All Significant Landscape Protection : All State Significant Native Vegetation : All Water Protection Area : All Water Resources: All

Demolition	None	None	None	Character Area: All Historic Area: All Local Heritage Place: All State Heritage Area: All State Heritage Place: All
Detached dwelling	[Land Use and Intensity] PO 1.1 [Siting and Design: PO 2.1, 2.2. [Dwellings]: PO 5.1, 5.4 [Built Form and Character]: PO 10.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: PO 6.1 Design in Rural Areas [All Residential Development – External Appearance]: PO 10.1, 10.2 Design in Rural Areas [All Residential Development - Outlook and Amenity] PO 11.1 Design in Rural Areas [All Residential Development - Access and Servicing]: PO 12.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 14.1, 14.2, 14.3 Design in Rural Areas [Residential Development – 3 Building Levels or Less – Car Parking, Access and Manoeuvrability]: PO 18.3, 18.4, 18.5 Design in Rural Areas [Design of Transportable Dwellings]: PO 20.1	None	Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Hazards (Bushfire – General Risk): All Hazards (Bushfire – High Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire – Regional): All Hazards (Bushfire – Urban Interface): All Historic Area: All Key Outback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Native Vegetation: All Noise and Air Emissions: All

		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [Interface Between Rural Activities]: PO 9.6, 9.7 Interface Between Land Uses [Interface With Mines and Quarries (Rural and Remote Areas]: PO 10.1 Site Contamination: PO 1.1 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6		Prescribed Surface Water Area: All RAMSAR Wetlands: All Regulated Tree: All Resource Extraction Protection Area: All Significant Industry Interface: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Heritage Place: All State Significant Native Vegetation Areas: All Strategic Infrastructure (Gas Pipelines) : All Water Protection Area : All Water Resources: All
Dwelling addition	[Land Use and Intensity] PO 1.1 [Siting and Design] DTS 2.2. [Dwellings]: PO 5.5 [Built Form and Character]: PO 11.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: PO 6.1 Design in Rural Areas [All Residential Development – External Appearance]: PO 10.1	None	Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All

Hazards (Bushfire – General Risk): All Hazards (Bushfire – High Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire – Regional): All Hazards (Bushfire – Urban Interface): All Historic Area: All Key Outback and Rural Route: All
Key Railway Crossings : All
Local Heritage Place: All Native Vegetation: All
Noise and Air Emissions: All
Prescribed Surface Water Area: All
RAMSAR Wetlands: All
Regulated Tree: All
Resource Extraction Protection Area: All
Significant Industry Interface: All
Significant Landscape Protection: All
Sloping Land: All
State Heritage Area: All
State Heritage Place: All
State Significant Native Vegetation Areas: All

				Strategic Infrastructure (Gas Pipelines) : All Water Protection Area : All
				Water Resources: All
Excavation and filling	None	Design in Rural Areas [Earthworks]: PO 8.1	None	Character Preservation District: All
				Local Heritage Place: All
				Native Vegetation: All
				State Significant Native Vegetation: All
				Sloping Land: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				Water Resources: All
Fence	None	Design in Rural Areas [All	None	Local Heritage Place: All
		Development – Fences and Walls]: PO 9.1		State Heritage Area: All
				State Heritage Place: All
				Water Resources: All
Function centre	[Land Use and Intensity] PO	Clearance from Overhead Powerlines: PO 1.1	None	Advertising Near Signalised Intersections: All
	1.1 [Siting and Design: PO	Design in Rural Areas [All development – External		Airport Building Heights (Aircraft Landing Areas): All
	2.1, 2.2. [Shops,	appearance]: PO 1.5 Design in Rural Areas [On-site		Airport Building Heights (Regulated): All
	Tourism and Function	Waste Treatment Systems]: PO 6.1		Building Near Airfields: All Character Area: All

	Centres]: PO 6.5, 6.6 [Built Form and Character]: PO 10.1	Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7 Design in Rural Areas [Earthworks]: PO 8.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Land Uses [Air Quality]: PO 5.1, 5.2 Interface Between Land Uses [Light Spill]: PO 6.1 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking		Character Preservation District: All Coastal Areas: All Hazard (Bushfire – General Risk): All Hazard (Bushfire – High Risk): All Hazard (Bushfire – Medium Risk): All Hazard (Bushfire – Regional): All Hazard (Bushfire – Urban Interface): All Hazard (Flooding): All Hazard (Flooding): All Historic Area: All Key Outback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Native Vegetation: All RAMSAR Wetlands: All Significant Landscape Protection: All State Heritage Area: All State Heritage Place: All State Heritage Place: All State Heritage Place: All State Significant Native Vegetation Areas: All Water Resources: All
Horse keeping	[Land Use and Intensity] PO 1.1	[Vehicle Parking Areas]: PO 6.1, 6.6 Animal Keeping and Horse Keeping [Siting and Design]: PO 1.1, 1.2	None	Murray-Darling Basin: All State Heritage Area : All

	[Siting and Design]: PO 2.2 [Built Form and Character]: PO 10.1	Animal Keeping and Horse Keeping [Horse Keeping]: PO 2.2, 2.3, 2.4, 2.5 Animal Keeping and Horse Keeping [Wastes]: PO 4.1 Interface between Land Use [General Land Use Compatibility] PO 1.2		State Heritage Place: All State Significant Native Vegetation Areas: All Water Resources: All
Horticulture	[Land Use and Intensity] PO 1.1 [Siting and Design]: PO 2.2 [Horticulture]: PO 3.1 [Built Form and Character]: PO 10.1	Interface between Land Uses [General Land Use Compatibility]: PO 1.2 Interface between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface between Land Uses [Air Quality]: PO 5.1 Interface between Land Uses [Interface with Rural Activities]: PO 9.1, 9.6	None	 Building Near Airfields: All Murray-Darling Basin: All Prescribed Surface Water Area: All Prescribed Water Resources Area : All Prescribed Watercourses: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation Areas: All Water Protection Area: All Water Resources: All
Industry Store Transport Distribution Warehouse	[Land Use and Intensity] PO 1.1 [Siting and Design: PO 2.1, 2.2. [Rural Industry]: PO 4.1, 4.2	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [All development – External appearance]: PO 1.5 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All

[Built Form and Character]: PO 10.1	Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5 Interface Between Land Uses [Air Quality]: PO 5.1, 5.2 Interface Between Land Uses [Light Spill]: PO 6.1 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Rates]: PO 6.1, 6.6		Character Preservation District: All Coastal Areas: All Hazard (Flooding): All Hazard (Bushfire – General Risk): All Hazard (Bushfire – High Risk): All Hazard (Bushfire – Medium Risk): All Hazard (Bushfire – Regional): All Hazard (Bushfire – Urban Interface): All Key Outback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Murray-Darling Basin: All Native Vegetation: All Prescribed Surface Water Area: All RAMSAR Wetlands: All Significant Landscape Protection: All State Heritage Place: All State Significant Native Vegetation Areas: All
[Land Division] PO 11.1	Land Division in Rural Areas [Design and Layout]: PO 2.2, 2.4, 2.5, 2.6	None	Character Area: All Character Preservation District: All

		Land Division in Rural Areas [Roads and Access]: 3.1, 3.6, 3.7, 3.8, 3.9 Land Division in Rural Areas [Infrastructure]: 4.2, 4.3 Land Division in Rural Areas [Minor Land Division (Under 20 Allotments) - Water Sensitive Design]: PO 7.1, 7.2		Dwelling Excision: All Environment and Food Production: All Hazard (Bushfire – General Risk): All Hazard (Bushfire – High Risk): All Hazard (Bushfire – Medium Risk): All Hazard (Bushfire – Regional): All Hazard (Bushfire – Urban Interface): All Historic Area: All Key Outback and Rural Route: All Key Railway Crossings : All Limited Land Division: All Local Heritage Place: All Native Vegetation: All RAMSAR Wetlands: All River Murray Flood Plain: All River Murray Tributaries Area: All Significant Industry Interface: All State Heritage Place: All State Heritage Place: All State Significant Gas Pipelines: All Strategic Infrastructure Gas Pipelines: All
Outbuilding (in the form of a garage)	[Land Use and Intensity] PO 1.1 [Siting and Design] PO 2.1, 2.2.	Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5	None	Character Area: All Character Preservation District : All Hazards (Flooding) : All Historic Area : All

	[Built Form and Character]: PO 10.1 [Outbuildings, Carports and Verandahs]: PO 13.1			Key Outback and Rural Routes : All Key Railway Crossings : All Local Heritage Place : All Native Vegetation : All Regulated Trees : All Sloping Land : All State Heritage Area : All State Heritage Place: All State Heritage Place: All Significant Landscape Protection : All State Significant Native Vegetation : All Water Protection Area : All Water Resources: All
Outbuilding (not being a garage)	[Land Use and Intensity] PO 1.1 [Siting and Design] PO 2.2. [Built Form and Character]: PO 10.1 [Outbuildings, Carports and Verandahs]: PO 13.1	Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2	None	Character Area: All Character Preservation District : All Hazards (Flooding) : All Historic Area : All Key Outback and Rural Routes : All Key Railway Crossings : All Local Heritage Place : All Native Vegetation : All Regulated Trees : All Sloping Land : All State Heritage Area : All State Heritage Place: All

				Significant Landscape Protection : All State Significant Native Vegetation : All Water Protection Area : All Water Resources: All
Shop	[Land Use and Intensity] PO 1.1 [Siting and Design]: PO 2.1, 2.2 [Shops, Tourism and Function Centres]: PO 6.1, 6.2 [Adaptive Reuse of Existing Buildings]: PO 8.1 [Built Form and Character]: PO 10.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [All development – External appearance]: PO 1.5 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Rural Areas [Car Parking Appearance]: PO 7.2, 7.4, 7.5, 7.6, 7.7 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Land Uses [Air Quality]: PO 5.2	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazard (Flooding): All Hazard (Bushfire – General Risk): All Hazard (Bushfire – High Risk): All Hazard (Bushfire – Medium Risk): All Hazard (Bushfire – Regional): All Hazard (Bushfire – Urban Interface): All Historic Area: All Key Outback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Native Vegetation: All

		Interface Between Land Uses [Light Spill]: PO 6.1 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6		 Prescribed Surface Water Area: All RAMSAR Wetlands: All Significant Landscape Protection: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation Areas: All Water Resources: All
Small-scale ground mounted Solar Power facility	[Land Use and Intensity] PO 1.1 [Siting and Design]: PO 2.1, 2.2 [Renewable Energy Facilities]: PO 9.1, 9.2 [Built Form and Character]: PO 10.1	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [General]: PO 1.1 Infrastructure and Renewable Energy Facilities [Visual Amenity]: PO 2.1 Infrastructure and Renewable Energy Facilities [Hazard Management]: PO 4.1, 4.2, 4.3 Infrastructure and Renewable Facilities [Wastewater Services]: PO 12.2 Infrastructure and Renewable Energy Facilities [Temporary Facilities]: PO 13.1, 13.2	None	 Character Area: All Character Preservation District : All Hazards (Flooding) : All Historic Area : All Native Vegetation : All Regulated Trees : All Sloping Land : All State Heritage Area : All State Heritage Place: All Significant Landscape Protection: All State Significant Native Vegetation : All Water Resources: All

		Interface Between Land Uses [General land use compatibility]: PO 1.2 Interface Between Land Uses [Solar Reflectivity / Glare]: PO 7.1		
Tourist accommodation	[Land Use and Intensity] PO 1.1 [Siting and Design]: PO 2.1, 2.2 [Shops, Tourism and Function Centres]: PO 6.3, 6.4 [Adaptive Reuse of Existing Buildings]: PO 8.1 [Built Form and Character]: PO 10.1	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Facilities [Wastewater Services]: PO 12.1, 12.2 Tourism Development: All Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6	None	 Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Hazards (Bushfire – General Risk): All Hazards (Bushfire – High Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire – Vedium Risk): All Hazards (Bushfire – Vedium Risk): All Hazards (Bushfire – Vedium Risk): All Hazards (Bushfire – Irban Interface): All Historic Area: All Key Qutback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Noise and Air Emissions: All

				Prescribed Surface Water Area: All RAMSAR Wetlands: All Regulated Tree: All Resource Extraction Protection Area: All Significant Industry Interface: All Significant Landscape Protection: All State Heritage Area: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation Areas: All Strategic Infrastructure (Gas Pipelines) : All Water Protection Area : All Water Resources: All
Verandah	[Land Use and Intensity] PO 1.1 [Siting and Design] PO 2.2. [Built Form and Character]: PO 10.1 [Outbuildings, Carports and	Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2	None	Character Area: All Character Preservation District : All Historic Area : All Local Heritage Place : All Native Vegetation : All Regulated Trees : All Sloping Land : All State Heritage Area : All

	Verandahs]: PO 13.2			State Heritage Place: All Significant Landscape Protection : All State Significant Native Vegetation : All Water Resources: All
Workers' accommodation	[Land Use and Intensity] PO 1.1 [Siting and Design]: PO 2.1, 2.2 [Dwellings] PO 5.2, 5.3, 5.4 [Adaptive Reuse of Existing Buildings]: PO 8.1 [Built Form and Character]: PO 11.1	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: PO 1.4 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6 Workers Accommodation and Settlements: All	None	Airport Building Heights (Aircraft Landing Areas): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Area: All Character Preservation District: All Coastal Areas: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Hazards (Bushfire – General Risk): All Hazards (Bushfire – High Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire – Urban Interface): All Historic Area: All Key Outback and Rural Route: All Key Railway Crossings : All Local Heritage Place: All Native Vegetation: All

All other Code Assessed Development	All	All	None	All
				Water Resources: All
				Water Protection Area : All
				Strategic Infrastructure (Gas Pipelines) : All
				Vegetation Areas: All
				State Significant Native
				State Heritage Place: All
				State Heritage Area: All
				Sloping Land: All
				Significant Landscape Protection: All
				Significant Industry Interface: All
				Resource Extraction Protection Area: All
				Regulated Tree: All
				RAMSAR Wetlands: All
				Prescribed Surface Water Area: All
				Noise and Air Emissions: All

Table 4 – Restricted Development Classification

Class of Development The following Classes of Development are classified as Restricted subject to any 'Exclusions'	Exclusions
Dwelling within the Limited Dwelling Overlay	Except where it is a replacement dwelling.
Land Division within the Limited Land Division Overlay	Except where it involves a boundary realignment.
Land Division creating additional allotments for residential purposes within the Significant Industry Interface Overlay	
Renewable energy facility within either the: (a) Significant Landscape Protection Overlay (b) Character Preservation Area Overlay	
Shop	 Except where: (a) it is ancillary to and located on the same allotment or adjoining allotment used for primary production or value adding and offers for sale or consumption produce or goods that are primarily sourced, produced or manufactured on the same allotment or from the region; or (b) it has a gross leasable floor area less than 250m²; or (c) it is a restaurant.

Assessment Provisions

Desired Outcomes (DO)

DO 1

A zone supporting the economic prosperity of South Australia primarily through the production, processing, storage and distribution of primary produce, forestry and the generation of energy from renewable sources.

DO 2

A zone supporting diversification of existing businesses that promote value adding, such as industry, storage and warehousing activities, the sale and consumption of primary produce, tourist development and accommodation.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

The productive value of rural land for a range of primary production activities and associated value adding, processing, warehousing and distribution is supported, protected and maintained.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- (a) Advertisement
- (b) Agricultural building
- (c) Brewery
- (d) Carport
- (e) Cidery
- (f) Distillery
- (g) Demolition
- (h) Detached dwelling
- (i) Dwelling addition
- (j) Excavation and filling
- (k) Farming
- (I) Fence
- (m) Horse keeping
- (n) Horticulture

- (o) Industry
- (p) Intensive animal husbandry
- (q) Low intensity animal husbandry
- (r) Outbuilding
- (s) Shop
- (t) Small-scale ground mounted solar power facility
- (u) Tourist accommodation
- (v) Transport distribution
- (w) Verandah
- (x) Warehouse
- (y) Winery

Siting and Design

PO 2.1

Development is provided with suitable vehicle access.

DTS/DPF 2.1

Development is serviced by an all-weather trafficable public road.

PO 2.2

Buildings are generally located on flat land to avoid cut and fill and the associated visual impacts.

DTS/DPF 2.2

Buildings:

- (a) are sited on land with a slope not greater than 10% (1-in-10); and
- (b) do not result excavation and filling of land that is greater than 1.5 metres from natural ground level.

Horticulture

PO 3.1

Horticulture is located and conducted on land that has the physical capability of supporting the activity and in a manner that:

- (a) enhances the productivity of the land for the growing of food and produce in a sustainable manner;
- (b) avoids adverse interface conflicts with other land uses;
- (c) utilises sound environmental practices to mitigate negative impacts on natural resources and water quality;

(d) is sympathetic to surrounding rural landscape character and amenity, where horticulture is proposed to be carried out in an enclosed building such as such as greenhouses.

DTS/DPF 3.1

Horticultural activities:

- (a) are conducted on an allotment with an area of at least 1ha;
- (b) are sited on land with a slope not greater than 10% (1-in10);
- (c) are not conducted within 50m of a watercourse or native vegetation;
- (d) do not involve the clearance of native vegetation;
- (e) abut an existing horticulture activity;
- (f) are not conducted within 100m of a sensitive receiver in other ownership;
- (g) provide for a headland area between plantings and property boundaries of at least 10m in width; and
- (h) where carried out in an enclosed building such as a greenhouse, the building has a total floor area not greater than 250m2;
- (i) in the form of olive growing, is not located within 500 metres of a conservation or national park.

Rural Industry

PO 4.1

Industry (including beverage production and washing, processing, bottling and packaging activities), storage, warehousing, transport distribution or similar activities:

- (a) are directly related to and add value to primary production and/or commodities and materials sourced from rural areas; and
- (b) realise efficiencies in primary production.

DTS/DPF 4.1

Industries, storage, warehousing and transport distribution activities:

- (a) are directly related to and ancillary to a primary production use on the same or adjoining allotment;
- (b) are located on an allotment not less than 20ha in area;
- (c) have a total floor area not exceeding 250m2.

PO 4.2

Industry, storage, warehousing, transport distribution or similar activities are sited, designed and of a scale that maintains rural character and function and respects landscape amenity.

DTS/DPF 4.2

Buildings and associated activities:

- (a) are setback at least 100m from all road and allotment boundaries;
- (b) are not sited within 200m of a sensitive receiver in other ownership;
- (c) have building height not greater than 10m above natural ground level; and
- (d) incorporate the loading and unloading of vehicles within the confines of the allotment.

Dwellings

PO 5.1

Residential development is ancillary to, and does not compromise, primary production.

DTS/DPF 5.1

Dwellings:

- (a) are located on an allotment with an area not less than that specified in the *Minimum Allotment Size Technical and Numeric Variation Overlay*;
- (b) are located on and have a demonstrated connection with an allotment used for primary production or value adding; will not result in more than one dwelling on an allotment.

PO 5.2

Development creating a second dwelling on an allotment should not compromise primary production and value adding industries, or result in the fragmentation of land.

DTS/DPF 5.2

A secondary dwelling on an allotment is:

- (a) located within 20 metres of an existing dwelling on the same allotment;
- (b) utilises existing infrastructure and vehicle access used by an existing dwelling; and
- (c) located on an allotment not less than 40ha in area.

PO 5.3

Residential development resulting in more than one dwelling on an allotment:

- (a) supports aging in place for the owner of the allotment;
- (b) is in the form of a manager's residence or workers' accommodation;

- (c) is located within 20 metres of an existing dwelling on the same allotment;
- (d) does not compromise primary production or value adding industries;
- (e) utilises existing infrastructure and vehicle access used by an existing dwelling

DTS/DPF 5.3

None are applicable.

PO 5.4

Dwelling are sited, designed and of a scale that maintains a pleasant rural character and amenity.

DTS/DPF 5.4

Dwellings:

- (a) are setback from all allotment boundaries by at least 40m;
- (b) do not exceed 2 building levels and 9 metres measured from the top of the footings; and
- (c) have a wall height that is no greater than 6 metres.

PO 5.5

Dwelling additions are sited, designed and of a scale that maintains a pleasant rural character and amenity.

DTS/DPF 5.5

Additions or alterations to an existing dwelling:

- (a) are setback behind the main façade of the existing dwelling;
- (b) do not exceed 2 building levels and 9 metres measured from the top of the footings; and
- (c) have a wall height that is no greater than 6 metres.

Shops, Tourism and Function Centres

PO 6.1

Shops are associated with an existing primary production use or value adding industry within the region.

DTS/DPF 6.1

Shops:

- (a) are ancillary to and located on the same allotment or an adjoining allotment used for primary production or value adding;
- (b) offer for sale or consumption produce or goods that are primarily sourced, produced or manufactured on the same allotment or from the region;
- (c) have a gross leasable floor area not exceeding 100m2;

(d) have an area for the display of produce or goods external to a building not exceeding 25m2.

PO 6.2

Shops that are proposed in new buildings are sited, designed and of a scale that maintains a pleasant rural character and amenity.

DTS/DPF 6.2

Shops in new buildings:

- (a) are setback from all allotment boundaries by at least 40m;
- (b) are not sited within 100m of a sensitive receiver in other ownership; and
- (c) have a building height that does not exceed 7m above natural ground level.

PO 6.3

Tourist accommodation is associated with the primary use of the land for primary production or value adding industry.

DTS/DPF 6.3

Tourist accommodation:

- (a) is ancillary to and located on the same allotment or an adjoining allotment used for primary production or value adding;
- (b) in relation to the area used for accommodation, does not exceed 100m2.

PO 6.4

Tourist accommodation proposed in a new building or buildings are sited, designed and of a scale that maintains a pleasant rural character and amenity.

DTS/DPF 6.4

Tourist accommodation in new buildings:

- (a) is setback from all allotment boundaries by at least 40m; and
- (b) have a building height that does not exceed 7m above natural ground level.

PO 6.5

Function centres are associated with the primary use of the land for primary production or value adding industry.

DTS/DPF 6.5

Function centres:

- (a) are ancillary to and located on the same allotment or an adjoining allotment used for primary production or value adding;
- (b) do not result in more than 75 seats for customer dining purposes.

PO 6.6

Function centres are sited, designed and of a scale that maintains a pleasant natural and rural character and amenity.

DTS/DPF 6.6

Function centres:

- (a) are located on an allotment having an area of at least 5ha;
- (b) are setback from all property boundaries by at least 40m;
- (c) are not sited within 100m of a sensitive receiver in other ownership; and
- (d) have a building height that does not exceed 9m above natural ground level.

Offices

PO 7.1

Offices are directly related to and associated with the primary use of the land for primary production or value adding industry

DTS/DPF 7.1

Offices:

- (a) are ancillary to and located on the same allotment or an adjoining allotment used for primary production or value adding;
- (b) have a gross leasable floor area not exceeding 100m2.

Adaptive Reuse of Existing Buildings

PO 8.1

Adaptive reuse of existing buildings for small-scale shops, offices, tourist accommodation or ancillary rural activities.

DTS/DPF 8.1

Development within an existing building is for:

- (a) a shop;
- (b) office; or
- (c) tourist accommodation.

Renewable Energy Facilities

PO 9.1

Renewable energy facilities and ancillary development minimises significant fragmentation or displacement of existing primary production.

DTS/DPF 9.1

None are applicable.

PO 9.2

Small-scale ground mounted solar power facilities support rural production or value adding industries.

DTS/DPF 9.2

Solar power facilities:

- (a) do not generate more than 30KW;
- (b) generate power which is to be used wholly in association with a primary production industry, a value adding industry or local infrastructure facility on the same allotment;
- (c) do not have a panel size exceeding 80m2 or 4m in height per structure;
- (d) do not involve more than 2 panel structures per allotment;
- (e) are setback at least 10m from adjoining allotments in other ownership; and
- (f) are not located within 100m of a dwelling in other ownership.

Built Form and Character

PO 10.1

Large buildings designed and sited to reduce impacts on scenic and rural vistas by:

- (a) having substantial setbacks from boundaries and adjacent public roads;
- (b) using low reflective materials and finishes that blend with the surrounding landscape; and
- (c) being located below ridgelines

DTS/DPF 10.1

None are applicable.

Land Division

PO 11.1

Land division, including boundary realignments promotes productive, efficient and sustainable primary production.

DTS/DPF 11.1

Allotments have an area not less than that specified in the Minimum Allotment Size Technical and Numeric Variation Overlay.

Agricultural Buildings

PO 12.1

Agricultural buildings and associated activities are sited, designed and of a scale that maintains rural character and function and respects landscape amenity.

DTS/DPF 12.1

- (a) Agricultural buildings:
- (b) are located on an allotment having an area of at least 10ha;
- (c) are setback at least 50m from an allotment boundary;
- (d) have a building height not exceeding 10m above natural ground level;
- (e) do not exceed 250m2 in total floor area; and
- (f) incorporate the loading and unloading of vehicles within the confines of the allotment.

Outbuildings, Carports and Verandahs

PO 13.1

Outbuildings are sited, designed and of a scale that maintain a pleasant rural character and amenity.

DTS/DPF 13.1

Outbuildings:

- (a) have a primary street setback that is at least as far back as the building to which it is ancillary;
- (b) have a total floor area that does not exceed 150m2;
- (c) have walls that do not exceed 5m in height measured from natural ground level and not including a gable end;
- (d) have a total roof height that does not exceed 6m measured from natural ground level; and
- (e) are limited to no more than 2 outbuildings on the same allotment.

PO 13.2

Carports and verandahs are sited, designed and of a scale that maintain a pleasant rural character and amenity.

DTS/DPF 13.2

Carports and verandahs have a:

- (a) primary street setback that is at least as far back as the building to which it is ancillary;
- (b) total floor area that does not exceed 80m2;
- (c) post height that does not exceed 3m measured from natural ground level and not including a gable end; and
- (d) total roof height that does not exceed 5m measured from natural ground level.

Concept Plans

PO 14.1

Development is compatible with the outcomes sought by any relevant Concept Plan contained within the *Concept Plans Technical and Numeric Variation Overlay*.

DTS 14.1

None are applicable

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent to land in a different zone
- (b) development identified as "all other code assessed development" in Rural Zone Table 3
- (c) detached dwelling
- (d) industry, storage, transport distribution and/or warehousing with a total floor area greater than 250m²
- (e) renewable energy facilities other than a solar power facility that does not generate more than 30KW
- (f) shop with a gross leasable area greater than $200m^2$
- (g) tourist accommodation with a total floor area greater than 200m²
- (h) wind farm
- (i) wind monitoring mast
- (j) workers' accommodation

Rural Living Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land Except where any of the following apply:	 4 Building work is associated with a railway 5 It is situated (or to be situated) on railway land 6 It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay 	 13 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 14 It is ancillary to a dwelling erected on the site 15 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 16 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 17 Total floor area - does not exceed 40m² 18 Post height - does not exceed 3m measured from natural ground level (and not including a gable end) 19 Building height - does not exceed 5m 20 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and

Class of Development	Accepted Development Classification Criteria			
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'				
 River Murray Flood Plain Overlay Sloping Land Overlay Key Railway Crossings Overlay where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 21 If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 22 The total roofed area of all existing or proposed buildings on the allotment does not exceed 60% of the area of the allotment 23 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 24 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors 25 The carport: (a) is located so that vehicle access: i. is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or 			

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	 iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
 Demolition Except where any of the following apply: Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	None.
 Internal building work Except where any of the following apply: Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay 	 5 There will be no increase in the total floor area of the building 6 There will be no alteration to the external appearance of the building.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 State Heritage Place identified in the State Heritage Place Overlay. Outbuilding (in the form of a garage) 	15 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system
 garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay Sloping Land Overlay 	 sewerage system or waste control system 16 It is detached from and ancillary to a dwelling erected on the site. 17 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 18 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 19 Total floor area - does not exceed 60m² 20 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 21 Building height - does not exceed 5m 22 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 23 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
 Key Railway Crossings Overlay where an existing access is altered or a new access is created 	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 24 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 25 Internal dimensions - exceed 3.2m in width and 6m in length between all walls and doors 26 Door opening for vehicle access - does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 27 The garage: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access
	28 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Outbuilding (not being a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay. 	 12 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 13 It is detached from and ancillary to a dwelling erected on the site 14 Primary street setback – at least as far back as the building line of the building to which it is ancillary 15 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 16 Side boundary setbacks – at least 900mm from the boundary of the allotment 17 Total floor area does not exceed 60m² 18 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 19 Building height - does not exceed 5m 20 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent 21 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	22 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%23 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Private bushfire shelters Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 5 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 6 Primary street setback – at least as far back as the building to which it is ancillary 7 Secondary street setback – at least 900mm from the boundary of the allotment 8 At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place).
Shade sail Except where any of the following apply:	8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system

Class of Development	Accepted Development Classification Criteria
The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	
 Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay 	 9 Shade sail consists of permeable material 10 The total area of the sail - does not exceed 40m² 11 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 12 Primary street setback – at least as far back as the building line of the building to which it is ancillary 13 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 14 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Spa pool Swimming pool Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 21 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 22 It is ancillary to a dwelling erected on the site 23 Allotment boundary setback – not less than 1m 24 Primary street setback – at least as far back as the building line of the building to which it is ancillary 25 Location of filtration system from a dwelling on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case.
Verandah Except where any of the following apply:	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 It is ancillary to a dwelling erected on the site 10 Primary street setback – as far back as the building line of the building to which it is ancillary

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Water Resources Overlay 	 11 Total floor area - does not exceed 60m² 12 Post height - does not exceed 3m measured from natural ground level 13 Building height - does not exceed 5m 14 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment 15 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.
 Water tank (above ground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay 	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 The tank is part of a roof drainage system 10 Total floor area - not exceeding 15m² 11 The tank is located wholly above ground 12 Tank height – does not exceed 4m above natural ground level 13 Primary street setback – at least as far back as the building line of the building to which it is ancillary 14 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 State Significant Native Vegetation Overlay Significant Landscape Protection Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	
Water tank (underground) Except where any of the following apply:	 3 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 4 The tank (including any associated pump) is located wholly below the level of the ground.
 Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay 	

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overla (applies
 Advertisement Except where any of the following apply: Advertising Near Signalised Intersections Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Murray Darling Basin Overlay Non-stop Corridor Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Airport B 1.1 Airport B Building Defence Hazards Future R Key Outh Major Ur Native V Urban Tr
Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Defence Aviation Area Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Key Outback and Rural Routes Overlay Key Railway Crossings Overlay Limited Land Division Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay	[Built Form and Character]: DTS 2.6	 Design in Rural Areas [All Residential Development – Ancillary Development]: DTS 13.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 14.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less –Car parking, Access and Manoeuvrability]: DTS 18.1, 18.3, 18.4, 18.5 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5 	None	Airport B 1.1 Airport B Building Defence Future R Hazards Key Outh Major Ur Native V

im of the criteria for each Class of Development.

lay

es only in the area affected by the Overlay)

- Building Heights (Aircraft Landing Area): DTS
- Building Heights (Regulated): DTS 1.1, 1.2
- ng Near Airfields: DTS 1.1, 1.2
- ce Aviation Area: DTS 1.1, 1.3 ds (Acid Sulfate Soils): DTS 1.1
- Road Widening: DTS 1.1
- utback and Rural Routes: 8.1
- Urban Transport Routes: 8.1
- Vegetation: DTS 1.1
- Transport Routes: 8.1

Building Heights (Aircraft Landing Area): DTS

Building Heights (Regulated): DTS 1.1, 1.2

- ng Near Airfields: DTS 1.1, 1.2
- ce Aviation Area: DTS 1.1, 1.3 Road Widening: DTS 1.1
- ds (Acid Sulfate Soils): DTS 1.1
- utback and Rural Routes: All
- Urban Transport Routes: All
- Vegetation: DTS 1.1

Class of Development

The following Classes of Development are classified as Deemed-to-Satisfy Developmen subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

classified as Deemed-to-Satisfy Development Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to meeting the 'Deemed-to-Satisfy		· · · · · · · · · · · · · · · · · · ·		
Development Classification Criteria	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overla (applies
 Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Murray Darling Basin Overlay Native Vegetation Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 		Clearance from Overhead Powerlines: DTS 1.1		Urban Ti
 Detached dwelling Except where any of the following apply: Aircraft Noise Exposure Overlay Character Preservation District Overlay Coastal Areas Overlay Resource Extraction Protection Area Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Bushfire – High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - Urban Interface) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Historic Area Overlay Key Railway Crossings Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Murray Darling Basin Overlay 	[Land Use and Intensity]: DTS 1.1 [Built Form and Character]: DTS 2.1	Clearance from Overnead Powerlines: DTS 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: DTS 6.1 Design in Rural Areas [All Residential Development – External Appearance]: DTS 10.1, 10.2 Design in Rural Areas [All Residential Development - Access and Servicing]: DTS 12.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 14.1, 14.2, 14.3 Design in Rural Areas [Residential Development – 3 Building Levels or Less – Car Parking, Access and Manoeuvrability]: DTS 18.3, 18.4, 18.5 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: DTS 10.1 Site Contamination: DTS 1.1	None	Affordab Airport E 1.1 Airport E Building Defence Future R Hazards Key Outh Major Ur Native V Urban Tr

lay

es only in the area affected by the Overlay)

Transport Routes: All

able Housing Overlay: DTS 1.1 t Building Heights (Aircraft Landing Area): DTS t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 Road Widening: DTS 1.1 ds (Acid Sulfate Soils): DTS 1.1 utback and Rural Routes: All Urban Transport Routes: All Vegetation: DTS 1.1 Transport Routes: All

Class of Development

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

classified as Deemed-to-Satisfy Development Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to meeting the Deemed-to-Satisfy				
Development Classification Criteria	Zone	General Development Policies	Subzone	Overla
			(applies only in the area affected by the Subzone)	(applies
 Native Vegetation Overlay Noise and Air Emissions Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Prescribed Watercourses Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay 		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6		
 Dwelling addition Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Resource Extraction Protection Area Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Hatoric Area Overlay Key Railway Crossings Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Place Overlay State Heritage Place Overlay 	[Built Form and Character]: DTS 2.4	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [All Development - On-site Waste Treatment Systems]: DTS 6.1 Design in Rural Areas [All Residential Development – External Appearance]: DTS 10.1	None	Airport E Building Defence Hazards Native V Urban Tr Key Outh Major Ur

lay

es only in the area affected by the Overlay)

t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 ds (Acid Sulfate Soils): DTS 1.1 e Vegetation: DTS 1.1 e Transport Routes: 8.1 putback and Rural Routes: 8.1 Urban Transport Routes: 8.1

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria ^t Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum						
	Zone General Development Policies		Subzone	Overla			
			(applies only in the area affected by the Subzone)	(applies			
 State Significant Native Vegetation Overlay 							
 Horse keeping Except where any of the following apply: Coastal Areas Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Murray Darling Basin Overlay Prescribed Water Resources Area Overlay Prescribed Watercourses Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Water Protection Area Overlay Water Resources Overlay 	[Land Use and Intensity]: DTS 1.2, 1.3 [Built Form and Character]: DTS 2.3	Animal Keeping and Horse Keeping [Horse Keeping]: DTS 2.2, 2.3, 2.4, 2.5	Animal Husbandry Subzone [Land Use and Intensity]: DTS 1.1, 1.3, 1.4	None			
 Outbuilding (in the form of a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Native Vegetation Overlay Non-stop Corridor Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay State Heritage Place Overlay State Heritage Place Overlay 	[Built Form and Character]: DTS 2.5	Design in Rural Areas [All Residential Development – Ancillary Development]: DTS 13.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 14.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less –Car parking, Access and Manoeuvrability]: DTS 18.1, 18.3, 18.4, 18.5 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5	None	Airport E 1.1 Airport E Building Defence Future R Hazards Key Outl Major Ur Native V Urban Tr			

um of the criteria for each Class of Development.

lay

es only in the area affected by the Overlay)

t Building Heights (Aircraft Landing Area): DTS t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 e Road Widening: DTS 1.1 ds (Acid Sulfate Soils): DTS 1.1 utback and Rural Routes: All Urban Transport Routes: All e Vegetation: DTS 1.1 Transport Routes: All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria ^t Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum					
Development Classification Criteria'	Zone	General Development Policies	Subzone	Overla		
			(applies only in the area affected by the Subzone)	(applies		
 State Significant Native Vegetation Overlay Urban Transport Routes Overlay 						
Outbuilding (not being a garage) Except where any of the following apply:	[Built Form and Character]: DTS 2.5	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2	None	Airport I Building		
 Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay 				Defence Hazards		
 Historic Area Overlay Local Heritage Place Overlay 				Native V Urban T		
Marine Parks (Managed Use) OverlayMt Lofty Ranges Catchment (Area 1)				Key Out		
 Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Native Vegetation Overlay Non-stop Corridor Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay 				Major U		
 State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 						
Shop Except where any of the following apply:	[Land Use and Intensity]:DTS 1.5	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: DTS 6.1	None	Airport E 1.1 Airport E		
Character Preservation District OverlayCoastal Areas Overlay	[Built Form and Character]: DTS 2.2	Design in Rural Areas [Car Parking Appearance]: DTS		Building		
Resource Extraction Protection Area Overlay		7.4, 7.5		Defence Future F		
 Hazards (Acid Sulfate Soils) Overlay Hazards (Bushfire – High Risk) Overlay 		Interface Between Land Uses [Hours of Operation]: DTS 2.1		Hazards		
 Hazards (Bushfire - Medium Risk) Overlay 		Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1, 4.6		Key Out		
Hazards (Bushfire - General Risk) Overlay		Interface Between Lands Uses [Air Quality]: DTS 5.2		Major U Native V		
 Hazard (Bushfire - Urban Interface) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay 		Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1		Urban T		

im of the criteria for each Class of Development.

lay

es only in the area affected by the Overlay)

t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 ds (Acid Sulfate Soils): DTS 1.1 e Vegetation: DTS 1.1 Transport Routes: 8.1 utback and Rural Routes: 8.1

Urban Transport Routes: 8.1

t Building Heights (Aircraft Landing Area): DTS t Building Heights (Regulated): DTS 1.1, 1.2 ng Near Airfields: DTS 1.1, 1.2 ce Aviation Area: DTS 1.1, 1.3 e Road Widening: DTS 1.1 ds (Acid Sulfate Soils): DTS 1.1 outback and Rural Routes: All Urban Transport Routes: All e Vegetation: DTS 1.1

Class of Development

The following Classes of Development are subject to meeting the 'Deemed-to-Satisfy

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

classified as Deemed-to-Satisfy Development Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to meeting the Deemed-to-Satisfy				
Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the	Overla (applies
			area affected by the Subzone)	
 Historic Area Overlay Key Railway Crossings Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Murray Darling Basin Overlay Murray Darling Basin Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Prescribed Water Courses Overlay Prescribed Wells Area Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Significant Landscape Protection Overlay State Heritage Area Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay Water Resources Overlay 		Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1 Transport, Access and Parking [Vehicle Parking Areas]: DTS 6.1, 6.6		
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Defence Aviation Area Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Key Outback and Rural Routes Overlay Key Railway Crossings Overlay Limited Land Division Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay 	[Built Form and Character]: DTS 2.6	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2	None	Airport E Building Defence Hazards Native V

lay

es only in the area affected by the Overlay)

t Building Heights (Regulated): DTS 1.1, 1.2

ng Near Airfields: DTS 1.1, 1.2

ce Aviation Area: DTS 1.1, 1.3 ds (Acid Sulfate Soils): DTS 1.1

Vegetation: DTS 1.1

Class of Development

Deemed-to-Satisfy Development Classification Criteria

The following Classes of Development are classified as Deemed-to-Satisfy Development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development. Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

subject to mosting the beemea to eatiery							
Development Classification Criteria	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overla (applies			
 Murray Darling Basin Overlay Native Vegetation Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Significant Landscape Protection Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 							

lay

es only in the area affected by the Overlay)

Class of Developme	ent Applicable F	Policies					
	Policies referred Features. Releva Assessed Develo Where a develo	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Perform Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Per Assessed Development. Where a development comprises more than one Class of Development the relevant policies will to be the sum of the applicable policies for each Class of Development.					
	Zone	Zone General Development		Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
Advertisement	[Land Use and Intensity] PO 1.4	Clearance from Overhead Powerlines: PO 1.1 Advertisements [Appearance]: PO 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections: All Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Historic Area: All Future Road Widening: All Key Outback and Rural Routes: All Local Heritage Place: All Marine Parks (Managed Use): All Major Urban Transport Routes: All Mt Lofty Ranges Catchment (Area 1): All Nt Lofty Ranges Catchment (Area 2): All Native Vegetation: All Non-stop Corridor: All River Murray Flood Plain: All Significant Landscape Protection: All State Heritage Place: All State Significant Native Vegetation: All Urban Transport Routes: All			
Carport	[Built Form and Character]: PO 2.6	Design in Rural Areas [All Residential Development – Ancillary Development]: PO 13.1 Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 14.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less –Car	None	Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All			

Building Levels or Less –Car parking, Access and Manoeuvrability]: PO 18.1, 18.3, 18.4, 18

Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2

Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5 Defence Aviation Area: All
Hazards (Flooding): All
Historic Area: All
Key Outback and Rural Routes: All
Local Heritage Place: All
Major Urban Transport Routes: All
Marine Parks (Managed Use): All
Mt Lofty Ranges Catchment (Area 1): All
Mt Lofty Ranges Catchment (Area 2): All

Class of Development	Applicable Policies						
	The following policies are applicable to the assessment of the identified Class of Development.						
		l to are Performance Outcome policie ant Desired Outcomes are not listed, opment.					
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.						
	Zone		Subzone	Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
				Native Vegetation: All			
				Non-stop Corridor: All			
				Ramsar Wetlands: All			
				River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Significant Landscape Protection: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Significant Native Vegetation: All			
				Traffic Generating Development: All			
				Urban Transport Routes: All			
Demolition of a State or	None	None	None	State Heritage Place: All			
Local Heritage Place				Local Heritage Place: All			
Demolition with the Historic Area Overlay	All	None	None	Historic Area Overlay: All			
Detached dwelling	[Land Use and Intensity]:PO	Clearance from Overhead Powerlines: PO 1.1	None	Advertising Near Signalised Intersections: All			
	1.1	Infrastructure and Renewable		Affordable Housing: All			
	[Built Form and	Energy Facilities [Water Supply]: PO 11.2		Aircraft Noise Exposure: All			
	Character]: PO 2.1	Infrastructure and Renewable Energy Facilities [Wastewater		Airport Building Heights (Aircraft Landing Area): All			
		Services]: PO 12.1, 12.2 Transport, Access and Parking		Airport Building Heights (Regulated): All			
		[Vehicle Access]: PO 3.1, 3.5, 3.6		Building Near Airfields: All			
		Design in Rural Areas [All Development - On-site Waste		Character Preservation District: All			
		Treatment Systems]: PO 6.1		Coastal Areas: All			
		Design in Rural Areas [All		Defence Aviation Area: All			
		Residential Development – External Appearance]: PO 10.1, 10.2		Environment and Food Production Area: All			
				Decourse Extraction Protection			

Design in Rural Areas [All Residential Development -Outlook and Amenity] PO 11.1

Design in Rural Areas [All Residential Development - Access and Servicing]: PO 12.1

Design in Rural Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 14.1, 14.2, 14.3

Design in Rural Areas [Residential Development – 3 Building Levels or Less – Car Parking, Access and Resource Extraction Protection Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire – High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk):

Hazards (Bushfire - General Risk): All

Hazard (Bushfire - Urban Interface): All

Hazards (Bushfire - Regional) : All

Class of Development Applicable Policies

The following policies are applicable to the assessment of the identified Class of Development.

Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.

Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.

	Zone	Conoral Dovelopment	Subzene	Overlay
	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Manoeuvrability]: PO 18.3, 18.4, 18.5		Hazards (Flooding): All
				Historic Area: All
		Design in Rural Areas [Design of Transportable Dwellings]: PO 20.1		Key Outback and Rural Routes: A
		Infrastructure and Renewable		Key Railway Crossings: All
		Energy Facilities [Water Supply]: PO 11.1		Limited Land Division: All
		Infrastructure and Renewable		Local Heritage Place: All
		Energy Facilities [Wastewater		Major Urban Transport Routes: A
		Services]: PO 12.1, 12.2		Marine Parks (Managed Use): All
		Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote		Mt Lofty Ranges Catchment (Area 1): All
		Areas]: PO 10.1 Site Contamination: PO 1.1		Mt Lofty Ranges Catchment (Area 2): All
				Murray Darling Basin: All
				Native Vegetation: All
				Noise and Air Emissions: All
				Non-stop Corridor: All
				Prescribed Water Resources Area All
				Prescribed Watercourses: All
				Prescribed Wells Area: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				River Murray Tributaries Area: Al
				Significant Landscape Protection: All
				Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				Strategic Infrastructure (Gas Pipelines): All
				Traffic Generating Development: All
				Urban Transport Routes: All
				Water Protection Area: All
				Water Resources: All
welling addition	[Built Form and	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): All
	Character]: PO 2.4	Design in Rural Areas [All Development - On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): All
		Design in Rural Areas [All Residential Development – External Appearance]: PO 10.1		Building Near Airfields: All Character Preservation District: A

Class of Development	Applicable Policies
----------------------	---------------------

The following policies are applicable to the assessment of the identified Class of Development.

Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.

Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.

	to be the sum o	f the applicable policies for each Clas	s of Development	
	Zone	Policies (app in th affect	Subzone	Overlay
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
				Coastal Areas: All
				Defence Aviation Area: All
				Resource Extraction Protection Area: All
				Hazards (Acid Sulfate Soils): All
				Hazards (Bushfire – High Risk): All
				Hazards (Bushfire - Medium Risk): All
				Hazards (Bushfire - General Risk): All
				Hazard (Bushfire - Urban Interface): All
				Hazards (Bushfire - Regional) : All
				Hazards (Flooding): All
				Historic Area: All
				Key Outback and Rural Routes: All
				Local Heritage Place: All
				Major Urban Transport Routes: All
				Marine Parks (Managed Use): All
				Mt Lofty Ranges Catchment (Area 1): All
				Mt Lofty Ranges Catchment (Area 2): All
				Native Vegetation: All
				Non-stop Corridor: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				Significant Landscape Protection: All
				Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				Urban Transport Routes: All
Horse Keeping	[Land Use and	Animal Keeping and Horse	Animal	Coastal Areas: All
G	Intensity]:PO	Keeping [Siting and Design]: PO 1.1, 1.2	Husbandry Subzone [Land	Marine Parks (Managed Use): All
	1.2, 1.3, 1.4 [Built Form and	Animal Keeping and Horse Keeping [Horse Keeping]: PO 2.2,	Use and Intensity]: PO	Mt Lofty Ranges Catchment (Area 1): All
	Character]: PO 2.3	2.3, 2.4, 2.5 Animal Keeping and Horse	1.1, 1.3, 1.4 Intensive Horse	Mt Lofty Ranges Catchment (Area 2): All
		Keeping [Wastes]: PO 4.1	Establishments	Murray Darling Basin: All
		Interface between Land Use [General Land Use Compatibility] PO 1.2	Zone [Land Use and Intensity] PO 1.1, 1.2	Prescribed Water Resources Area: All

Class of Development	Applicable P	Policies					
	The following policies are applicable to the assessment of the identified Class of Development.						
		red to are Performance Outcome policies, and any associated Designated Performance evant Desired Outcomes are not listed, but automatically apply in relation to a Performance volument					
	Where a develop	pment comprises more than one Clas f the applicable policies for each Clas					
	Zone General Development Subzone			Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
				Prescribed Watercourses: All			
				Prescribed Wells Area: All			
				Ramsar Wetlands: All			
				River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Water Protection Area: All			
				Water Resources: All			
Land Division	[Land Division] PO	Land Division in Rural Areas [Design and Layout]: All	None	Character Preservation District Overlay			
	3.1	Land Division in Rural Areas		Coastal Areas Overlay			
		[Roads and Access]: 3.1, 3.6, 3.7, 3.8, 3.9		Environment and Food Production Area Overlay			
		Land Division in Rural Areas [Infrastructure]: 4.2, 4.3		Resource Extraction Protection Area Overlay			
		Land Division in Rural Areas [Minor Land Division (Under 20 Allotments) - Water Sensitive		Hazards (Acid Sulfate Soils) Overlay			
		Design]: PO 7.1, 7.2		Hazards (Bushfire – High Risk) Overlay			
				Hazards (Bushfire - Medium Risk) Overlay			
				Hazards (Bushfire - General Risk) Overlay			
				Hazard (Bushfire - Urban Interface) Overlay			
				Hazards (Bushfire - Regional) Overlay			
				Hazards (Flooding) Overlay			
				Key Outback and Rural Routes Overlay			
				Key Railway Crossings Overlay			
				Limited Land Division Overlay			
				Local Heritage Place Overlay			
				Major Urban Transport Routes Overlay			
				Native Vegetation Overlay			
				Non-stop Corridor Overlay			
				Ramsar Wetlands Overlay			
				Regulated Trees Overlay			
				River Murray Flood Plain Overlay			
				River Murray Tributaries Area Overlay			
				State Heritage Area Overlay			
				State Heritage Place Overlay			
				State Significant Native Vegetation Overlay			

Class of Development	Applicable	Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.					
			oment comprises more than one Class of Development the relevant policies will be taken the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone	Overlay		
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
				Strategic Infrastructure (Gas Pipelines) Overlay		
				Traffic Generating Development Overlay Urban Transport Routes Overlay		
				orban mansport routes overlay		
Outbuilding (in the form of a garage)	[Built Form and	Design in Rural Areas [All Residential Development –	None	Airport Building Heights (Aircraft Landing Area): All		
	Character]: PO 2.5	Ancillary Development]: PO 13.1 Design in Rural Areas [Residential Development – 3 Building Levels		Airport Building Heights (Regulated): All		
		or Less – External Appearance]: PO 14.1		Building Near Airfields: All		
		Design in Urban Areas		Character Preservation District: Al Coastal Areas: All		
		[Residential Development – 3		Defence Aviation Area: All		
		Building Levels or Less –Car parking, Access and		Hazards (Flooding): All		
		Manoeuvrability]: PO 18.1, 18.3, 18.4, 18.5		Historic Area: All		
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5		Key Outback and Rural Routes: Al		
				Local Heritage Place: All		
				Major Urban Transport Routes: All		
				Marine Parks (Managed Use): All		
				Mt Lofty Ranges Catchment (Area 1): All		
				Mt Lofty Ranges Catchment (Area 2): All		
				Native Vegetation: All		
				Non-stop Corridor: All		
				Ramsar Wetlands: All		
				River Murray Flood Plain: All		
				River Murray Tributaries Area: All Significant Landscape Protection: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
Outbuilding (not being a garage)	[Built Form and Character]:	Design in Rural Areas [All Residential Development – Ancillary Development]: DTS	None	Airport Building Heights (Aircraft Landing Area): All Airport Building Heights		
	PO 2.5	13.1, 13.2		(Regulated): All		
				Building Near Airfields: All		

Class of Development	Applicable PoliciesThe following policies are applicable to the assessment of the identified Class of Development.Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performa Assessed Development.				
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone	Overlay	
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
		Infrastructure and Renewable Energy Facilities [Wastewater		Character Preservation District: All	
		Services]: PO 12.2		Coastal Areas: All	
				Defence Aviation Area: All	
				Hazards (Flooding): All	
				Historic Area: All	
				Key Outback and Rural Routes: All	
				Local Heritage Place: All	
				Major Urban Transport Routes: All	
				Marine Parks (Managed Use): All	
				Mt Lofty Ranges Catchment (Area 1): All	
				Mt Lofty Ranges Catchment (Area 2): All	
				Native Vegetation: All	
				Non-stop Corridor: All	
				Ramsar Wetlands: All	
				River Murray Flood Plain: All	
				River Murray Tributaries Area: All	
				Significant Landscape Protection: All	
				Sloping Land: All	
				State Heritage Area: All	
				State Heritage Place: All	
				State Significant Native Vegetation: All	
				Traffic Generating Development: All	
				Urban Transport Routes: All	
Shop	[Land Use and Intensity]: DTS 1.5 [Built Form and	Clearance from Overhead Powerlines: DTS 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: DTS 6.1	None	Airport Building Heights (Aircraft Landing Area): All Airport Building Heights (Regulated): All	

Character]: DTS 2.2	Design in Rural Areas [Car Parking Appearance]: DTS 7.4, 7.5 Interface Between Land Uses [Hours of Operation]: DTS 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.1, 4.6	Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire – High Risk): All	
	Interface Between Lands Uses [Air Quality]: PO 5.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1	Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All Hazard (Bushfire - Urban Interface): All	

Building Near Airfields: All

and

6.1

The following policies are applicable to the assessment of the identified Class of Development.

Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.

Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.

	to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone	Overlay
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
		Infrastructure and Renewable		Hazards (Bushfire - Regional) : All
		Energy Facilities [Wastewater Services]: DTS 12.1, 12.2		Hazards (Flooding): All
		Transport, Access and Parking		Historic Area: All
		[Movement Systems]: DTS 1.4		Key Outback and Rural Routes: Al
		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5		Key Railway Crossings: All
		Transport, Access and Parking		Local Heritage Place: All
		[Vehicle Parking Rates]: DTS 5.1		Major Urban Transport Routes: Al
		Transport, Access and Parking [Vehicle Parking Areas]: DTS 6.1,		Marine Parks (Managed Use): All
		6.6		Mt Lofty Ranges Catchment (Area 1): All
				Mt Lofty Ranges Catchment (Area 2): All
				Murray Darling Basin: All
				Native Vegetation: All
				Non-stop Corridor: All
				Prescribed Water Resources Area: All
				Prescribed Watercourses: All
				Prescribed Wells Area: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				River Murray Tributaries Area: All
				Significant Landscape Protection: All
				Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				Traffic Generating Development: All
				Urban Transport Routes: All
				Water Protection Area: All
				Water Resources: All
Tree Damaging Activity	None	None	None	Regulated Trees: All
Verandah	[Built Form	Design in Rural Areas [All Residential Development – Ancillary Development]: DTS	None	Character Preservation District: A
	and Character]:			Coastal Areas: All
	DTS 2.6	13.1, 13.2		Hazards (Flooding): All
		Infrastructure and Renewable		Historic Area: All
		Energy Facilities [Wastewater Services]: PO 12.2		Local Heritage Place: All
				Marine Parks (Managed Use): All
				Mt Lofty Ranges Catchment (Area 1): All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.			
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development	Subzone	Overlay
	Policies	Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
				Mt Lofty Ranges Catchment (Area 2): All
				Native Vegetation: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				River Murray Tributaries Area: All
				Sloping Land: All
				State Heritage Area: All
				State Heritage Place: All
				State Significant Native Vegetation: All
All other Code Assessed Development	All	All	None	Any Relevant Overlay: All

Table 4 – Restricted Development Classification

Class of Development The following Classes of Development are classified as Restricted subject to any 'Exclusions'	Exclusions
Shop	Restaurant Shop with a gross leasable floor area less than 200m ²

Assessment Provisions

Desired Outcome (DO)

DO 1

A spacious, secluded and peaceful residential lifestyle within semi-rural or semi-natural environments, providing opportunities for a range of low-intensity rural activities and home based business activities that complement that lifestyle choice.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Residential development that:

- (a) is consistent with a private, peaceful and semi-rural or natural character; and
- (b) does not place additional demands on existing local services and infrastructure.

DTS/DPF 1.1

Not more than one dwelling per allotment.

PO 1.2

Animal keeping and horse keeping of a scale that is ancillary to and in association with the residential use of the land.

DTS/DPF 1.2

The keeping of animals:

- (a) is ancillary to a dwelling located on the same allotment;
- (b) takes place on an allotment with an area of at least 1ha; and
- (c) for horse keeping, is limited to not more than 2 horses per allotment.

PO 1.3

Horse keeping only undertaken if the horses are accommodated within a stable or shelter with supplementary feeding to maintain pasture cover

DTS/DPF 1.3

Horse keeping includes the provision of:

- (a) stabling or similar sheltering; and
- (b) a grazing area of at least 0.5ha.

PO 1.4

Non-residential development that complements the semi-rural or semi-natural residential character and amenity that:

- a. is ancillary to a dwelling erected on the same allotment;
- b. comprises small-scale commercial uses including offices, shops and consulting rooms;
- c. comprises small-scale light industrial uses; and
- d. avoids adverse interface conflicts with other land uses.

DTS/DPF 1.4

None are applicable.

PO 1.5

Shop, consulting rooms, offices and light industrial development of a scale that does not adversely impact the semi-rural or semi-natural residential character and amenity of a locality.

DTS/DPF 1.5

Total floor area does not exceed:

- (a) in relation to a shop, consulting room or office 100m2
- (b) in relation to a light industry 100m2.

Built Form and Character

PO 2.1

Dwellings are sufficiently separated from site boundaries and of a scale that reinforces the semi-rural or semi-natural character and amenity.

DTS/DPF 2.1

Dwellings:

- (a) are setback from all allotment boundaries by at least 15m;
- (b) have a building height that is no greater than 2 building levels and 9 metres; and
- (c) have a wall height is no greater than 6 metres.

PO 2.2

Non-residential buildings designed and sited to minimise visual impact on the surrounding locality by:

- (a) having substantial setbacks from boundaries and adjacent public roads;
- (b) using low reflective materials and finishes that blend with the surrounding landscape; and

(c) being located below ridgelines.

DTS/DPF 2.2

Buildings and structures:

- (a) do not exceed 100m2 in total floor area;
- (b) are setback from all allotment boundaries by at least 25m;
- (c) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour;
- (d) have a building height that is no greater than 1 building level and 6 metres; and
- (e) have a wall height is no greater than 3 metres.

PO 2.3

Buildings, structures and associated facilities for the keeping of animals are sited, designed and of a scale and appearance that reinforces the semi-rural or semi-natural character and amenity.

DTS/DPF 2.3

Kennels, stables, shelters and associated yards:

- (a) are setback from all allotment boundaries by at least 25m;
- (b) have a building height that is no greater than 5m above natural ground level;
- (c) do not exceed 100m2 in area; and
- (d) do not comprise more than 10% of the area of the allotment.

PO 2.4

Dwelling additions are sited, designed and of a scale that reinforce the semi-rural or semi-natural character and amenity.

DTS/DPF 2.4

Additions or alterations to an existing dwelling:

- (a) are setback behind the main façade of the existing dwelling;
- (b) have a building height that is no greater than 2 building levels and 9 metres; and
- (c) have a wall height no greater than 6 metres.

PO 2.5

Outbuildings are sited, designed and of a scale that reinforce the semi-rural or semi-natural character and amenity.

DTS/DPF 2.5

Outbuildings:

- (a) have a primary street setback that is at least as far back as the building to which it is ancillary;
- (b) have a total floor area that does not exceed 100m2;
- (c) have walls that do not exceed 4m in height measured from natural ground level and not including a gable end;
- (d) have a total roof height that does not exceed 5m;
- (e) if clad in sheet metal, are pre-colour treated or painted in a non-reflective colour; and
- (f) are limited to no more than 2 outbuildings on the same allotment.

PO 2.6

Carports and verandahs are sited, designed and of a scale that reinforce the semi-rural or semi-natural character and amenity.

DTS/DPF 2.6

Carports and verandahs have a:

- (a) primary street setback that is at least as far back as the building to which it is ancillary;
- (b) total floor area that does not exceed 80m2;
- (c) post height that does not exceed 3m measured from natural ground level and not including a gable end; and
- (d) total roof height that does not exceed 5m.

Land Division

PO 3.1

Allotments are a suitable size and dimension to:

- (a) contribute to the existing semi-rural settlement pattern; and
- (b) accommodate the intended use of the land.

DTS/DPF 3.1

Allotments have:

- (a) an area not less than that specified in the Minimum Allotment Size Technical and Numeric Variation Overlay; and
- (b) a frontage to a public road not less than 50m; or

in the case of a battleaxe allotment, a frontage to a public road not less than 6m and a maximum driveway 'handle' length of no more than 30m.

Rural Settlement Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 7 Building work is associated with a railway 8 It is situated (or to be situated) on railway land 9 It is required for the conduct or maintenance of railway activities.
 Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Key Outback and Rural Routes Overlay where an existing access is altered or a new access is 	 26 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 27 It is ancillary to a dwelling erected on the site 28 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 29 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 30 Total floor area - does not exceed 40m² 31 Post height - does not exceed 3m measured from natural ground level (and not including a gable end) 32 Building height - does not exceed 5m 33 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent
createdMajor Urban Transport Routes Overlay where an existing access	34 If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria			
is altered or a new access is created • Urban Transport Routes Overlay where an existing access is altered or a new access is created • Water Resources Overlay	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 35 The total roofed area of all existing or proposed buildings on the allotment does not exceed 60% of the area of the allotment 36 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 37 Internal dimensions – does not exceed 3.2m in width and 6m in length between all fences, walls and doors 38 The carport: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. ii adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and 			

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria			
	(c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access			
 Internal building work Except where any of the following apply: Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Place identified in the State Heritage Place Overlay 	 7 There will be no increase in the total floor area of the building 8 There will be no alteration to the external appearance of the building. 			
 Outbuilding (in the form of a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Key Outback and Rural Routes Overlay where an existing access 	 29 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 30 It is detached from and ancillary to a dwelling erected on the site. 31 Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary 32 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 33 Total floor area - does not exceed 40m² 34 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 35 Building height - does not exceed 5m 36 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent 			

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 37 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 38 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 39 Internal dimensions – exceed 3.2m in width and 6m in length between all walls and doors 40 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 41 The garage: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria		
	 (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access 42 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour. 		
 Outbuilding (not being a garage) Except where any of the following apply: Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 24 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 25 It is detached from and ancillary to a dwelling erected on the site 26 Primary street setback – at least as far back as the building line of the building to which it is ancillary 27 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 28 Side boundary setbacks – at least 900mm from the boundary of the allotment 29 Total floor area does not exceed 40m² 30 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 31 Building height - does not exceed 5m 32 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent 33 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary with a primary street or secondary with a primary street or secondary street): (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and 		

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria			
Private bushfire shelters	 (b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 34 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60% 35 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour. 9 The development will not be built, or encroach, on an area that is, or will be, required for a 			
 Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 9 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 10 Primary street setback – at least as far back as the building to which it is ancillary 11 Secondary street setback – at least 900mm from the boundary of the allotment 12 At least 6m from the corner of an allotment which abuts the intersection of two or more roads (other than where a 4m x 4m allotment cut-off is already in place). 			
 Shade sail Except where any of the following apply: Character Preservation District Overlay 	15 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system			

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 16 Shade sail consists of permeable material 17 The total area of the sail - does not exceed 40m² 18 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 19 Primary street setback – at least as far back as the building line of the building to which it is ancillary 20 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m 21 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Place identified in the State Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
Spa pool Swimming pool Except where any of the following apply:	 26 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 27 It is ancillary to a dwelling erected on the site 28 Allotment boundary setback – not less than 1m

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 29 Primary street setback – at least as far back as the building line of the building to which it is ancillary 30 Location of filtration system from a dwelling on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise (b) not less than 12m in any other case.
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay 	 16 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 17 It is ancillary to a dwelling erected on the site 18 Primary street setback – as far back as the building line of the building to which it is ancillary 19 Total floor area - does not exceed 40m² 20 Post height - does not exceed 3m measured from natural ground level 21 Building height - does not exceed 5m 22 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment 23 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 60%.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
River Murray Flood Plain OverlayWater Resources Overlay	
 Water tank (above ground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 15 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 16 The tank is part of a roof drainage system 17 Total floor area - not exceeding 15m² 18 The tank is located wholly above ground 19 Tank height – does not exceed 4m above natural ground level 20 Primary street setback – at least as far back as the building line of the building to which it is ancillary 21 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay 	 5 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 6 The tank (including any associated pump) is located wholly below the level of the ground.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification	Accepted Development Classification Criteria
Criteria'	
Water Resources Overlay	

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum o				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or	
Advertisement	None	Clearance from Overhead Powerlines: DTS 1.1	None	Airport Bu	
Except where any of the following apply:		Advertisements [Appearance]: DTS 1.1, 1.3, 1.4		Building N	
 Character Preservation District Overlay Coastal Areas Overlay 		Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2		Defence A Hazards (A	
Hazards (Flooding) OverlayHistoric Area Overlay		Advertisements [Advertising Content]: DTS 3.1		Key Outba	
Local Heritage Place OverlayMarine Parks (Managed Use) Overlay		Advertisements [Amenity Content]: DTS 4.1		Major Trar	
 Mt Lofty Ranges Catchment (Area 1) Overlay 		Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5		Native Veg	
 Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay 				Urban Tra	
 Carport Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Ramsar Wetlands Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 	None	 Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.4, 3.5 	None	Airport Bu Building N Defence A Hazards (A Key Outba Major Tran Native Veg Urban Tran	
Water Protection Area Overlay Consulting room	[Land Use and	Clearance from Overhead Powerlines: DTS 1.1	None	Airport Bu	
Except where any of the following apply:	Intensity]: DTS 1.2 [Built Form and	Design in Urban Areas [Car Parking Appearance]: DTS		Building N	
 Character Preservation District Overlay Coastal Areas Overlay 	Character]: DTS 2.1,	6.4, 6.5		Defence A Hazards (A	
 Coastal Areas Overlay Hazards (Bushfire – High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay 	2.2, 2.3, 2.4, 2.5, 2.6	Interface Between Land Uses [Hours of Operation]: DTS 2.1		Key Outba	

of the criteria for each Class of Development.

only in the area affected by the Overlay) Building Heights (Regulated): DTS 1.1, 1.2 Near Airfields: DTS 1.1, 1.2 Aviation Area: DTS 1.1, 1.3 (Acid Sulfate Soils): DTS 1.1 back and Rural Routes: 8.1 ansport Routes: 8.1 egetation: DTS 1.1 ransport Routes: All Building Heights (Regulated): DTS 1.1, 1.2 Near Airfields: DTS 1.1, 1.2 Aviation Area: DTS 1.1, 1.3 (Acid Sulfate Soils): DTS 1.1 back and Rural Routes: All ansport Routes: All egetation: DTS 1.1 ransport Routes: All Building Heights (Regulated): DTS 1.1, 1.2 Near Airfields: DTS 1.1, 1.2 Aviation Area: DTS 1.1, 1.3 (Acid Sulfate Soils): DTS 1.1 back and Rural Routes: All

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

- 1	Development Classification Criteria'				
		Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or
	 Hazards (Bushfire - General Risk) Overlay Hazard (Bushfire - Urban Interface) Overlay Hazards (Bushfire - Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Murray Darling Basin Overlay Prescribed Water Resources Area Overlay Prescribed Wells Area Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay Detached dwelling 		Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		Major Tran Native Veo Strategic I Traffic Gen Urban Tra
	 Detached dweiling Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Bushfire – High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - General Risk) Overlay Hazard (Bushfire - Urban Interface) Overlay Hazards (Bushfire – Outback) Overlay Hazards (Bushfire – Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Murray Darling Basin Overlay Prescribed Water Resources Area Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay 	[Land Use and Intensity]: DTS 1.1 [Built Form and Character]: DTS 2.1, 2.2, 2.3, 2.4, 2.5, 2.6 [Site Dimensions and Land Division]: DTS 3.1	Clearance from Overnead Powerlines: DTS 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1 Design in Urban Areas [All Development – Car Parking Appearance]: DTS 6.1 Design in Urban Areas [All Residential Development – External Appearance]: DTS 14.1, 14.2 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1	None	Airport Bu Building N Defence A Hazards (A Key Outba Major Trar Native Veg Strategic I Traffic Ger Urban Tra

у

only in the area affected by the Overlay)

ransport Routes: All /egetation: DTS 1.1 ic Infrastructure (Gas Pipelines): DTS 2.1 Generating Development: DTS 1.2, 1.3

ransport Routes: All

Building Heights (Regulated): DTS 1.1, 1.2

Near Airfields: DTS 1.1, 1.2

Aviation Area: DTS 1.1, 1.3 (Acid Sulfate Soils): DTS 1.1

back and Rural Routes: All

ransport Routes: All

legetation: DTS 1.1

c Infrastructure (Gas Pipelines): DTS 2.1

Generating Development: DTS 1.2, 1.3

ransport Routes: All

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

evelopment Classification Criteria'						
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or		
 River Murray Flood Plain Overlay River Murray Tributaries Area Overlay 		Design in Urban Areas [All Residential Development – Access and Servicing]: DTS 16.1				
Sloping Land OverlayState Heritage Place OverlayState Significant Native Vegetation		Design in Urban Areas [All Residential Development – Flooding]: DTS 18.1				
OverlayWater Protection Area OverlayWater Resources Overlay		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1, 19.2, 19.3				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: DTS 20.1				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: DTS 21.1, 21.2, 21.3				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Water Sensitive Design]: DTS 23.1, 23.2, 23.3				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Car Parking and Manoeuvrability]: DTS 24.1, 24.2, 24.3, 24.4, 24.5, 24.6				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: DTS 25.1				
		Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2				
		Interface Between Land Uses [Interface Between Rural Activities]: DTS 9.3, 9.4, 9.5				
		Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: DTS 10.1				
		Site Contamination: DTS 1.1				
Dwelling addition	[Built Form and	Clearance from Overhead Powerlines: DTS 1.1	None	Airport Bui		
Except where any of the following apply:	Character]: DTS 2.1,	Infrastructure and Renewable Energy Facilities [Water		Building Ne		
Character Preservation District OverlayCoastal Areas Overlay	2.2, 2.3, 2.4, 2.5, 2.6	Supply]: DTS 11.2		Defence Av		

y only in the area affected by the Overlay)

Building Heights (Regulated): DTS 1.1, 1.2 Near Airfields: DTS 1.1, 1.2 Aviation Area: DTS 1.1, 1.3

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the	Overlay (applies only in the area affected by the Overlay)
			Subzone)	
 Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay 		 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Design in Urban Areas [All Residential Development – External Appearance]: DTS 14.1 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1, 19.2, 19.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Overlooking / Visual Privacy]: DTS 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: DTS 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: DTS 21.1, 21.2, 21.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 25.1 Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.4 Site Contamination: DTS 1.1 		Hazards (Acid Sulfate Soils): DTS 1.1 Native Vegetation: DTS 1.1
Dwelling, dwellings or residential flat building undertaken by:	None	Housing Renewal: All	None	Airport Building Heights (Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2
a) the South Australian Housing Trust either individually or jointly with other persons or bodies; or				Defence Aviation Area: DTS 1.1, 1.3 Hazards (Acid Sulfate Soils): DTS 1.1
b) registered Community Housing providers participating in housing renewal programs endorsed by the South Australian Housing Authority Except where any of the following apply:				Key Outback and Rural Routes: All Major Transport Routes: All Native Vegetation: DTS 1.1 Strategic Infrastructure (Gas Pipelines): DTS 2.1

C	lass	of	Deve	lopment

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

Development Classification Criteria		1		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies o
 Character Preservation District Overlay Coastal Areas Overlay Hazards (Bushfire – High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - General Risk) Overlay Hazard (Bushfire - Urban Interface) Overlay Hazards (Bushfire – Outback) Overlay Hazards (Bushfire – Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Murray Darling Basin Overlay Prescribed Water Resources Area Overlay 				Traffic Ge Urban Tra
 Prescribed Wells Area Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay 				
 Office Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Bushfire – High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - General Risk) Overlay Hazard (Bushfire - Urban Interface) Overlay Hazards (Bushfire – Outback) Overlay Hazards (Bushfire – Regional) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay 	[Land Use and Intensity]: DTS 1.2 [Built Form and Character]: DTS 2.1, 2.2, 2.3, 2.4, 2.5, 2.6	Clearance from Overhead Powerlines: DTS 1.1 Design in Urban Areas [Car Parking Appearance]: DTS 6.4, 6.5 Interface Between Land Uses [Hours of Operation]: DTS 2.1 Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4	None	Airport Bu Building N Defence A Hazards (Key Outba Major Tra Native Ve Traffic Ge Urban Tra

ay s only in the area affected by the Overlay)

Generating Development: DTS 1.2, 1.3

ransport Routes: All

Building Heights (Regulated): DTS 1.1, 1.2 9 Near Airfields: DTS 1.1, 1.2 2 Aviation Area: DTS 1.1, 1.3 3 (Acid Sulfate Soils): DTS 1.1 4 back and Rural Routes: All 4 ransport Routes: All 4 Vegetation: DTS 1.1 5 Generating Development: DTS 1.2, 1.3 6 ransport Routes: All

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria'

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

Development Classification Criteria'				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies o
 Mt Lofty Ranges Catchment (Area 1) Overlay Murray Darling Basin Overlay Prescribed Water Resources Area Overlay Prescribed Wells Area Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay Water Resources Overlay 		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		
 Outbuilding (in the form of a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Ramsar Wetlands Overlay Stoping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay 	None	 Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.4, 3.5 	None	Airport Bu Building N Defence A Hazards (A Key Outba Major Tran Native Veg Urban Tra
 Outbuilding (not being a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Defence Aviation Area Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Ramsar Wetlands Overlay Sloping Land Overlay 	None	Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: DTS 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2	None	Airport Bu Building N Defence A Hazards (A Native Veg Urban Tra Key Outba Major Urb

ay only in the area affected by the Overlay)

Building Heights (Regulated): DTS 1.1, 1.2 Near Airfields: DTS 1.1, 1.2 Aviation Area: DTS 1.1, 1.3 (Acid Sulfate Soils): DTS 1.1 back and Rural Routes: All ransport Routes: All legetation: DTS 1.1 ransport Routes: All Building Heights (Regulated): DTS 1.1, 1.2 Near Airfields: DTS 1.1, 1.2 Aviation Area: DTS 1.1, 1.3 (Acid Sulfate Soils): DTS 1.1 legetation: DTS 1.1 ransport Routes: 8.1 back and Rural Routes: 8.1 rban Transport Routes: 8.1

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to-Satisfy Development Classification Criteria

Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

CITCII	a		

	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlag
 State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay 		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.4, 3.5		
 Verandah Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Defence Aviation Area Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 1) Overlay Ramsar Wetlands Overlay Sloping Land Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Water Protection Area Overlay 	None	Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.2	None	Airport B Building I Defence A Hazards Native Ve

ay s only in the area affected by the Overlay)

Building Heights (Regulated): DTS 1.1, 1.2 g Near Airfields: DTS 1.1, 1.2 e Aviation Area: DTS 1.1, 1.3 s (Acid Sulfate Soils): DTS 1.1 Vegetation: DTS 1.1

Class of Developmer		Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.					
	Policies refe Features. Re Assessed De Where a dev	olicies referred to are Performance Outcome policies, and any associated Designated Performance eatures. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
Advertisement	None	Clearance from Overhead Powerlines: PO 1.1 Advertisements [Appearance]: PO 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2 Advertisements [Advertising Content]: PO 3.1 Advertisements [Amenity Content]: PO 4.1 Advertising [Safety]: PO 5.1, 5.2, 5.3, 5.4, 5.5	None	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Hazards (Flooding): All Historic Area: All Local Heritage Place: All Marine Parks (Managed Use): All Marine Parks (Managed Use): All Mative Vegetation: All Ramsar Wetlands: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All			
Carport	None	 Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Infrastructure and Renewable 	None	Water Protection Area: All Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Historic Area: All			

Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2

Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.4, 3.5 Local Heritage Place: AllMarine Parks (Managed Use): AllMt Lofty Ranges Catchment (Area
1): AllNative Vegetation: AllRamsar Wetlands: AllSloping Land: AllState Heritage Place: AllState Significant Native
Vegetation: AllWater Protection Area: All

Class of Development			t of the identifie	d Class of Dovelonment		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Consulting room	[Land Use and Intensity] PO 1.2, 1.5 [Built Form and Character]: PO 2.1, 2.2, 2.3, 2.4, 2.5, 2.6	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4 Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Transport, Access and Parking [Movement Systems]: PO 1.4 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6 Transport, Access and Parking [Sicycle Parking in Designated Areas]: PO 9.1	None	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire – High Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire - General Risk): All Hazards (Bushfire - Urban Interface): All Hazards (Bushfire – Outback): All Hazards (Bushfire – Regional): All Hazards (Bushfire – Regional): All Hazards (Bushfire – Regional): All Hazards (Flooding): All Hazards (Flooding): All Hazards (Flooding): All Hazards (Flooding): All Hazards (Flooding): All Marine Parks (Managed Use): All Major Transport Routes: All Marine Parks (Managed Use): All Marine Parks (Managed Use): All Mative Vegetation: All Prescribed Water Resources Area: All Native Vegetation: All Prescribed Water Resources Area: All River Murray Flood Plain: All River Murray Flood Plain: All River Murray Tributaries Area: All Sloping Land: All State Significant Native Vegetation: All State Significant Native Vegetation: All State Significant Native Vegetation: All Traffic Generating Development: All Urban Transport Routes: All Water Protection Area: All		

Class of Development	t Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.			
		opment comprises more than one Class of the applicable policies for each Class		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
				Water Resources: All
Demolition of a State or	None	None	None	State Heritage Place: All
Local Heritage Place			None	Local Heritage Place: All
Demotion within the Historic Area Overlay	All	None	None	Historic Area: All
Detached dwelling	[Land Use and	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Regulated): All
	Intensity] PO 1.1 [Built Form	Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2		Building Near Airfields: All Character Preservation District:
	and Character]:	Infrastructure and Renewable		All Coastal Areas: All
	PO 2.1, 2.2,	Energy Facilities [Wastewater		Defence Aviation Area: All
	2.3, 2.4, 2.5,	Services]: PO 12.1, 12.2		Hazards (Acid Sulfate Soils): All
	2.6 [Site Dimensions	Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6		Hazards (Bushfire – High Risk): All
	and Land Division]: PO	Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Hazards (Bushfire - Medium Risk): All
	3.1	Design in Urban Areas [All Development – Car Parking		Hazards (Bushfire - General Risk): All
		Appearance]: PO 6.1		Hazard (Bushfire - Urban Interface): All
		Design in Urban Areas [All Residential Development – External		Hazards (Bushfire – Outback): All
		Appearance]: PO 14.1, 14.2		Hazards (Bushfire - Regional): All
		Design in Urban Areas [All		Hazards (Flooding): All
		Residential Development – Outlook and Amenity]: PO 15.1		Historic Area: All
		Design in Urban Areas [All Residential Development – Access		Key Outback and Rural Routes: All
		and Servicing]: PO 16.1		Local Heritage Place: All
		Design in Urban Areas [All		Major Transport Routes: All
		Residential Development –		Marine Parks (Managed Use): All
		Flooding]: PO 18.1		Mt Lofty Ranges Catchment (Area 1): All
		Design in Urban Areas [All Residential Development – 3		Murray Darling Basin: All
		Building Levels or Less – External Appearance]: PO 19.1, 19.2, 19.3		Native Vegetation: All
		Design in Urban Areas [All		Prescribed Water Resources Area: All
		Residential Development – 3 Ruilding Lovels or Loss – Overlooking		Prescribed Wells Area: All

Building Levels or Less –Overlooking / Visual Privacy]: PO 20.1

Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: PO 21.1, 21.2, 21.3

Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Landscaping]: PO 22.1, 22.2

Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Water Sensitive Design]: PO 23.1, 23.2, 23.3 Prescribed Wells Area: All Ramsar Wetlands: All River Murray Flood Plain: All River Murray Tributaries Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Traffic Generating Development: All Urban Transport Routes: All Water Protection Area: All Water Resources: All

Class of Development	Applicable Policies					
		olicies are applicable to the assessmen	t of the identifie	ed Class of Development.		
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance					
	Assessed Deve			y apply in relation to a renormance		
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Car Parking and Manoeuvrability]: PO 24.1, 24.2, 24.3, 24.4, 24.5, 24.6				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1				
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2				
		Interface Between Land Uses [Interface Between Rural Activities]: PO 9.3, 9.4, 9.5				
		Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: PO 10.1				
		Site Contamination: PO 1.1				
Dwelling addition	[Built Form and	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Regulated): All		
	Character]:	Infrastructure and Renewable		Building Near Airfields: All		
	PO 2.1, 2.2, 2.3, 2.4, 2.5,	Energy Facilities [Water Supply]: PO 11.2		Defence Aviation Area: All		
	2.6	Infrastructure and Renewable		Hazards (Acid Sulfate Soils): All		
		Energy Facilities [Wastewater		Native Vegetation: All		
		Services]: PO 12.1, 12.2		Character Preservation District:		
		Design in Urban Areas [All Residential Development – External Appearance]: PO 14.1		All Coastal Areas: All		
		Design in Urban Areas [All		Hazards (Flooding): All		
		Residential Development – Outlook		Historic Area: All		
		and Amenity]: PO 15.1 Design in Urban Areas [All		Local Heritage Place: All		
		Residential Development – 3		Marine Parks (Managed Use): All		
		Building Levels or Less – External Appearance]: PO 19.1, 19.2, 19.3		Mt Lofty Ranges Catchment (Area 1): All		
		Design in Urban Areas [All Residential Development – 3		Ramsar Wetlands: All		
		Building Levels or Less –Overlooking		Sloping Land: All		
		/ Visual Privacy]: PO 20.1		State Heritage Place: All		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private		State Significant Native Vegetation: All		
		Open Space]: PO 21.1, 21.2, 21.3		Water Protection Area: All		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Landscaping]: PO 22.1, 22.2				
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1				
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2				

Class of Development							
	Policies referre Features. Rele Assessed Deve		es, and any associ but automatically	ated Designated Performance y apply in relation to a Performance			
		of the applicable policies for each Clas	e than one Class of Development the relevant policies will be taken s for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.4 Site Contamination: PO 1.1					
Dwelling, dwellings or residential flat building undertaken by: a) the South Australian Housing Trust either individually or jointly with other persons or bodies; or b) registered Community Housing providers participating in housing renewal programs endorsed by the South Australian Housing Authority	None	Housing Renewal: All	None Image: Construction of the second of the sec	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire – High Risk): All Hazards (Bushfire – Medium Risk): All Hazards (Bushfire - General Risk): All Hazard (Bushfire - Urban Interface): All Hazards (Bushfire – Outback): All Hazards (Bushfire – Outback): All Hazards (Bushfire – Outback): All Hazards (Bushfire – Regional): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: All Local Heritage Place: All Major Transport Routes: All Marine Parks (Managed Use): All Mative Vegetation: All Prescribed Water Resources Area: All Prescribed Water Resources Area: All Prescribed Wells Area: All Ramsar Wetlands: All River Murray Tributaries Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Traffic Generating Development: All Urban Transport Routes: All			
Land division	[Site Dimensions and Land	Land Division in Urban Areas: All	None	Water Protection Area: All Water Resources: All Character Areas Overlay: All			

Class of Development	The following p Policies referred	olicies are applicable to the assessmen d to are Performance Outcome policies,	and any associa	ated Designated Performance
	Features. Relevent Assessed Devent	vant Desired Outcomes are not listed, b lopment.	ut automatically	apply in relation to a Performance
		opment comprises more than one Class of the applicable policies for each Class		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	Division]: PO 3.1			Character Preservation District: All
				Environment Food Protection Area: All
				Hazards (Bushfire – High Risk): All
				Hazards (Bushfire - Medium Risk): All
				Hazards (Bushfire - General Risk): All
				Hazard (Bushfire - Urban Interface): All
				Hazards (Bushfire – Outback): All
				Hazards (Bushfire - Regional): All
				Hazards (Flooding): All
				Key Outback and Rural Routes: All
				Local Heritage Place: All
				Major Transport Routes: All
				Native Vegetation: All
				Ramsar Wetlands: All
				Regulated Trees: All
				River Murray Flood Plain: All
				River Murray Tributaries Area: All
				Sloping Land: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				State Significant Native Vegetation: All
				Traffic Generating Development: All
				Urban Transport Routes: All

Light industry	[Land Use and Intensity] PO 1.3, 1.5 [Built Form and Character]: PO 2.1, 2.2, 2.3, 2.4, 2.5, 2.6	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4 Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2	None	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire – High Risk): All

Class of Developm						
	Policies referre Features. Relev Assessed Deve Where a develo	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Transport, Access and Parking		Hazards (Bushfire - Medium		
		[Movement Systems]: PO 1.4 Infrastructure and Renewable Energy Facilities [Wastewater		Risk): All Hazards (Bushfire - General Risk): All		
		Services]: PO 12.1, 12.2 Transport, Access and Parking		Hazard (Bushfire - Urban Interface): All		
		[Vehicle Access]: PO 3.1, 3.5, 3.6		Hazards (Bushfire – Outback): All		
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Hazards (Bushfire - Regional): All		
		Transport, Access and Parking		Hazards (Flooding): All		
		[Vehicle Parking Areas]: PO 6.1, 6.6		Historic Area: All		
		Transport, Access and Parking [Bicycle Parking in Designated Areas]: PO 9.1		Key Outback and Rural Routes: All		
				Local Heritage Place: All		
				Major Transport Routes: All		
				Marine Parks (Managed Use): All		
				Mt Lofty Ranges Catchment (Area 1): All		
				Murray Darling Basin: All		
				Native Vegetation: All		
				Prescribed Water Resources Area: All		
				Prescribed Wells Area: All		
				Ramsar Wetlands: All		
				River Murray Flood Plain: All		
				River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure (Gas Pipelines): All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
Office	[Land Use and	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Regulated): All		
	Intensity] PO 1.2, 1.5	Design in Urban Areas [External		Building Near Airfields: All		
	[Built Form and	Appearance]: PO 1.4 Design in Urban Areas [Car Parking		Character Preservation District: All		
	Character]: PO 2.1, 2.2,	Appearance]: PO 6.1, 6.4, 6.5		Coastal Areas: All		
	2.3, 2.4, 2.5,	Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3		Defence Aviation Area: All		
	2.6			Hazards (Acid Sulfate Soils): All		

Class of Development	Applicable	Policies				
	The following	policies are applicable to the assessmen	t of the identifie	ed Class of Development.		
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance					
	Assessed Dev					
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Bushfire – High Risk): All		
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		Hazards (Bushfire - Medium Risk): All		
		Transport, Access and Parking [Movement Systems]: PO 1.4		Hazards (Bushfire - General Risk): All		
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazard (Bushfire - Urban Interface): All		
		Services]: PO 12.1, 12.2		Hazards (Bushfire – Outback): All		
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6		Hazards (Bushfire - Regional): All		
		Transport, Access and Parking		Hazards (Flooding): All		
		[Vehicle Parking Rates]: PO 5.1		Historic Area: All		
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6		Key Outback and Rural Routes: All		
		Transport, Access and Parking [Bicycle Parking in Designated		Local Heritage Place: All		
		Areas]: PO 9.1		Major Transport Routes: All		
				Marine Parks (Managed Use): All		
				Mt Lofty Ranges Catchment (Area 1): All		
				Murray Darling Basin: All		
				Native Vegetation: All		
				Prescribed Water Resources Area: All		
				Prescribed Wells Area: All		
				Ramsar Wetlands: All		
				River Murray Flood Plain: All		
				River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure (Gas Pipelines): All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area Overlay		
				Water Resources Overlay		
Outbuilding (in the form of a garage)	None	Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2	None	Airport Building Heights (Regulated): All		
		Design in Urban Areas [Residential		Building Near Airfields: All		
		Development – 3 Building Levels or Less – External Appearance]: PO		Character Preservation District: All		
		19.1		Coastal Areas: All		
				Defence Aviation Area: All		

Class of Development		Policies policies are applicable to the assessmen	t of the identifie	d Class of Development
	Policies referre Features. Relev Assessed Deve Where a develo	d to are Performance Outcome policies, vant Desired Outcomes are not listed, b	, and any associ out automatically of Developmen	ated Designated Performance apply in relation to a Performance t the relevant policies will be taken
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.4, 3.5		Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Historic Area: All Local Heritage Place: All Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 1): All Native Vegetation: All Ramsar Wetlands: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All
Outbuilding (not being a garage)	None	Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2	None	 Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Historic Area: All Local Heritage Place: All Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 1): All Native Vegetation: All Ramsar Wetlands: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All
Shop	[Land Use and Intensity] PO 1.2, 1.5 [Built Form and Character]: PO 2.1, 2.2, 2.3, 2.4, 2.5, 2.6	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4 Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3	None	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All

Class of Development				
	Policies referre Features. Relev	policies are applicable to the assessmen d to are Performance Outcome policies, vant Desired Outcomes are not listed, b	and any associ	ated Designated Performance
		lopment. opment comprises more than one Class of the applicable policies for each Class		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Bushfire – High Risk): All
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		Hazards (Bushfire - Medium Risk): All
		Transport, Access and Parking [Movement Systems]: PO 1.4		Hazards (Bushfire - General Risk): All
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazard (Bushfire - Urban Interface): All
		Services]: PO 12.1, 12.2 Transport, Access and Parking		Hazards (Bushfire – Outback): All
		[Vehicle Access]: PO 3.1, 3.5, 3.6 Transport, Access and Parking		Hazards (Bushfire - Regional): All Hazards (Flooding): All
		[Vehicle Parking Rates]: PO 5.1		Historic Area: All
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6		Key Outback and Rural Routes: All
		Transport, Access and Parking [Bicycle Parking in Designated		Local Heritage Place: All
		Areas]: PO 9.1		Major Transport Routes: All
				Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 1): All
				Murray Darling Basin: All
				Native Vegetation: All
				Prescribed Water Resources Area: All
				Prescribed Wells Area: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				River Murray Tributaries Area: All
				Sloping Land: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				Strategic Infrastructure (Gas Pipelines): All
				Traffic Generating Development: All
				Urban Transport Routes: All
				Water Protection Area: All
Store	[Land Use	Clearance from Overhead	None	Water Resources: All Airport Building Heights
	and Intensity] PO	Powerlines: PO 1.1		(Regulated): All
	1.3, 1.5 [Built Form	Design in Urban Areas [External Appearance]: PO 1.4		Building Near Airfields: All Character Preservation District:
	and Character]:	Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5		All Coastal Areas: All
	PO 2.1, 2.2,			Defence Aviation Area: All

Class of Development				
		olicies are applicable to the assessmen		
		d to are Performance Outcome policies, /ant Desired Outcomes are not listed, b lopment		
		opment comprises more than one Class	of Developmen	the relevant policies will be taken
		of the applicable policies for each Class		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	2.3, 2.4, 2.5,	Design in Urban Areas [Water		Hazards (Acid Sulfate Soils): All
	2.6	Sensitive Design]: PO 42.1, 42.3		Hazards (Bushfire – High Risk):
		Interface Between Land Uses [Hours of Operation]: PO 2.1		All
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		Hazards (Bushfire - Medium Risk): All
		Transport, Access and Parking		Hazards (Bushfire - General Risk): All
		[Movement Systems]: PO 1.4 Infrastructure and Renewable		Hazard (Bushfire - Urban Interface): All
		Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire – Outback): All
		Transport, Access and Parking		Hazards (Bushfire - Regional): All
		[Vehicle Access]: PO 3.1, 3.5, 3.6		Hazards (Flooding): All
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Historic Area: All
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6		Key Outback and Rural Routes: All
		Transport, Access and Parking		Local Heritage Place: All
		[Bicycle Parking in Designated		Major Transport Routes: All
		Areas]: PO 9.1		Marine Parks (Managed Use): All
				Mt Lofty Ranges Catchment (Area 1): All
				Murray Darling Basin: All
				Native Vegetation: All
				Prescribed Water Resources Area: All
				Prescribed Wells Area: All
				Ramsar Wetlands: All
				River Murray Flood Plain: All
				River Murray Tributaries Area: All
				Sloping Land: All
				State Heritage Place: All
				State Significant Native Vegetation: All
				Strategic Infrastructure (Gas

				Pipelines): All
				Traffic Generating Development: All
				Urban Transport Routes: All
				Water Protection Area: All
				Water Resources: All
Tree damaging activity	None	None	None	Regulated Trees: All
Verandah	None	Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2	None	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.				
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performa Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be ta				
		of the applicable policies for each Class			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.2		Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Flooding): All Historic Area: All Local Heritage Place: All Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 1): All Native Vegetation: All Ramsar Wetlands: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Water Protection Area: All	
Warehouse	[Land Use and Intensity] PO 1.3, 1.5 [Built Form and Character]: PO 2.1, 2.2, 2.3, 2.4, 2.5, 2.6	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4 Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Transport, Access and Parking [Movement Systems]: PO 1.4 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6	None	Airport Building Heights (Regulated): All Building Near Airfields: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: All Hazards (Acid Sulfate Soils): All Hazards (Bushfire – High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All Hazard (Bushfire - Urban Interface): All Hazards (Bushfire – Outback): All	

Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6 Transport, Access and Parking [Bicycle Parking in Designated Areas]: PO 9.1	Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: All Local Heritage Place: All Major Transport Routes: All Marine Parks (Managed Use): All
	Marine Parks (Managed Ose). An Mt Lofty Ranges Catchment (Area 1): All Murray Darling Basin: All

Class of Development	The following p Policies referred Features. Relev Assessed Deve Where a develo	Applicable PoliciesThe following policies are applicable to the assessment of the identified Class of Development.Policies referred to are Performance Outcome policies, and any associated Designated PerformanceFeatures. Relevant Desired Outcomes are not listed, but automatically apply in relation to a PerformanceAssessed Development.Where a development comprises more than one Class of Development the relevant policies will be takento be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
				Native Vegetation: All		
				Prescribed Water Resources Area: All		
				Prescribed Wells Area: All		
				Ramsar Wetlands: All		
				River Murray Flood Plain: All		
				River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure (Gas Pipelines): All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
All other Code Assessed Development	All	All	None	Any relevant Overlay: All		

Table 4 – Restricted Development Classification

Class of Development The following Classes of Development are classified as Restricted subject to any 'Exclusions'	Exclusions
None specified	

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

A small mixed-use settlement supporting a limited range of residential development, tourist, recreation and community facilities grouped together to serve the local community and visiting public.

DO 2

Development that contributes to and enhances the local context and development pattern comprising the settlement.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Low-scale and low-density residential development that complements the residential character and amenity within the locality.

DTS/DPF 1.1

Development comprising detached dwellings.

PO 1.2

Small-scale retail, business and commercial development that provide a range of goods and services to the settlement community and visitors to the area.

DTS/DPF 1.2

The gross leasable floor area of a shop, office or consulting room does not exceed 150m².

PO 1.3

Small-scale light industry, store and warehousing activities that supply a local service to the community and nearby businesses.

DTS/DPF 1.3

The gross leasable floor area of a building plus any outdoor space used for a light industry, store or warehouse does not exceed 80m².

PO 1.4

Small-scale tourist accommodation that supports the visiting public and holiday makers.

DTS/DPF 1.4

None are applicable.

PO 1.5

Local service facilities and retail activities are grouped together or in close proximity to establish identifiable settlement service locations.

DTS/DPF 1.5

Development located adjacent to a site containing an existing non-residential use with the same primary street frontage.

Built Form and Character

PO 2.1

Buildings contribute to a low-rise character and complement the height of nearby buildings.

DTS/DPF 2.1

Building height (excluding garages, carports and outbuildings) is no greater than 2 building levels and 9m and wall height that is no greater than 6m.

PO 2.2

Buildings set back from primary street boundary to complement the existing streetscape character.

DTS/DPF 2.2

Buildings are no closer to the primary street boundary than:

- (a) the average of existing buildings on adjoining sites with the same primary street frontage and, if there is only one such building, the setback of that building; or
- (b) 8m, if no building exists on an adjoining site with the same primary street frontage.

PO 2.3

Buildings are setback from a secondary street boundary to maintain a consistent pattern of separation between building walls and public thoroughfares on corner sites within the settlement.

DTS/DPF 2.3

Buildings are no closer than 2.5 metres to the secondary street boundary.

PO 2.4

Dwellings are setback from rear boundaries to provide:

- (a) access to natural light and ventilation for neighbours;
- (b) open space recreational opportunities; and
- (c) space for landscaping and vegetation.

DTS/DPF 2.4

Dwellings no closer to the rear boundary of the site than the following:

- (a) 4m for the ground floor of a building; and
- (b) 6m for the upper floor of a building.

PO 2.5

Buildings are setback from side boundaries to:

- (a) establish separation between buildings to complement the established character within a locality; and
- (b) provide access to natural light and ventilation for neighbours.

DTS/DPF 2.5

Other than walls located on a side boundary, buildings are setback from side boundaries:

- (a) at least 900mm where the wall height is up to 3m;
- (b) other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m; and
- (c) at least 1900mm plus 1/3 of the wall height above 3m for walls facing a southern side boundary.

PO 2.6

Boundary walls are limited in height and length to mitigate adverse impacts on the amenity of adjoining land users, including through an unreasonable loss of natural light and ventilation.

DTS/DPF 2.6

For buildings that do not have a common wall, any wall sited on or abutting a side allotment boundary:

(a) does not exceed 3m in height from the top of the footings;

- (b) does not exceed 8m in length;
- (c) when combined with other walls on the boundary, does not exceed 45% of the length of the boundary; and is setback at least 3 metres from any existing or proposed boundary walls.

Site Dimensions and Land Division

PO 3.1

Allotments are of suitable size and dimension to contribute to a pattern of development that is consistent with the settlement.

DTS/DPF 3.1

Development accords with the following:

- (a) for sites connected to mains sewer or Community Wastewater Management System, site areas (or allotment areas in the case of land division) are not less than the minimum allotment area specified in the *Minimum Allotment Size Technical and Numeric Variation Overlay*;
- (b) for sites without connection to mains sewer or Community Wastewater Management System, site areas (or allotment areas in the case of land division) are not less than the greater of:
 - (i) 1200m²; or
 - (ii) the minimum allotment area specified in the *Minimum Allotment Size Technical and Numeric Variation Overlay*; and

site frontages not less than 20m.

Procedural Matters (PM)

Notification of Performance assessed development

All classes of performance assessed development is excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) development identified as "all other code assessed development" in Settlement Zone Table 3
- (c) buildings exceeding 2 building levels or over 9m in height
- (d) development involving the creation of four or more additional dwellings or allotments
- (e) shop, office, or consulting room in excess of 100m² in gross leasable floor area
- (f) light industry, warehouse or store where the gross leasable floor area of the buildings plus any outdoor space used for any of these uses exceeds 80m².

Suburban Employment Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Building work on railway land	 Building work is associated with a railway It is situated (or to be situated) on railway land It is required for the conduct or maintenance of railway activities.
 Internal building work Except where any of the following apply: A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.
 Shade sail Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 Shade sail consists of permeable material 10 The total area of the sail - does not exceed 40m² 11 No part of the shade sail will be: (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment (b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment 12 Primary street setback – at least as far back as the building line of the building to which it is ancillary 13 If any part of the sail will be situated on a boundary does not exceed 8m 14 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.

 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 4 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof 5 Panels and associated components do not overhang any part of the roof 6 Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Water tank (above ground) Except where any of the following apply Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 8 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 9 The tank is part of a roof drainage system 10 Total floor area - not exceeding 15m² 11 The tank is located wholly above ground 12 Tank height – does not exceed 4m above natural ground level 13 Primary street setback – at least as far back as the building line of the building to which it is ancillary 14 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Sloping Land Overlay Water Resources Overlay 	 3 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 4 The tank (including any associated pump) is located wholly below the level of the ground.

The following Classes of Development are classified

as Deemed-to-Satisfy

Class of Development Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

as Deemed-to-Satisfy Development subject to	to			
meeting the 'Deemed-to- Satisfy Development	Zone	General Development	Subzone	Overlay
Classification Criteria'		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
Advertisement	[Advertiseme	Advertisements [Appearance]: DTS	None	Airport Building Heights (Aircraft
Except where any of the following apply:	nts]: DTS 6.1	1.1, 1.3, 1.4 Advertisements [Proliferation of		Landing Area): DTS 1.1 Airport Building Heights
 Advertising Near Signalised Intersections 		Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1		(Regulated): DTS 1.1, 1.2 Building Near Airfields: DTS 1.1, 1.2
OverlayCharacter Area OverlayCharacter Preservation		Advertisements [Amenity Content]: DTS 4.1		Defence Aviation Area: DTS 1.1, 1.3
District Overlay		Advertising [Safety]: DTS 5.1, 5.2,		Future Road Widening: DTS 1.1
 Coastal Areas Overlay Hazards (Bushfire - High Risk) Overlay 		5.3, 5.4, 5.5 Clearance from Overhead		Key Outback and Rural Routes: DTS 8.1, 10.1
Hazards (Bushfire -		Powerlines: DTS 1.1		Key Railway Crossings: DTS 1.1
 Medium Risk) Overlay Hazards (Bushfire - General Risk) Overlay 				Major Transport Routes: DTS 8.1, 10.1
Hazards (Bushfire -				Native Vegetation: DTS 1.1, 1.2
Urban Interface) Overlay • Hazards (Bushfire -				State Significant Native Vegetation: DTS 1.1
Regional) OverlayHazards (Flooding)				Urban Transport Routes: DTS 8.1, 10.1
OverlayHistoric Area Overlay				
 Local Heritage Place Overlay 				
 Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay 				
 Murray Darling Basin Overlay 				
 Non-stop Corridor Overlay 				
 Prescribed Water Resources Area Overlay Prescribed Watercourses 				
OverlayPrescribed Wells Area Overlay				
Regulated Trees OverlayRiver Murray Flood Plain				
OverlayRiver Murray Tributaries Area Overlay				
Sloping Land OverlayState Heritage Area				
OverlayState Heritage PlaceOverlay				
OverlayWater Protection Area Overlay				
 Water Resources Overlay 				
Consulting room	[Land Use and	Design in Urban Areas [Car Parking Appearance]: DTS 6.4, 6.5	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1

Class of Development

The following Classes of Development are classified

as Deemed-to-Satisfy

ment Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

as Deemed-to-Satisfy Development subject to	be the sum of t	f the criteria for each Class of Development.				
meeting the 'Deemed-to- Satisfy Development	Zone	General Development	Subzone	Overlay		
Classification Criteria'		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
Except where any of the following apply:	Intensity]: DTS 1.1	Interface Between Land Uses [Hours of Operation]: DTS 2.1		Airport Building Heights (Regulated): DTS 1.1, 1.2		
	5 -					
 River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Place Overlay Strategic Infrastructure Gas Pipelines Overlay Traffic Generating Development Overlay Water Protection Area Overlay Water Resources Overlay 						
Office Except where any of the following apply: • Character Area Overlay	[Land Use and Intensity]: DTS 1.1 [Built Form and	Design in Urban Areas [Car Parking Appearance]: DTS 6.4, 6.5 Interface Between Land Uses [Hours of Operation]: DTS 2.1	None	Airport Building Heights (Aircraft Landing Area): DTS 1.1 Airport Building Heights (Regulated): DTS 1.1, 1.2		

Class of Development

The following Classes of Development are classified

as Deemed-to-Satisfy

ent Deemed-to-Satisfy Development Classification Criteria

Provisions referred to are Deemed-to-Satisfy Criteria

Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.

Development subject to					
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development	Subzone	Overlay	
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
 Character Preservation District Overlay Coastal Areas Overlay Concept Plans Technical and Numeric Variation Overlay Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Flooding) Overlay Hazards (Flooding) Overlay Historic Area Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mat Lofty Ranges Catchment (Area 2) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Murray Darling Basin Overlay Non-stop Corridor Overlay Prescribed Water Resources Area Overlay Storilay River Murray Flood Plain Overlay River Murray Tributaries Area Overlay Sloping Land Overlay State Heritage Area Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Place<!--</td--><td>Character]: DTS 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.1, 5.2</td><td>Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1</td><td></td><td>Building Near Airfields: DTS 1.1, 1.2 Defence Aviation Area: DTS 1.1, 1.3 Future Road Widening: DTS 1.1 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 Major Transport Routes: All Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS All</td>	Character]: DTS 3.3, 3.4, 3.5 [Interface Height]: DTS 4.1, 4.2 [Landscaping]: DTS 5.1, 5.2	Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Transport, Access and Parking [Movement Systems]: DTS 1.4 Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		Building Near Airfields: DTS 1.1, 1.2 Defence Aviation Area: DTS 1.1, 1.3 Future Road Widening: DTS 1.1 Key Outback and Rural Routes: All Key Railway Crossings: DTS 1.1 Major Transport Routes: All Native Vegetation: DTS 1.1, 1.2 State Significant Native Vegetation: DTS 1.1 Urban Transport Routes: DTS All	

Water Protection Area		
Overlay		
Water Resources		
Overlay		

Class of Development	hent Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performa Assessed Development.				
		ent comprises more than one Class of applicable policies for each Class of De		he relevant policies will be taken to	
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Advertisement	[Advertisements]: PO 6.1	Advertisements [Appearance]: PO 1.1, 1.3, 1.4	None	Airport Building Heights (Aircraft Landing Area): PO 1.1	
		Advertisements [Proliferation of Advertisements]: PO 2.1, 2.2		Airport Building Heights (Regulated): PO 1.1, 1.2	
		Advertisements [Advertising Content]: PO 3.1		Building Near Airfields: PO 1.1, 1.2	
		Advertisements [Amenity Content]: PO 4.1		Defence Aviation Area: PO 1.1, 1.3	
		Advertising [Safety]: PO 5.1, 5.2,		Character Area: All	
		5.3, 5.4, 5.5 Clearance from Overhead		Character Preservation District: All	
		Powerlines: PO 1.1		Coastal Areas: All	
				Future Road Widening: PO 1.1	
				Hazards (Bushfire - General Risk): All	
				Hazards (Bushfire - High Risk): All	
				Hazards (Bushfire - Medium Risk): All	
				Hazards (Bushfire - Regional): All	
				Hazards (Flooding): All	
				Historic Area: All	
				Key Outback and Rural Routes: All	
				Key Railway Crossings: PO 1.1	
				Local Heritage Place: All	
				Major Transport Routes: All	
				Marine Parks (Managed Use): Al	
				Mt Lofty Ranges Catchment (Area 2): All	
				Murray Darling Basin: All	
				Native Vegetation: PO 1.1, 1.2	
				Non-stop Corridor: All	
				Prescribed Water Resources Area: All	
				Prescribed Watercourses: All	
				Prescribed Wells Area: All	
				River Murray Flood Plain: All	
				River Murray Tributaries Area: All	
				Sloping Land: All	
				State Heritage Area: All	

Class of	Applicable Pol	icies						
Development	The following policies are applicable to the assessment of the identified Class of Development.							
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.							
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)				
				State Heritage Place: All				
				Strategic Infrastructure Gas Pipelines: All				
				State Significant Native Vegetation: PO 1.1				
				Traffic Generating Development: All				
				Urban Transport Routes: PO All				
				Water Protection Area: All				
				Water Resources: All				
Bulky goods outlet	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1				
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2				
	Character]: PO 2.1, 2.2 [Building Height and Setbacks]:	Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2				
		appearance]: PO 1.4, 1.5		Character Area: All				
	PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6	Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1		Character Preservation District: All				
	[Landscaping]: PO 5.1, 5.2	Design in Urban Areas [Car Parking Appearance]: PO 6.2		Coastal Areas: All Defence Aviation Area: PO 1.1,				
	[Concept Plans]: PO 7.1	Design in Urban Areas [All Non- Residential Development – Water		1.3 Future Road Widening: All				
		Sensitive Design]: PO 42.1 Infrastructure and Renewable		Hazards (Bushfire - High Risk):				
		Energy Facilities [Water Supply]: PO 11.1		All Hazards (Bushfire - Medium				
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Risk): All Hazards (Bushfire - General Risk): All				
		Interface Between Land Uses [General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All				
		Interface Between Land Uses		Hazards (Flooding): All				
		[Hours of Operation]: PO 2.1		Historic Area: All				

Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2

Interface Between Land Uses [Light Spill]: PO 6.1, 6.2

Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4

Transport, Access and Parking [Sightlines]: PO 2.1, 2.2

Key Outback and Rural Routes: All
Key Railway Crossings: All
Local Heritage Place: All
Major Transport Routes: All
Marine Parks (Managed Use): All
Mt Lofty Ranges Catchment (Area 2): All
Murray Darling Basin: All
Native Vegetation: All

Class of Development	Applicable Pol					
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.					
		ent comprises more than one Class of applicable policies for each Class of Dev		he relevant policies will be taken to		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		 Non-stop Corridor: All Prescribed Water Resources Area: All Prescribed Watercourses: All Prescribed Wells Area: All River Murray Flood Plain: All River Murray Tributaries Area: All Sloping Land: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: All Strategic Infrastructure Gas Pipelines: All Traffic Generating Development: All Urban Transport Routes: All Water Protection Area: All Water Resources: All 		
Community centre	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: PO 2.1, 2.2 [Building Height and Setbacks]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6 [Landscaping]: PO 5.1, 5.2 [Concept Plans]: PO 7.1	 Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 	None	Water Resources: AirAirport Building Heights (Aircraft Landing Area): PO 1.1Airport Building Heights (Regulated): PO 1.1, 1.2Building Near Airfields: PO 1.1, 1.2Character Area: AllCharacter Preservation District: AllCoastal Areas: AllDefence Aviation Area: PO 1.1, 1.3Future Road Widening: AllHazards (Bushfire - High Risk): AllHazards (Bushfire - Medium Risk): AllHazards (Bushfire - General Risk): AllHazards (Bushfire - Regional): AllHazards (Flooding): AllHistoric Area: All		

Class of	Applicable Po	licies					
Development	Policies referred to Features. Relevan Assessed Develop Where a developn	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
		Zone General Development Subzone Overlay					
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2		Key Outback and Rural Routes: All			
		_		Key Railway Crossings: All			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Local Heritage Place: All			
		Transport, Access and Parking		Major Transport Routes: All			
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Marine Parks (Managed Use): All			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Mt Lofty Ranges Catchment (Area 2): All			
		Transport, Access and Parking		Murray Darling Basin: All			
		[Vehicle Access]: PO 3.1, 3.3, 3.4,		Native Vegetation: All			
		3.5, 3.7, 3.8, 3.9		Non-stop Corridor: All			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Water Resources Area: All			
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1,		Prescribed Watercourses: All			
		6.2, 6.5, 6.6		Prescribed Wells Area: All			
				River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Significant Native Vegetation: All			
				Strategic Infrastructure Gas Pipelines: All			
				Traffic Generating Development: All			
				Urban Transport Routes: All			
				Water Protection Area: All			
				Water Resources: All			
Consulting room	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft			

Office	Intensity]: PO	Powerlines: PO 1.1	Landing Area): PO 1.1
Office	[Built Form and Character]: PO 2.1, 2.2 [Building Height and Setbacks]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6 [Landscaping]: PO 5.1, 5.2 [Concept Plans]: PO 7.1	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2	Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Character Area: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: PO 1.1, 1.3

Class of Development	Applicable I						
	Policies referred	olicies are applicable to the assessment of d to are Performance Outcome policies, an vant Desired Outcomes are not listed, but a opment.	d any associate	ed Designated Performance			
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.						
	Zone	General Development	Subzone	Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
		Design in Urban Areas [All Non-		Future Road Widening: All			
		Residential Development – Water Sensitive Design]: PO 42.1		Hazards (Bushfire - High Risk): All			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Medium Risk): All			
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Bushfire - General Risk): All			
		Services]: PO 12.1, 12.2 Interface Between Land Uses		Hazards (Bushfire - Regional): All			
		[General Land Use Compatibility]:		Hazards (Flooding): All			
		PO 1.2 Interface Between Land Uses		Historic Area: All			
		[Hours of Operation]: PO 2.1 Interface Between Land Uses		Key Outback and Rural Routes: All			
		[Activities Generating Noise or		Key Railway Crossings: All			
		Vibration]: PO 4.2		Local Heritage Place: All			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Major Transport Routes: All			
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 2): All			
		Transport, Access and Parking		Murray Darling Basin: All			
		[Sightlines]: PO 2.1, 2.2		Native Vegetation: All			
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4,		Non-stop Corridor: All			
		3.5, 3.7, 3.8, 3.9 Transport, Access and Parking		Prescribed Water Resources Area: All			
		[Vehicle Parking Rates]: PO 5.1		Prescribed Watercourses: All			
		Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1,		Prescribed Wells Area: All			
		6.2, 6.5, 6.6		River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Significant Native Vegetation: All			
				Strategic Infrastructure Gas Pipelines: All			
				Traffic Generating Development: All			
				Urban Transport Routes: All			
				Water Protection Area: All			
				Water Resources: All			

Class of	Applicable Policies					
Development	The following policies are applicable to the assessment of the identified Class of Development.					
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.					
	Where a developme	ent comprises more than one Class of I applicable policies for each Class of Dev		he relevant policies will be taken to		
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
Demolition of a State or	None	None	None	Local Heritage Place: All		
Local Heritage Place				State Heritage Place: All		
Demolition within an	None	None	None	Historic Area: All		
Historic Area Overlay or State Heritage Area Overlay				State Heritage Area: All		
Hotel	[Land Use and Intensity]: PO 1.1	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		
		Design in Urban Areas [External Appearance]: PO 1.4		Airport Building Heights (Regulated): PO 1.1, 1.2		
		Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5		Building Near Airfields: PO 1.1, 1.2		
		Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3		Character Area: All		
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Character Preservation District: All		
		Interface Between Land Uses		Coastal Areas: All		
		[Overshadowing]: PO 3.1, 3.2		Defence Aviation Area: PO 1.1, 1.3		
		Interface Between Land Uses [Activities Generating Noise or		Future Road Widening: All		
		Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Lands Uses [Air		Hazards (Bushfire - High Risk): All		
		Quality]: PO 5.2 Interface Between Land Uses [Light		Hazards (Bushfire - Medium Risk): All		
		Spill]: PO 6.1, 6.2		Hazards (Bushfire - General Risk): All		
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Regional): All		
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Flooding): All Historic Area: All		
		Services]: PO 12.1, 12.2 Tourism Development: PO 1.1, 1.2		Key Outback and Rural Routes:		
		Transport, Access and Parking		All		
		[Movement Systems]: All Transport, Access and Parking		Key Railway Crossings: All Local Heritage Place: All		
		[Sightlines]: All		Major Transport Routes: All		
		Transport, Access and Parking		Marino Parks (Managod Uso): All		

Transport, Access and Parking [Vehicle Access]: PO All

Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1

Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6 Marine Parks (Managed Use): All
Mt Lofty Ranges Catchment (Area 2): All
Murray Darling Basin: All
Native Vegetation: All
Non-stop Corridor: All
Prescribed Water Resources Area: All
Prescribed Watercourses: All
Prescribed Wells Area: All

Class of	Applicable Policies						
Development	The following polic	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance					
	Policies referred to						
	Where a developm	ent comprises more than one Class of applicable policies for each Class of De		he relevant policies will be taken t			
	Zone General Development	Subzone	Overlay				
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affecte by the Overlay)			
				River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Significant Native Vegetation: All			
				Strategic Infrastructure Gas Pipelines: All			
				Traffic Generating Developmen			
				Urban Transport Routes: All			
				Water Protection Area: All			
				Water Resources: All			
Light industry	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircrat Landing Area): PO 1.1			
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2			
	Character]: PO 2.1, 2.2	Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2			
	[Building Height and Setbacks]:	appearance]: PO 1.4, 1.5		Character Area: All			
	PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6	Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1		Character Preservation District: All			
	[Landscaping]:	Design in Urban Areas [Car Parking		Coastal Areas: All			
	PO 5.1, 5.2 [Concept Plans]:	Appearance]: PO 6.2 Design in Urban Areas [All Non-		Defence Aviation Area: PO 1.1, 1.3			
	PO 7.1	Residential Development – Water		Future Road Widening: All			
		Sensitive Design]: PO 42.1 Infrastructure and Renewable		Hazards (Bushfire - High Risk): All			
		Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Medium Risk): All			
		Infrastructure and Renewable		Hazards (Bushfire - General			

Energy Facilities [Wastewater
Services]: PO 12.1, 12.2

Interface Between Land Uses [General Land Use Compatibility]: PO 1.2

Interface Between Land Uses [Hours of Operation]: PO 2.1

Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2

Interface Between Land Uses [Light Spill]: PO 6.1, 6.2

Hazards (Bushfire - General Risk): All
Hazards (Bushfire - Regional): All
Hazards (Flooding): All
Historic Area: All
Key Outback and Rural Routes: All
Key Railway Crossings: All
Local Heritage Place: All
Major Transport Routes: All

Class of	Applicable Pol	licies					
Development	The following polic	ies are applicable to the assessment of	the identified	Class of Development.			
	Features. Relevant	 Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 					
	Where a developm						
			Subzone	Overlay			
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
		Transport, Access and Parking		Marine Parks (Managed Use): All			
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Mt Lofty Ranges Catchment (Area 2): All			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Murray Darling Basin: All			
		Transport, Access and Parking		Native Vegetation: All			
		[Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Non-stop Corridor: All			
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Water Resources Area: All			
		Transport, Access and Parking		Prescribed Watercourses: All			
		[Vehicle Parking Areas]: PO 6.1,		Prescribed Wells Area: All			
		6.2, 6.5, 6.6		River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All			
				State Significant Native Vegetation: All			
				Strategic Infrastructure Gas Pipelines: All			
				Traffic Generating Development: All			
				Urban Transport Routes: All			
				Water Protection Area: All			
				Water Resources: All			
Motor repair station	[Land Use and Intensity]: PO 1.1, 1.2	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1			
	[Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2			
	Character]: PO 2.1, 2.2	Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2			
	[Building Height	appearance]: PO 1.4, 1.5		Character Area: All			

	and Setbacks]: PO 3.1, 3.2, 3.3 3.4, 3.5, 3.6 [Landscaping]: PO 5.1, 5.2 [Concept Plans] PO 7.1	 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 	Character Area: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: PO 1.1, 1.3 Future Road Widening: All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All
--	---	--	--

Class of	Applicable Po	licies					
Development	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.						
	Where a developm	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 Transport, Access and Parking [Sightlines]: PO 2.1, 2.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		 Hazards (Bushfire - General Risk): All Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: All Key Railway Crossings: All Local Heritage Place: All Major Transport Routes: All Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 2): All Murray Darling Basin: All Native Vegetation: All Non-stop Corridor: All Prescribed Water Resources Area: All Prescribed Water Resources Area: All Prescribed Water Resources Area: All River Murray Flood Plain: All River Murray Tributaries Area: All State Heritage Area: All State Heritage Place: All State Significant Native Vegetation: All Strategic Infrastructure Gas Pipelines: All Traffic Generating Development: All Water Protection Area: All Water Protection Area: All Water Resources: All 			
Retail Fuel Outlet	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: PO 2.1, 2.2	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2			

Class of Development	Applicable Poli	i cies es are applicable to the assessment of	the identified (Class of Development			
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.						
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.						
	Zone	General Development Policies	Subzone	Overlay			
		Policies	(applies only in the area affected by	(applies only in the area affected by the Overlay)			
			the Subzone)				
	[Building Height	Design in Urban Areas [All		Character Area: All			
	and Setbacks]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6	development – Water Sensitive Urban Design]: PO 5.1		Character Preservation District: All			
	[Landscaping]:	Design in Urban Areas [Car Parking Appearance]: PO 6.2		Coastal Areas: All			
	PO 5.1, 5.2 [Concept Plans]: PO 7.1	Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1		Defence Aviation Area: PO 1.1, 1.3			
				Future Road Widening: All			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - High Risk): All			
		Infrastructure and Renewable Energy Facilities [Wastewater		Hazards (Bushfire - Medium Risk): All			
		Services]: PO 12.1, 12.2 Interface Between Land Uses		Hazards (Bushfire - General Risk): All			
		[General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All			
		Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Flooding): All			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2		Historic Area: All Key Outback and Rural Routes: All			
		-		Key Railway Crossings: All			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Local Heritage Place: All			
		Transport, Access and Parking		Major Transport Routes: All			
		[Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Marine Parks (Managed Use): All			
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Mt Lofty Ranges Catchment (Area 2): All			
		Transport, Access and Parking		Murray Darling Basin: All			
		[Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Native Vegetation: All			
		Transport, Access and Parking		Non-stop Corridor: All			
		[Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking		Prescribed Water Resources Area: All			
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		Prescribed Watercourses: All			
		0.2, 0.3, 0.0		Prescribed Wells Area: All			
				River Murray Flood Plain: All			
				River Murray Tributaries Area: All			
				Sloping Land: All			
				State Heritage Area: All			
				State Heritage Place: All State Significant Native			
				Vegetation: All Strategic Infrastructure Gas			
				Pipelines: All Traffic Generating Development:			
				All			

Class of	Applicable Policies						
Development	The following polic	ies are applicable to the assessment of	the identified	Class of Development.			
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.						
	Zone	General Development	Subzone	Overlay			
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)			
				Urban Transport Routes: All			
				Water Protection Area: All			
				Water Resources: All			
Service trade premises	[Land Use and Intensity]: PO 1.1, 1.2 [Built Form and Character]: PO 2.1, 2.2 [Building Height and Setbacks]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6 [Landscaping]: PO 5.1, 5.2 [Concept Plans]: PO 7.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5 Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1 Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2	None	 Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Character Area: All Character Preservation District: All Coastal Areas: All Defence Aviation Area: PO 1.1, 1.3 Future Road Widening: All Hazards (Bushfire - High Risk): All Hazards (Bushfire - General Risk): All Hazards (Bushfire - General Risk): All 			
		Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1		Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Area: All			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2		Key Outback and Rural Routes: All Key Railway Crossings: All			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Local Heritage Place: All Major Transport Routes: All			
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2,		Major Transport Routes: All Marine Parks (Managed Use): All			

1.3, 1.4

Transport, Access and Parking [Sightlines]: PO 2.1, 2.2

Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9

Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1

Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6 Mt Lofty Ranges Catchment (Area 2): All Murray Darling Basin: All Native Vegetation: All Non-stop Corridor: All Prescribed Water Resources Area: All Prescribed Watercourses: All Prescribed Wells Area: All River Murray Flood Plain: All

Class of	Applicable Poli	icies				
Development	The following policies are applicable to the assessment of the identified Class of Development.					
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.					
		ent comprises more than one Class of I applicable policies for each Class of Dev		he relevant policies will be taken to		
	Zone General Development Policies	-	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
				River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure Gas Pipelines: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
Shop Except where any of the	[Land Use and Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		
The gross leasable floor	 1.1, 1.2 [Built Form and Character]: PO 2.1, 2.2 [Building Height and Setbacks]: 	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2		
area is more than 1000m ² other than a		Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2		
bulky goods outlet or it is ancillary to a light industry		appearance]: PO 1.4, 1.5		Character Area: All		
	PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6	Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1		Character Preservation District: All		
	[Landscaping]:	Design in Urban Areas [Car Parking		Coastal Areas: All		
	PO 5.1, 5.2 [Concept Plans]: PO 7.1	Appearance]: PO 6.2 Design in Urban Areas [All Non-		Defence Aviation Area: PO 1.1, 1.3		
		Residential Development – Water Sensitive Design]: PO 42.1		Future Road Widening: All		
		Infrastructure and Renewable		Hazards (Bushfire - High Risk): All		
		Energy Facilities [Water Supply]: PO 11.1		Hazards (Bushfire - Medium Risk): All		
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire - General Risk): All		

Interface Between Land Uses [General Land Use Compatibility]: PO 1.2

Interface Between Land Uses [Hours of Operation]: PO 2.1

Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2

Interface Between Land Uses [Light Spill]: PO 6.1, 6.2

Hazards (Bushfire - Regional): All
Hazards (Flooding): All
Historic Area: All
Key Outback and Rural Routes: All
Key Railway Crossings: All
Local Heritage Place: All
Major Transport Routes: All
Marine Parks (Managed Use): All

Class of	Applicable Pol	icies				
Development	The following polici	es are applicable to the assessment of	the identified	Class of Development.		
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.					
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2,		Mt Lofty Ranges Catchment (Area 2): All		
		1.3, 1.4		Murray Darling Basin: All		
		Transport, Access and Parking [Sightlines]: PO 2.1, 2.2		Native Vegetation: All		
		Transport, Access and Parking		Non-stop Corridor: All		
		[Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Prescribed Water Resources Area: All		
		Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Prescribed Watercourses: All		
		Transport, Access and Parking		Prescribed Wells Area: All		
		[Vehicle Parking Areas]: PO 6.1,		River Murray Flood Plain: All		
		6.2, 6.5, 6.6		River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure Gas Pipelines: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
Store	[Land Use and Intensity]: PO 1.1, 1.2	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		
	[Built Form and Character]: PO	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2		
	2.1, 2.2	Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2		
	[Building Height and Setbacks]:	appearance]: PO 1.4, 1.5 Design in Urban Areas [All		Character Area: All		
	PO 3.1, 3.2, 3.3,	development Water Consitive		Character Preservation District:		

3.4, 3.5, 3.6	development – Water Sensitive Urban Design]: PO 5.1	All
[Landscaping]: PO 5.1, 5.2 [Concept Plans]: PO 7.1	Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2	Coastal Areas: All Defence Aviation Area: PO 1.1, 1.3 Future Road Widening: All Hazards (Bushfire - High Risk): All Hazards (Bushfire - Medium Risk): All Hazards (Bushfire - General Risk): All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.						
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to						
	be the sum of the applicable policies for each Class of Development.						
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)			
		Interface Between Land Uses [General Land Use Compatibility]: PO 1.2 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4 Transport, Access and Parking [Sightlines]: PO 2.1, 2.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		 Hazards (Bushfire - Regional): All Hazards (Flooding): All Historic Area: All Key Outback and Rural Routes: All Key Railway Crossings: All Local Heritage Place: All Major Transport Routes: All Marine Parks (Managed Use): All Mt Lofty Ranges Catchment (Area 2): All Murray Darling Basin: All Native Vegetation: All Non-stop Corridor: All Prescribed Water Resources Area: All Prescribed Watercourses: All Prescribed Watercourses: All River Murray Flood Plain: All River Murray Tributaries Area: All Sloping Land: All State Heritage Place: All State Significant Native Vegetation: All Strategic Infrastructure Gas Pipelines: All 			
				Traffic Generating Development: All Urban Transport Routes: All Water Protection Area: All Water Resources: All			
Telecommunications facility	None	Infrastructure and Renewable Energy Facilities [Telecommunication Facilities]: PO 6.1, 6.2	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights (Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2 Character Area: All			

Class of	Applicable Pol	icies				
Development	The following polic	ies are applicable to the assessment of	the identified	Class of Development		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance					
	Where a developm	Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
				Character Preservation District: All		
				Coastal Areas: All		
				Defence Aviation Area: PO 1.1, 1.3		
				Future Road Widening: All		
				Hazards (Flooding): All		
				Historic Area: All		
				Key Outback and Rural Routes: PO 8.1, 10.1		
				Key Railway Crossings: All		
				Local Heritage Place: All		
				Major Transport Routes: PO 8.1, 10.1		
				Marine Parks (Managed Use): All		
				Mt Lofty Ranges Catchment (Area 2): All		
				Murray Darling Basin: All		
				Native Vegetation: All		
				Non-stop Corridor: All		
				River Murray Flood Plain: All		
				River Murray Tributaries Area: All		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure Gas Pipelines: All		
				Urban Transport Routes: PO 8.1, 10.1		
				Water Protection Area: All		
				Water Resources: All		
Tourist accommodation	Intensity]: PO	Clearance from Overhead Powerlines: PO 1.1	None	Airport Building Heights (Aircraft Landing Area): PO 1.1		
	1.1, 1.2 [Built Form and	Design in Rural Areas [On-site Waste Treatment Systems]: PO 6.1		Airport Building Heights (Regulated): PO 1.1, 1.2		
	Character]: PO 2.1, 2.2	Design in Urban Areas [All development – External		Building Near Airfields: PO 1.1, 1.2		
	[Building Height and Setbacks]:	appearance]: PO 1.4, 1.5		Character Area: All		
	PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6			Character Preservation District: All		

Class of Development	Applicable Policies				
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
	[Landscaping]: PO 5.1, 5.2	Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1		Coastal Areas: All Defence Aviation Area: PO 1.1,	
	[Concept Plans]: PO 7.1	Design in Urban Areas [Car Parking Appearance]: PO 6.2		1.3 Future Road Widening: All	
		Design in Urban Areas [All Non- Residential Development – Water		Hazards (Bushfire - High Risk): All	
		Sensitive Design]: PO 42.1 Infrastructure and Renewable Energy Facilities [Water Supply]:		Hazards (Bushfire - Medium Risk): All	
		PO 11.1 Infrastructure and Renewable		Hazards (Bushfire - General Risk): All	
		Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire - Regional): All	
		Interface Between Land Uses [General Land Use Compatibility]:		Hazards (Flooding): All Historic Area: All	
		PO 1.2 Interface Between Land Uses		Key Outback and Rural Routes: All	
		[Hours of Operation]: PO 2.1		Key Railway Crossings: All	
		Interface Between Land Uses [Activities Generating Noise or		Local Heritage Place: All	
		Vibration]: PO 4.2		Major Transport Routes: All	
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Marine Parks (Managed Use): All Mt Lofty Ranges Catchment	
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		(Area 2): All Murray Darling Basin: All	
		Transport, Access and Parking		Native Vegetation: All	
		[Sightlines]: PO 2.1, 2.2		Non-stop Corridor: All	
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9		Prescribed Water Resources Area: All	
		Transport, Access and Parking		Prescribed Watercourses: All	
		[Vehicle Parking Rates]: PO 5.1		Prescribed Wells Area: All	
		Transport, Access and Parking		River Murray Flood Plain: All	
		[Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6		River Murray Tributaries Area: All	
				Sloping Land: All	
				State Heritage Area: All	
				State Heritage Place: All State Significant Native	
				Vegetation: All Strategic Infrastructure Gas Pipelines: All	
				Traffic Generating Development:	
				Urban Transport Routes: All	
				Water Protection Area: All	

Class of	Applicable Pol	licies			
Development	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development	Subzone	Overlay	
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
				Water Resources: All	
Tree damaging activity	None	None	None	Regulated Tree: All	
Warehouse	ouse[Land Use and Intensity]: PO 1.1, 1.2[Built Form and Character]: PO 2.1, 2.2[Building Height and Setbacks]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6[Landscaping]: PO 5.1, 5.2[Concept Plans]: PO 7.1	Clearance from Overhead Powerlines: PO 1.1 Design in Rural Areas [On-site	None	Airport Building Heights (Aircraft Landing Area): PO 1.1 Airport Building Heights	
		Waste Treatment Systems]: PO 6.1 Design in Urban Areas [All development – External appearance]: PO 1.4, 1.5		(Regulated): PO 1.1, 1.2 Building Near Airfields: PO 1.1, 1.2	
		Design in Urban Areas [All development – Water Sensitive Urban Design]: PO 5.1		Character Area: All Character Preservation District: All	
		Design in Urban Areas [Car Parking Appearance]: PO 6.2 Design in Urban Areas [All Non- Residential Development – Water Sensitive Design]: PO 42.1		Coastal Areas: All Defence Aviation Area: PO 1.1,	
				1.3 Future Road Widening: All	
		Infrastructure and Renewable Energy Facilities [Water Supply]:		Hazards (Bushfire - High Risk): All	
		PO 11.1 Infrastructure and Renewable		Hazards (Bushfire - Medium Risk): All	
		Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Hazards (Bushfire - General Risk): All	
		Interface Between Land Uses [General Land Use Compatibility]: PO 1.2		Hazards (Bushfire - Regional): All	
		Interface Between Land Uses		Hazards (Flooding): All	
		[Hours of Operation]: PO 2.1		Historic Area: All	
		Interface Between Land Uses [Activities Generating Noise or		Key Outback and Rural Routes: All	
		Vibration]: PO 4.2		Key Railway Crossings: All	
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		Local Heritage Place: All	
		Transport, Access and Parking [Movement Systems]: PO 1.1, 1.2, 1.3, 1.4		Major Transport Routes: All Marine Parks (Managed Use): A Mt Lofty Ranges Catchment	
		,		(Area 2): All	

Transport, Access and Parking [Sightlines]: PO 2.1, 2.2

Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.3, 3.4, 3.5, 3.7, 3.8, 3.9

Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1

Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.2, 6.5, 6.6 (Area 2): All
Murray Darling Basin: All
Native Vegetation: All
Non-stop Corridor: All
Prescribed Water Resources Area: All
Prescribed Watercourses: All
Prescribed Wells Area: All
River Murray Flood Plain: All
River Murray Tributaries Area: All

Class of Development	Applicable Policies					
	The following p	The following policies are applicable to the assessment of the identified Class of Development.				
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development.					
		Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development	Subzone	Overlay		
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
				Sloping Land: All		
				State Heritage Area: All		
				State Heritage Place: All		
				State Significant Native Vegetation: All		
				Strategic Infrastructure Gas Pipelines: All		
				Traffic Generating Development: All		
				Urban Transport Routes: All		
				Water Protection Area: All		
				Water Resources: All		
All other Code Assessed Development	di Ali	AII	None	Any Relevant Overlay: All		

Table 4 – Restricted Development Classification

Class of Development	Exclusions
The following Classes of Development are classified as Restricted subject to any 'Exclusions'	
Industry	Light industry
Shop	 Where: (d) the gross leasable floor area is no more than 1000m²: or (e) it is a bulky goods outlet; or (f) it is ancillary to a light industry on the same allotment.
Waste reception, storage, treatment or disposal	
Wrecking yard	

Assessment Provisions

Desired Outcomes (DO)

DO 1

A zone supporting a diverse range of low impact light industrial, commercial and business activities that complement the role of other zones accommodating significant industrial, shopping and business activities.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

A range of employment generating light industrial, service trade, motor repair and other compatible businesses servicing the local community that do not produce objectionable emissions.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

- Bulky goods outlet
- Consulting room
- Indoor recreation facility
- Light industry
- Office
- Research facility
- Service trade premises
- Shop
- Store
- Training facility
- Tourist accommodation
- Retail fuel outlet
- Place of worship
- Motor repair station.

PO 1.2

Shops, other than bulky goods outlets, provide a local convenience service to meet the day to day needs of the local community and surrounding businesses as well as support the sale of products made on-site as a supplement to a business activity to enhance local job opportunities.

DTS/DPF1.2

Shop:

- a. with a gross leasable floor area up to 500m2;
- b. in the form of a bulky goods outlet; or
- c. ancillary to and located on the same allotment as a light industry.

Built Form and Character

PO 2.1

Development achieves distinctive building, landscape and streetscape design to achieve high visual and environmental amenity particularly along arterial roads, zone boundaries and public open spaces.

DTS/DPF 2.1

None are applicable.

PO 2.2

Building facades facing a boundary of a zone primarily intended to accommodate residential development, public roads, or public open space incorporate design elements to add visual interest by considering the following:

- (a) a variety of building finishes and avoid elevations that consist solely of metal cladding;
- (b) using materials with a low reflectivity; and

(c) techniques to add visual interest and reduce large expanses of blank walls including modulation and incorporation of offices and showrooms along elevations visible to a public road.

DTS/DPF 2.2

None are applicable.

Building height and setbacks

PO 3.1

Buildings set back from the primary street boundary to contribute to a consistent streetscape.

DTS/DPF3.1

Buildings are no closer to the primary street frontage than:

- (a) the average of existing buildings on adjoining sites with the same primary street frontage and, if there is only one such building, the setback of that building; or
- (b) where no building exists on an adjoining site, 3m or more.

PO 3.2

Buildings set back from a secondary street boundary to accommodate the provision of landscaping between buildings and the street to enhance the appearance of land and buildings when viewed from the street.

DTS/DPF3.2

Buildings are no closer than 2m to the secondary street boundary.

PO 3.3

Buildings set back from rear access ways to provide adequate manoeuvrability for vehicles to enter and exit the site.

DTS/DPF3.3

Buildings are setback from the rear access way:

- (a) where the access way is 6.5m wide or more, no requirement; or
- (b) where the access way is less than 6.5m wide, the distance equal to the additional width required to make the access way at least 6.5m wide.

PO 3.4

Buildings are sited to accommodate vehicle access to the rear of a site for deliveries, maintenance and emergency purposes.

DTS/DPF3.4


Buildings setback at least 3m from at least one side boundary, unless an alternative means for vehicular access to the rear of the site is available.

PO 3.5

Buildings adjoining a zone primarily intended to accommodate residential development are sited and designed to minimise visual impacts from building bulk.

DTS/DPF 3.5

Buildings constructed within a building envelope provided by a 45 degree plane, measured from a height of 3m above natural ground level at the allotment boundary of a zone primarily intended to accommodate residential development as shown in the following diagram, except where the relevant boundary is a southern boundary, or where this boundary is the primary street boundary.




PO 3.6

Buildings are constructed to minimise overshadowing of sensitive receivers outside the zone.

DTS/DPF 3.6

Buildings on sites with a southern boundary adjoining a residential allotment within a different zone are constructed within a building envelope provided by a 30-degree plane grading north measured from a height of 3m above natural ground level at the southern boundary, as shown in the following diagram:



Site Dimensions and Land Division

PO 4.1

Land division that creates allotments that vary in size and are suitable for a variety of commercial and business activities.

DTS/DPF4.1

Allotments have: (a) an area of 1250m2 or more; and (b) a frontage of 20 metres or more.

Landscaping

PO 5.1

Landscaping provided to enhance the visual appearance of development when viewed from public roads and thoroughfares.

DTS/DPF 5.1

Other than to accommodate a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land, a landscaped area is provided within the development site (excluding any land required for road widening purposes):

- a. where a building is setback less than 3m from the street boundary –1m or more within the area remaining between a relevant building and the street boundary; or
- b. at least 1.5m wide.

PO 5.2

Development incorporates areas for landscaping to enhance the overall amenity of the site and locality.

DTS/DPF 5.2

Landscape areas comprise:

- (c) not less than 10 percent of the site;
- (d) a dimension of at least 1.5m.

Advertisements

PO 6.1

Freestanding advertisements are not visually dominant within the locality. DTS/DPF 6.1

Freestanding advertisements:

(a) do not exceed 4m in height above natural ground level; and

(b) do not have a face that exceeds 3m2.

Procedural Matters

Notification of Performance assessed development

All classes of performance assessed development are excluded from notification except where it involves any of the following:

(a)

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Suburban Neighbourhood Zone

Table 1 – Accepted Development Classification

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria	
Criteria' Carport Except where any of the following apply: Building Near Airfields Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Future Road Widening Overlay where an existing access is altered or a new access is created	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is ancillary to a dwelling erected on the site Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 40m² Post height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure to the same or lesser extent If the carport abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street): 	
 Key Railway Crossings Overlay where an existing access is altered or a new access is created 	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and 	

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Non-stop Corridor Overlay where an existing access is altered or a new access is created Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	 (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure 10 The total roofed area of all existing or proposed buildings on the allotment does not exceed 50% of the area of the allotment 11 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser) 12 The carport: (a) is located so that vehicle access: i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or ii. will use a driveway that: A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and
Demolition Except where any of the following apply:	None.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay Internal building work Except where any of the following apply: A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay State Heritage Area Overlay State Heritage Place identified in the State Heritage Place identified in the Local Heritage Area Overlay State Heritage Place identified in the State Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.
 Outbuilding (in the form of a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay 	 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system It is detached from and ancillary to a dwelling erected on the site. Primary street setback – at least 5.5m from the primary street boundary and as far back as the building line of the building to which it is ancillary Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) Total floor area - does not exceed 40m² Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) Building height - does not exceed 5m If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless:

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Future Road Widening Overlay 	 (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
 where an existing access is altered or a new access is created Key Railway Crossings Overlay where an existing access is altered 	9 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
 where an existing access is altered or a new access is created Key Outback and Rural Routes Overlay where an existing access is altered or a new access is created Major Urban Transport Routes Overlay where an existing access is altered or a new access is created Mon-stop Corridor Overlay where 	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and (b) it will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
	 10 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 50% 11 Door opening for vehicle access – does not exceed, in total, 7m in width or 50% of the width of the allotment frontage (whichever lesser)
an existing access is altered or a new access is created	12 The garage: (a) is located so that vehicle access:
 Urban Transport Routes Overlay where an existing access is altered or a new access is created Water Resources Overlay 	i.is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; or
	ii. will use a driveway that:
	 A. is not located within 6 metres of an intersection of 2 or more roads or a pedestrian actuated crossing; and
	 B. will not interfere with an item of street furniture (including directional signs, lighting, seating and weather shelters), other infrastructure, or a tree; or
	iii. if adjacent a kerbed road, will be via a kerb that is designed to allow a vehicle to roll over it; and

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	 (b) is located so that the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the carport when the work is completed is not steeper than 1:4 on average; and (c) The centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access 1 If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
 Outbuilding (not being a garage) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay Water Resources Overlay 	 36 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 37 It is detached from and ancillary to a dwelling erected on the site 38 Primary street setback – at least as far back as the building line of the building to which it is ancillary 39 Secondary street setback – at least 900mm from the boundary of the allotment (if the land has boundaries on two or more roads) 40 Side boundary setbacks – at least 900mm from the boundary of the allotment 41 Total floor area does not exceed 40m² 42 Wall height - does not exceed 3m measured from natural ground level (and not including a gable end) 43 Building height - does not exceed 5m 44 If situated on or abutting a boundary (not being a boundary with a primary street or secondary street) – a length not exceeding 10m unless: (a) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and (b) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	45 If the outbuilding abuts or is situated on the boundary of the allotment (not being a boundary with a primary street or secondary street):
	 (a) it will not result in all relevant walls or structures located along the boundary exceeding 45% of the length of the boundary; and
	(b) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure
	46 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 50%
	If clad in sheet metal—is pre-colour treated or painted in a non-reflective colour.
Shade sail Except where any of the following	22 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system
apply:Character Preservation District	23 Shade sail consists of permeable material
Overlay	24 The total area of the sail - does not exceed 40m ²
Coastal Areas OverlayHazards (Acid Sulfate Soils)	25 No part of the shade sail will be:
OverlayCharacter Area Overlay	(a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment
 Historic Area Overlay Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	(b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment
	26 Primary street setback – at least as far back as the building line of the building to which it is ancillary
	27 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m
	8 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
	together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: Historic Area Overlay A Local Heritage Place identified in the Local Heritage Place Overlay State Heritage Area Overlay A State Heritage Place identified in the State Heritage Place Overlay 	 10 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof 11 Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.
 Spa pool Swimming pool Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay Local Heritage Place Overlay State Heritage Place Overlay State Heritage Place Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay 	 31 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 32 It is ancillary to a dwelling erected on the site 33 Allotment boundary setback – not less than 1m 34 Primary street setback – at least as far back as the building line of the building to which it is ancillary 35 Location of filtration system from a dwelling on an adjoining allotment: (a) not less than 5m where the filtration system is located inside a solid structure that will have material impact on the transmission of noise not less than 12m in any other case.

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay. 	
 Verandah Except where any of the following apply: Character Preservation District 	24 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system25 It is ancillary to a dwelling erected on the site
	 26 Primary street setback – as far back as the building line of the building to which it is ancillary 27 Total floor area - does not exceed 40m² 28 Post height - does not exceed 3m measured from natural ground level 29 Building height - does not exceed 5m 30 Length - does not exceed 10m if any part of the structure abuts or is situated on a boundary of the allotment 9 Total roofed area of all existing and proposed buildings on the allotment - does not exceed 50%.
 Water Resources Overlay Water tank (above ground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Flooding) Overlay Character Area Overlay Historic Area Overlay 	 22 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system 23 The tank is part of a roof drainage system 24 Total floor area - not exceeding 15m² 25 The tank is located wholly above ground 26 Tank height – does not exceed 4m above natural ground level

Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
 Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay River Murray Flood Plain Overlay Sloping Land Overlay Water Resources Overlay 	 27 Primary street setback – at least as far back as the building line of the building to which it is ancillary 1 In the case of a tank made of metal – the tank is pre-colour treated or painted in a non-reflective colour.
 Water tank (underground) Except where any of the following apply: Character Preservation District Overlay Coastal Areas Overlay Hazards (Acid Sulfate Soils) Overlay Native Vegetation Overlay State Significant Native Vegetation Overlay Ramsar Wetlands Overlay Sloping Land Overlay 	 7 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 – Deemed-to-Satisfy Development Classification

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Ancillary accommodation		Design in Urban Areas [All Residential Development – Ancillary Development]:	All	Airport Building Heights (Aircraft Landing Areas) Overlay: All	
Except where		PO 17.1, 17.2		Airport Building Heights (Regulated) Overlay: All	
Located within the Underground Subzone				Major Urban Transport Routes Overlay [Corner Cut-Offs]: All	
Aircraft Noise Exposure Overlay				Key Railway Crossings Overlay:	
Building Near Airfields Overlay Character Area Overlay Character Preservation				Native Vegetation Overlay [Environmental Protection]: DTS 1.1	
District Overlay Coastal Areas Overlay				State Significant Native Vegetation Areas Overlay [Environmental Protection]: All	
Hazards (Bushfire-High Risk) Overlay				Future Road Widening Overlay: All	

Class of	Deemed-to-Satisfy Development Classification Criteria					
Development	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'						
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Hazards (Medium-Risk) Overlay				Hazards (Acid Sulfate Soils) Overlay: All		
Hazards (General-Risk) Overlay				Urban Transport Routes Overlay [Corner Cut-Offs]: All		
Hazards (Urban Interface) Overlay						
Hazards (Flooding) Overlay						
Historic Areas Overlay						
Local Heritage Place Overlay						
Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Noise and Air Emission Overlay						
Ramsar Wetlands Overlay						

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
River Murray Tributaries Overlay					
River Murray Flood Plain Overlay					
Significant Industry Interface Overlay State Heritage Area Overlay					
State Heritage Place Overlay					
Sloping Land Overlay					
Carport Outbuilding (in the form of a garage) Except where the following apply:		Design in Urban Areas [All Residential Development – Ancillary Development]: DTS 17.1, 17.2		Airport Building Heights (Aircraft Landing Areas) Overlay: All Airport Building Heights (Regulated) Overlay: All	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Character Area Overlay		Design in Urban Areas [Residential		Key Outback and Rural Route:	
Character Preservation District Overlay		Development – 3 Building Levels or Less – External Appearance]: DTS 19.1		All Key Railway Crossings Overlay:	
Coastal Areas Overlay		Design in Urban Areas [Residential		All	
Historic Areas Overlay		Development – 3 Building Levels or Less –		Major Urban Transport Routes Overlay: All	
Hazards (Bushfire-High Risk) Overlay		Car parking, Access and Manoeuvrability]: All		Native Vegetation Overlay [Environmental Protection]: DTS 1.1	
Hazards (Medium-Risk) Overlay		Transport, Access and Parking [Vehicle Access]: DTS 3.1, 3.4, 3.5		State Significant Native Vegetation Areas Overlay	
Hazards (General-Risk)				[Environmental Protection]: All	
Overlay				Future Road Widening Overlay: All	
Hazards (Urban Interface) Overlay				Hazards (Acid Sulfate Soils) Overlay: All	
Hazards (Flooding) Overlay				Urban Transport Routes Overlay:	
Local Heritage Place Overlay				All	

Class of	Deemed-to-Satisfy Development Classification Criteria				
Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Non-Stop Corridors Overlay					
River Murray Tributaries Overlay					
River Murray Flood Plain Overlay					
State Heritage Area Overlay					
State Heritage Place Overlay					
Sloping Land Overlay					
Dwelling addition	[Site Coverage]:	Clearance from Overhead Powerlines:	All	Airport Building Heights (Aircraft	
Except where	PO 3.1	DTS 1.1		Landing Areas) Overlay: All	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Located in the Underground Subzone	[Building Height]: PO 4.1	Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.2		Airport Building Heights (Regulated) Overlay: All
Aircraft Noise Exposure Overlay Building Near Airfields Overlay Character Area Overlay Character Preservation District Overlay Coastal Areas Overlay Hazards (Bushfire-High	[Primary Street Setback]: PO 5.1 [Secondary Street Setback]: PO 6.1 [Boundary Walls] PO 7.1, 7.2 [Side Boundary Setback] PO 8.1 [Rear Boundary Setback] PO 9.1	Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2 Design in Urban Areas [All Residential Development – External Appearance]: DTS 14.1 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1 Design in Urban Areas [All Residential		Key Outback and Rural Route: All Key Railway Crossings Overlay: All Major Urban Transport Routes Overlay [Access – Safe Entry and Exit: All Native Vegetation Overlay [Environmental Protection]: DTS 1.1
Risk) Overlay Hazards (Medium-Risk) Overlay		Development – 3 Building Levels or Less – External Appearance]: DTS 19.1, 19.2, 19.3		State Significant Native Vegetation Areas Overlay [Environmental Protection]: DTS 1.1
Hazards (General-Risk) Overlay		Design in Urban Areas [All Residential Development – 3 Building Levels or		Future Road Widening Overlay: All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Hazards (Urban Interface) Overlay		Less –Overlooking / Visual Privacy]: DTS 20.1		Hazards (Acid Sulfate Soils) Overlay: All
Hazards (Flooding) Overlay Historic Areas Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Non-Stop Corridors Overlay Noise and Air Emission Overlay Ramsar Wetlands Overlay River Murray Tributaries Overlay		 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: DTS 21.1, 21.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: DTS 25.1 Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: DTS 4.4 Site Contamination: DTS 1.1 		Urban Transport Routes Overlay: All

Class of	Deemed-to-Satisfy Development Classification Criteria				
Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
River Murray Flood Plain Overlay					
Significant Industry Interface Overlay State Heritage Area Overlay					
State Heritage Place Overlay					
Sloping Land Overlay					
Detached Dwelling (not being in a Battle-axe arrangement) Except where: located within the Underground Subzone;	[Site Dimensions and Land Division]: DTS 2.1, 2.2 [Site Coverage]: DTS 3.1 [Building Height]: DTS 4.1	Clearance from Overhead Powerlines: DTS 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: DTS 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: DTS 12.1, 12.2	AII	Affordable Housing Overlay: All Airport Building Heights (Aircraft Landing Areas) Overlay: All Airport Building Heights (Regulated) Overlay: All Key Outback and Rural Route Overlay: All	

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
Aircraft Noise Exposure Overlay	[Primary Street Setback]: 5.1	Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1		Key Railway Crossings Overlay: All
Building Near Airfields Overlay	[Secondary Street Setback]: DTS 6.1	Design in Urban Areas [All Development – Car Parking Appearance]: DTS 6.1		Major Urban Transport Routes Overlay: All
Character Area Overlay Character Preservation District Overlay	[Boundary Walls]: DTS 7.1, 7.2	Design in Urban Areas [All Residential Development – External Appearance]: DTS 14.1, 14.2		Native Vegetation Overlay [Environmental Protection]: DTS 1.1
Coastal Areas Overlay Hazards (Bushfire-High Risk) Overlay	7.2 [Side Boundary Setbacks]: DTS 8.1 [Rear Boundary Setbacks]: 9.1	Drs 14.1, 14.2 Design in Urban Areas [All Residential Development – Outlook and Amenity]: DTS 15.1		State Significant Native Vegetation Areas Overlay [Environmental Protection]: DTS 1.1
Hazards (Medium-Risk) Overlay		Design in Urban Areas [All Residential Development – Access and Servicing]:		Future Road Widening Overlay: All
Hazards (General-Risk) Overlay Hazards (Urban Interface) Overlay Hazards (Flooding) Overlay		DTS 16.1 Design in Urban Areas [All Residential Development – Flooding]: DTS 18.1 Design in Urban Areas [All Residential Development – 3 Building Levels or		Hazards (Acid Sulfate Soils) Overlay: All Urban Transport Routes Overlay: All

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Historic Areas Overlay Local Heritage Place Overlay Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Non-Stop Corridors Overlay Noise and Air Emission Overlay Ramsar Wetlands Overlay River Murray Tributaries Overlay River Murray Flood Plain Overlay Significant Industry Interface Overlay		 Less – External Appearance]: DTS 19.1, 19.2, 19.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: DTS 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: DTS 21.1, 21.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: DTS 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Water Sensitive Design]: DTS 23.1, 23.2, 23.3 Design in Urban Areas [All Residential 			

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
State Heritage Area Overlay State Heritage Place Overlay Sloping Land Overlay		 Less – Car Parking and Manoeuvrability]: DTS 24.1, 24.2, 24.3, 24.4, 24.5, 24.6 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: DTS 25.1 Interface Between Land Uses [Overshadowing]: DTS 3.1, 3.2 Interface Between Land Uses [Interface Between Rural Activities]: DTS 9.3, 9.4, 9.5 Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: DTS 10.1 Site Contamination: DTS 1.1 			

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Dwelling, dwellings or residential flat building undertaken by:		Housing Renewal: All DTS		Affordable Housing Overlay [Land Division] DTS 1.1	
a) the South				Airport Building Heights (Aircraft Landing Areas) Overlay: All	
Australian Housing Trust either individually or jointly with other				Airport Building Heights (Regulated) Overlay: All	
persons or bodies; or				Key Outback and Rural Route: All	
b) registered Community Housing providers participating				Key Railway Crossings Overlay: All	
in housing renewal programs endorsed by				Major Urban Transport Routes Overlay: All	
the South Australian Housing Authority				Native Vegetation Overlay [Environmental Protection]: DTS 1.1	
located within the Underground Subzone;				State Significant Native Vegetation Areas Overlay [Environmental Protection]: DTS 1.1	

Class of	Deemed-to-Satisfy Development Classification Criteria					
Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Aircraft Noise Exposure Overlay				Future Road Widening Overlay: All		
Building Near Airfields Overlay Character Area Overlay				Hazards (Acid Sulfate Soils) Overlay: All		
Character Preservation District Overlay				Urban Transport Routes Overlay: All		
Coastal Areas Overlay						
Hazards (Bushfire-High Risk) Overlay						
Hazards (Medium-Risk) Overlay						
Hazards (General-Risk) Overlay						
Hazards (Urban Interface) Overlay						
Hazards (Flooding) Overlay						

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Historic Areas Overlay					
Local Heritage Place Overlay					
Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Non-Stop Corridors Overlay					
Noise and Air Emission Overlay					
Ramsar Wetlands Overlay					
River Murray Tributaries Overlay					
River Murray Flood Plain Overlay					
Significant Industry Interface Overlay					

Class of	Deemed-to-Satisfy Development Classification Criteria					
Development	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to						
meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
State Heritage Area Overlay						
State Heritage Place Overlay						
Sloping Land Overlay						
Excavation and filling		Design in Urban Areas [All		Native Vegetation Overlay		
Except where		Development – Fences and Walls]: DTS 8.2		[Environmental Protection]: DTS 1.1		
Character Area Overlay		0.2		State Significant Native		
Character Preservation District Overlay				Vegetation Areas Overlay [Environmental Protection]: DTS		
Coastal Areas Overlay				1.1		
Hazards (Flooding) Overlay						
Historic Areas Overlay						

Class of Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
Local Heritage Place Overlay					
Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay Ramsar Wetlands Overlay					
River Murray Tributaries Overlay					
River Murray Flood Plain Overlay					
State Heritage Area Overlay					
State Heritage Place Overlay					
Sloping Land Overlay					

Class of	Deemed-to-Satisfy Development Classification Criteria					
Development The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-to- Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Outbuilding (not being a garage)		Design in Urban Areas [All Residential Development – Ancillary Development]:		Major Urban Transport Routes Overlay [Corner Cut-Offs]: All		
Verandah		DTS 17.1, 17.2		Native Vegetation Overlay		
Except where the following apply:				[Environmental Protection]: DTS 1.1		
Character Area Overlay				State Significant Native Vegetation Areas Overlay		
Character Preservation District Overlay				[Environmental Protection]: All Future Road Widening Overlay:		
Coastal Areas Overlay				All		
Hazards (Flooding) Overlay				Hazards (Acid Sulfate Soils) Overlay: All		
Historic Areas Overlay				Urban Transport Routes Overlay		
Local Heritage Place Overlay				[Corner Cut-Offs]: All		
Marine Parks (Managed Use) Overlay Mt Lofty Ranges Catchment (Area 2) Overlay						

Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria					
Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
	Provisions referred Where a developm the sum of the crit	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Dev the sum of the criteria for each Class of Development.	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the re the sum of the criteria for each Class of Development. Zone General Development Policies Subzone (applies only in the area affected by		

Table 3 - Applicable Policies for Performance Assessed Development

Class of Development		Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.						
		Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant D automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum o Development.						
	-							
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of				
Ancillary accommodation		Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2		Aircraft NoAirport BuOverlay: AAirport BuBuilding NCharacterCoastal ArCharacterCharacterFuture RoaHazards (AHazards (A<				

Desired Outcomes are not listed, but

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

Noise Exposure Overlay: All

Building Heights (Aircraft Landing Area) : All Building Heights (Regulated) Overlay: All Near Airfields: All er Preservation District Overlay: All

Areas Overlay: All

er Area Overlay: All

Road Widening Overlay: All

(Acid Sulfate Soils) Overlay: All

(Bushfire-High Risk) Overlay: All

(Medium-Risk) Overlay: All

(General-Risk) Overlay: All

(Urban Interface) Overlay: All

(Flooding) Overlay: All

Areas Overlay: All

ritage Place Overlay: All

ban Transport Routes Overlay: All

Ranges Catchment (Area 2) Overlay: All

egetation Overlay: All

d Air Emission Overlay: All

Wetlands Overlay: All

rray Tributaries Overlay: All

rray Flood Plain Overlay: All

nt Industry Interface Overlay: All

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant D automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of		
				State Sign State Heri State Heri Sloping La		
Carport Outbuilding (in the form of a garage)		Design in Urban Areas [All Residential Development – Ancillary Development]: PO 17.1, 17.2 Design in Urban Areas [Residential Development – 3 Building Levels or Less – External Appearance]: PO 19.1 Design in Urban Areas [Residential Development – 3 Building Levels or Less – Car parking, Access and Manoeuvrability]: All Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.4, 3.5		Airport Bu Overlay: A Airport Bu Building N Coastal ArFuture RoaHazards (F Historic ArLocal Herit Major UrbaNoise and RegulatedSloping LaState Heri Local Herit CharacterHistoric ArLocal Herit RegulatedState Heri Local Herit CharacterHistoric ArUrban Trai Key Outba		

n of the applicable policies for each Class of

only in the area affected by the Overlay)

ignificant Native Vegetation Areas Overlay: All eritage Area Overlay: All eritage Place Overlay: All

Land Overlay: All

Building Heights (Aircraft Landing Area) All Building Heights (Regulated) Overlay: All Near Airfields: All Areas: All Road Widening: All (Flooding): All Area: All eritage Place: All rban Transport Routes: All nd Air Emissions: All ed Trees: All Land: All eritage Area: All eritage Place: All eritage Place Overlay: All er Area Overlay: All Areas Overlay: All ransport Routes: All back and Rural Route Overlay All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant D automatically apply in relation to a Performance Assessed Development.							
								Where a development of Development.
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of				
					Key Railwa Major Urba Native Veg Protection State Sign Mt Lofty R Future Roa Hazards (A Non-Stop Character Hazards (I Coastal An River Murn			
Consulting room Office Preschool	[Land Use and Intensity]: PO 1.3, 1.4, PO 1.5, PO 1.6 [Site Coverage]: PO 3.1 [Building Height]: PO 4.1 [Primary Street Setback]: PO 5.1 [Secondary Street Setback]: PO 6.1 [Boundary Walls]: PO 7.1 [Side Boundary Setback]: PO 8.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4 Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		Aircraft Na Airport Bu Overlay: A Airport Bu Building N Character Character Coastal Ar Future Roa Hazards (I Hazards (I Hazards (I Hazards (I Hazards (I Hazards (I Hazards (I Hazards (I Hazards (I				

of the applicable policies for each Class of

у

only in the area affected by the Overlay)

way Crossings Overlay: All rban Transport Routes: All egetation Overlay [Environmental on]: All gnificant Native Vegetation Areas Overlay: All Ranges Catchment (Area 2) Overlay: All Road Widening Overlay: All (Acid Sulfate Soils) Overlay: All p Corridors Overlay: All er Preservation District Overlay: All (Flooding) Overlay: All Areas Overlay : All urray Tributaries Overlay: All urray Flood Plain Overlay: All Noise Exposure Overlay: All Building Heights (Aircraft Landing Area) All Building Heights (Regulated) Overlay: All Near Airfields: All er Area Overlay: All er Preservation District: All Areas: All Road Widening: All (Acid Sulfate Soils): All (Bushfire – High Risk): All (Bushfire – Medium Risk): All (Bushfire – General Risk): All (Bushfire – Urban Interface): All (Bushfire – Regional): All (Flooding): All

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant I automatically apply in relation to a Performance Assessed Development. 					
	Where a development of Development.	comprises more than one Class of Development the relevant	policies will be taken to	be the sum o		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of		
	[Rear Boundary Setback]: PO 9.1	 Transport, Access and Parking [Movement Systems]: PO 1.4 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6 Transport, Access and Parking [Bicycle Parking in Designated Areas]: PO 9.1 		Historic Ar Key Outba Key Railwa Local Herit Major Urba Mt Lofty R Marine Par Murray Da Native Veg Noise and Non-stop 0 Ramsar W River Murr Significant Sloping La State Heri State Heri State Sign Strategic I Traffic Ger Urban Tra Water Pro		
Demolition of a State or Local Heritage Place	None	None	None	Local Heri		
Demolition within an Historic Areas Overlay area or State Heritage Area	None	None	None	Historic Ar State Heri		
Dwelling addition	[Land Use and Intensity]: PO 1.2 [Site Coverage]: PO 3.1 [Building Height]: PO 4.1	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Aircraft No Airport Bu Overlay: A Airport Bu Building N Building N Character Character		

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

Area: All

back and Rural Routes Overlay: All way Crossings Overlay: All ritage Place Overlay: All ban Transport Routes: All Ranges Catchment (Area 2) Overlay: All Parks (Managed Use) : All Darling Basin : All egetation : All d Air Emissions: All Corridor Overlay: All Wetlands Overlay: All rray Flood Plain Overlay : All rray Tributaries Area Overlay : All nt Industry Interface Overlay: All and Overlay : All ritage Area Overlay : All ritage Place Overlay : All nificant Native Vegetation Overlay : All : Infrastructure (Gas Pipelines) Overlay: All enerating Development Overlay : All ansport Routes Overlay : All rotection Area Overlay : All esources Overlay: All ritage Place: All ritage Place: All Areas: All ritage Area: All Noise Exposure Overlay: All Building Heights (Aircraft Landing Area) All Building Heights (Regulated) Overlay: All Near Airfields: All Near Airfields: All er Area Overlay: All er Preservation District: All

Class of Development	Applicable Policie The following policies a	e s re applicable to the assessment of the identified Class of Dev	relopment.	
		Performance Outcome policies, and any associated Designate relation to a Performance Assessed Development.	ed Performance Features	s. Relevant
	Where a development of Development.	comprises more than one Class of Development the relevant	policies will be taken to	be the sum
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies o
	[Primary Street Setback]: PO 5.1 [Secondary Street Setback]: PO 6.1 [Boundary Walls]: PO 7.1, 7.2 [Side Boundary Setback]: PO 8.1 [Rear Boundary Setback]: PO 9.1	 Design in Urban Areas [All Residential Development – External Appearance]: PO 14.1 Design in Urban Areas [All Residential Development – Outlook and Amenity]: PO 15.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: PO 19.1, 19.2, 19.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: PO 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: PO 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: PO 21.1, 21.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Landscaping]: PO 22.1, 22.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.4 Site Contamination: PO 1.1 		Coastal A Defence Future Re Hazards Ha
Detached dwelling (not being in a Battle-axe arrangement)	[Land Use and Intensity]: PO 1.2	Clearance from Overhead Powerlines: PO 1.1		Aircraft N

of the applicable policies for each Class of

у

only in the area affected by the Overlay)

Areas: All

Aviation Area Overlay: All oad Widening: All (Acid Sulfate Soils): All (Bushfire – High Risk): All (Bushfire – Medium Risk): All (Bushfire – General Risk): All (Bushfire – Urban Interface): All (Bushfire – Regional): All (Flooding): All Area: All back and Rural Routes Overlay: All way Crossings Overlay: All ritage Place Overlay: All ban Transport Routes: All arks (Managed Use) : All Ranges Catchment (Area 2) Overlay: All Darling Basin : All egetation : All d Air Emissions: All Corridor Overlay: All Wetlands Overlay: All d Trees Overlay: All rray Flood Plain Overlay: All rray Tributaries Area Overlay: All nt Industry Interface Overlay: All and Overlay: All ritage Area Overlay: All ritage Place Overlay: All nificant Native Vegetation Overlay: All Infrastructure (Gas Pipelines) Overlay: All enerating Development Overlay: All ansport Routes Overlay: All otection Area Overlay: All esources Overlay: All

Noise Exposure Overlay: All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant I automatically apply in relation to a Performance Assessed Development.					
		comprises more than one Class of Development the relevant	policies will be taken to	be the sum c		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or		
Semi-detached dwelling	[Site Dimensions and Land Division]: 2.1, 2.2 [Site Coverage]: PO 3.1 [Building Height]: PO 4.1 [Primary Street Setback]: PO 5.1 [Secondary Street Setback]: PO 6.1 [Boundary Walls]: PO 7.1, 7.2 [Side Boundary Setback]: PO 8.1 [Rear Boundary Setback]: PO 9.1	 Infrastructure and Renewable Energy Facilities [Water Supply]: P0 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: P0 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: P0 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: P0 5.1 Design in Urban Areas [All Development – Car Parking Appearance]: P0 6.1 Design in Urban Areas [All Residential Development – External Appearance]: P0 14.1, 14.2 Design in Urban Areas [All Residential Development – Outlook and Amenity]: P0 15.1 Design in Urban Areas [All Residential Development – Access and Servicing]: P0 16.1 Design in Urban Areas [All Residential Development – Flooding]: P0 18.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less – External Appearance]: P0 19.1, 19.2, 19.3 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Overlooking / Visual Privacy]: P0 20.1 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: P0 21.1, 21.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: P0 21.1, 21.2 Design in Urban Areas [All Residential Development – 3 Building Levels or Less –Private Open Space]: P0 21.1, 21.2 		Airport Bui Overlay: A Airport Bui Building Ne Building Ne Building Ne Character A Character A Character A Character A Coastal Are Defence A Future Roa Hazards (A Hazards (B Hazards (B Ha		

of the applicable policies for each Class of

y

only in the area affected by the Overlay)

uilding Heights (Aircraft Landing Area) All Building Heights (Regulated) Overlay: All Near Airfields: All Near Airfields: All r Area Overlay: All r Preservation District: All Areas: All Aviation Area Overlay: All oad Widening: All (Acid Sulfate Soils): All (Bushfire – High Risk): All (Bushfire – Medium Risk): All (Bushfire – General Risk): All (Bushfire – Urban Interface): All (Bushfire – Regional): All (Flooding): All Area: All back and Rural Routes Overlay: All vay Crossings Overlay: All ritage Place Overlay: All ban Transport Routes: All arks (Managed Use) : All Ranges Catchment (Area 2) Overlay: All Darling Basin : All egetation : All d Air Emissions: All Corridor Overlay: All Wetlands Overlay: All d Trees Overlay: All rray Flood Plain Overlay: All rray Tributaries Area Overlay: All nt Industry Interface Overlay: All and Overlay: All ritage Area Overlay: All ritage Place Overlay: All inificant Native Vegetation Overlay: All Infrastructure (Gas Pipelines) Overlay: All

Class of Development	Applicable P	Policies				
	The following po	plicies are applicable to the assessment of the identified Class of De	velopment.			
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant I automatically apply in relation to a Performance Assessed Development.					
	Where a develop Development.	oment comprises more than one Class of Development the relevant	policies will be taken to	be the sum c		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Water Sensitive Design]: PO 23.1, 23.2, 23.3		Traffic Ger Urban Tra Water Pro		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Car Parking and Manoeuvrability]: PO 24.1, 24.2, 24.3, 24.4, 24.5, 24.6		Water Res		
		Design in Urban Areas [All Residential Development – 3 Building Levels or Less – Waste Storage]: PO 25.1				
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2				
		Interface Between Land Uses [Interface Between Rural Activities]: PO 9.3, 9.4, 9.5				
		Interface Between Land Uses [Interface with Mines and Quarries (Rural and Remote Areas]: PO 10.1				
		Site Contamination: PO 1.1				
 Dwelling, dwellings or residential flat building undertaken by: a) the South Australian Housing Trust either individually or jointly with other persons or bodies; or 		Housing Renewal: All		Aircraft No Airport Bu Overlay: A Airport Bu Building N Building N		
b) registered Community Housing providers participating in housing renewal programs endorsed by the				Character Character Coastal Ar		
South Australian Housing Authority				Defence A Future Roa		
				Hazards (A Hazards (E Hazards (E Hazards (E Hazards (E Hazards (E Hazards (E		

of the applicable policies for each Class of

y only in the area affected by the Overlay)

Senerating Development Overlay: All ransport Routes Overlay: All rotection Area Overlay: All resources Overlay: All

Noise Exposure Overlay: All Building Heights (Aircraft Landing Area) : All Building Heights (Regulated) Overlay: All Near Airfields: All Near Airfields: All

er Area Overlay: All er Preservation District: All Areas: All

e Aviation Area Overlay: All Road Widening: All

(Acid Sulfate Soils): All (Bushfire – High Risk): All

(Bushfire – Medium Risk): All

(Bushfire – General Risk): All

(Bushfire – Urban Interface): All

(Bushfire – Regional): All

(Flooding): All

Class of Development		Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant D automatically apply in relation to a Performance Assessed Development.					
		pment comprises more than one Class of Development the relevant	t policies will be taken to	be the sum o			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or			
				Historic Ar			
				Key Outba Key Railwa Local Herit Major Urba Marine Par Mt Lofty R Murray Da Native Veg Noise and Non-stop 0 Ramsar W Regulated River Murr Significant Sloping La State Heri State Heri State Sign Strategic I Traffic Ger Urban Traf Water Res			
Excavation and filling		Design in Urban Areas [All Development – Fences and Walls]: PO 8.2		Coastal Ar Future Roa Hazards (I			
				Historic Ar			
				Local Herit			
				Major Urba			
				Noise and			
				Regulated			

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

Area: All

back and Rural Routes Overlay: All lway Crossings Overlay: All eritage Place Overlay: All rban Transport Routes: All Parks (Managed Use) : All Ranges Catchment (Area 2) Overlay: All Darling Basin : All /egetation : All nd Air Emissions: All Corridor Overlay: All Wetlands Overlay: All ed Trees Overlay: All urray Flood Plain Overlay: All urray Tributaries Area Overlay: All ant Industry Interface Overlay: All Land Overlay: All eritage Area Overlay: All eritage Place Overlay: All gnificant Native Vegetation Overlay: All c Infrastructure (Gas Pipelines) Overlay: All Generating Development Overlay: All ransport Routes Overlay: All rotection Area Overlay: All esources Overlay: All Areas: All Road Widening: All (Flooding): All Area: All eritage Place: All rban Transport Routes: All nd Air Emissions: All ed Trees: All

Class of Development	The following po Policies referred automatically ap	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant D automatically apply in relation to a Performance Assessed Development.					
	Where a develop Development.	oment comprises more than one Class of Development the relevan	t policies will be taken to	be the sum o			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of			
				Sloping La			
				State Heri			
				State Heri			
				Local Herit			
				Character			
				Historic Ar			
				Urban Tra			
				Key Outba			
				Key Railwa			
				Major Urba			
				Mt Lofty R			
				Native Vec Protection			
				State Sign			
				Future Roa			
				Hazards (A			
				Non-Stop			
				Character			
				Hazards (F			
				Coastal Ar			
				River Murr			
				River Murr			
Fence		Design in Urban Areas [All Development – Fences and		Coastal Ar			
		Walls]: PO 8.1		Future Roa			

of the applicable policies for each Class of

у

only in the area affected by the Overlay)

Land: All eritage Area: All eritage Place: All eritage Place Overlay: All er Area Overlay: All Areas Overlay: All ransport Routes: All back and Rural Route Overlay All way Crossings Overlay: All rban Transport Routes: All Ranges Catchment (Area 2) Overlay: All egetation Overlay [Environmental on]: All gnificant Native Vegetation Areas Overlay: All Road Widening Overlay: All (Acid Sulfate Soils) Overlay: All p Corridors Overlay: All er Preservation District Overlay: All (Flooding) Overlay: All Areas Overlay : All urray Tributaries Overlay: All urray Flood Plain Overlay: All Areas: All Road Widening: All

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant De automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum o Development. 					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or		
				Hazards (F		
				Historic Ar		
				Local Herit		
				Major Urba		
				Noise and		
				Regulated		
				Sloping La		
				State Heri		
				State Heri		
				Local Herit		
				Character		
				Historic Ar		
				Urban Trai		
				Key Outba		
				Key Railwa		
				Major Urba		
				Mt Lofty R		
				Native Vec Protection		
				State Sign		
				Future Roa		
				Hazards (A		
				Non-Stop		
				Character		
				Hazards (F		

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

(Flooding): All Area: All itage Place: All oan Transport Routes: All Air Emissions: All d Trees: All _and: All ritage Area: All ritage Place: All itage Place Overlay: All Area Overlay: All Areas Overlay: All ansport Routes: All back and Rural Route Overlay All vay Crossings Overlay: All oan Transport Routes: All Ranges Catchment (Area 2) Overlay: All egetation Overlay [Environmental n]: All inificant Native Vegetation Areas Overlay: All oad Widening Overlay: All (Acid Sulfate Soils) Overlay: All Corridors Overlay: All Preservation District Overlay: All (Flooding) Overlay: All

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant D automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of	
				Coastal Ar	
				River Muri	
				River Muri	
Land division	[Site Dimensions and Land Division] PO 2.1, 2.2	Land Division in Urban Areas: All		Affordable Building N Character Character Coastal Ar Environme Future Roa Hazards (A Hazards (A Hazards (I Hazards (I Haz	

of the applicable policies for each Class of

у

only in the area affected by the Overlay)

Areas Overlay : All

rray Tributaries Overlay: All

rray Flood Plain Overlay: All

le Housing Overlay: All Near Airfields Overlay : All er Area Overlay : All er Preservation District Overlay : All Areas Overlay : All nent and Food Production Area Overlay : All Road Widening Overlay : All (Acid Sulfate Soils) Overlay : All (Bushfire – High Risk) Overlay : All (Bushfire – Medium Risk) Overlay : All (Bushfire – General Risk) Overlay : All (Bushfire – Urban Interface) Overlay : All (Bushfire – Regional) Overlay : All (Flooding) Overlay : All Area Overlay : All back and Rural Routes Overlay : All way Crossings Overlay : All ritage Place Overlay : All and Division Overlay: All ban Transport Routes Overlay : All Parks (Managed Use) Overlay : All Darling Basin Overlay : All egetation Overlay : All d Air Emissions Overlay : All Corridor Overlay : All Wetlands Overlay : All ed Trees Overlay : All rray Flood Plain Overlay : All rray Tributaries Area Overlay : All and Overlay : All ritage Area Overlay : All ritage Place Overlay : All phificant Native Vegetation Overlay : All Infrastructure (Gas Pipelines) Overlay : All

Class of Development	Applicable Policie The following policies an	S re applicable to the assessment of the identified Class of Dev	elopment.					
	Policies referred to are automatically apply in r	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant automatically apply in relation to a Performance Assessed Development.						
	Development.	comprises more than one Class of Development the relevant	oolicies will be taken to	be the sum o				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of				
				Traffic Ger Urban Tra Water Pro Water Res				
Retirement facility	[Land Use and	Clearance from Overhead Powerlines: PO 1.1		Aircraft No				
Supported accommodation	Intensity] PO 1.2, 1.5 [Site Dimensions and Land Division] PO 2.1	Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2		Airport Bu Overlay: A Airport Bu				
	[Site Coverage]: PO 3.1 [Building Height]: PO 4.1	Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		Building N Building N				
		Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.8, 3.9		Character Character Coastal Ar				
	[Primary Street Setback]: PO 5.1 [Secondary Street	Transport, Access and Parking [Access for People with Disabilities]: All		Defence A Future Roa				
	Setback]: PO 6.1 [Boundary Walls]: PO 7.1, 7.2	Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1		Hazards (A Hazards (E				
	[Side Boundary	Transport, Access and Parking [Vehicle Parking Areas]: All		Hazards (E Hazards (E				
	Setback]: PO 8.1 [Rear Boundary Setback]: PO 9.1	Transport, Access and parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All		Hazards (E Hazards (E Hazards (F				
		Design in Urban Areas [All Development]: All		Historic Ar				
		Design in Urban Areas [All Residential Development]: All		Key Outba				
		Design in Urban Areas [Residential Development – 3 Building Levels or Less]: All		Key Railwa Local Herit Major Urba				
		Design in Urban Areas [Group Dwellings, Residential Flat Buildings and Battle-Axe Development]: All		Marine Par Mt Lofty R Murray Da				
		Design in Urban Areas [Supported Accommodation, Housing for Aged Persons, and People with Disabilities]: All Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		Native Veg Noise and Non-stop (Ramsar W Regulated River Murr River Murr				

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

enerating Development Overlay : All ansport Routes Overlay : All otection Area Overlay : All esources Overlay: All Noise Exposure Overlay: All Building Heights (Aircraft Landing Area) All Building Heights (Regulated) Overlay: All Near Airfields: All Near Airfields: All er Area Overlay: All er Preservation District: All Areas: All Aviation Area Overlay: All oad Widening: All (Acid Sulfate Soils): All (Bushfire – High Risk): All (Bushfire – Medium Risk): All (Bushfire – General Risk): All (Bushfire – Urban Interface): All (Bushfire – Regional): All (Flooding): All Area: All back and Rural Routes Overlay: All way Crossings Overlay: All ritage Place Overlay: All ban Transport Routes: All arks (Managed Use) : All Ranges Catchment (Area 2) Overlay: All Darling Basin : All egetation : All d Air Emissions: All Corridor Overlay: All Wetlands Overlay: All ed Trees Overlay: All rray Flood Plain Overlay: All rray Tributaries Area Overlay: All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.						
	Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant automatically apply in relation to a Performance Assessed Development.						
	Where a development of Development.	comprises more than one Class of Development the relevant p	policies will be taken to	be the sum o			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies of			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.4 Interface Between Land Uses [Air Quality]: PO 5.2 Interface Between Land Uses [Light Spill]: All Site Contamination: PO 1.1		Significant Sloping La State Heri State Sign Strategic Traffic Ger Urban Tra Water Pro			
Shop	[Land Use and Intensity] PO 1.3, 1.4, 1.5, 1.6 [Site Coverage]: PO 3.1 [Building Height]: PO 4.1 [Primary Street Setback]: PO 5.1 [Secondary Street Setback]: PO 6.1 [Boundary Walls]: PO 7.1, 7.2 [Side Boundary Setback]: PO 8.1 [Rear Boundary Setback]: PO 9.1	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [External Appearance]: PO 1.4 Design in Urban Areas [Car Parking Appearance]: PO 6.1, 6.4, 6.5 Design in Urban Areas [Water Sensitive Design]: PO 42.1, 42.3 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Transport, Access and Parking [Movement Systems]: PO 1.4 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1 Transport, Access and Parking [Vehicle Parking Areas]: PO 6.1, 6.6		Aircraft No Airport Bu Overlay: A Airport Bu Building N Building N Character Character Coastal Ar Future Roa Hazards (A Hazards (A H			

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

nt Industry Interface Overlay: All and Overlay: All ritage Area Overlay: All ritage Place Overlay: All nificant Native Vegetation Overlay: All : Infrastructure (Gas Pipelines) Overlay: All enerating Development Overlay: All ansport Routes Overlay: All rotection Area Overlay: All esources Overlay: All Noise Exposure Overlay: All Building Heights (Aircraft Landing Area) All Building Heights (Regulated) Overlay: All Near Airfields: All Near Airfields: All er Area Overlay: All er Preservation District: All Areas: All Road Widening: All (Acid Sulfate Soils): All (Bushfire – High Risk): All (Bushfire – Medium Risk): All (Bushfire – General Risk): All (Bushfire – Urban Interface): All (Bushfire – Regional): All (Flooding): All Area: All back and Rural Routes Overlay: All way Crossings Overlay: All ritage Place Overlay: All ban Transport Routes: All Parks (Managed Use) : All Ranges Catchment (Area 2) Overlay: All Darling Basin : All egetation : All d Air Emissions: All

Class of Development	Applicable Policies The following policies are applicable to the assessment of the identified Class of Development.						
		to are Performance Outcome policies, and any associated Design oply in relation to a Performance Assessed Development.	nated Performance Feature	s. Relevant D			
	Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum on Development.						
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies or			
		Transport, Access and Parking [Bicycle Parking in Designated Areas]: PO 9.1 Interface Between Lands Uses [Air Quality]: PO 5.2		Non-stop (Ramsar W River Murr River Murr Significant Sloping La State Heri State Heri State Sign Strategic I Traffic Ger Urban Tra Water Pro			
Tree damaging activity				Regulated			
All other Code Assessed Developmen	t						

of the applicable policies for each Class of

У

only in the area affected by the Overlay)

p Corridor Overlay: All Wetlands Overlay : All urray Flood Plain Overlay : All urray Tributaries Area Overlay : All ant Industry Interface Overlay: All Land Overlay : All eritage Area Overlay : All eritage Place Overlay : All ignificant Native Vegetation Overlay : All ic Infrastructure (Gas Pipelines) Overlay: All Generating Development Overlay : All transport Routes Overlay : All Protection Area Overlay : All Resources Overlay: All ed Trees Overlay: All

Table 4 – Restricted Development Classification

Class of Development The following Classes of Development are classified as Restricted subject to any 'Exclusions'	Exclusions
Shop	With a gross leasable area less than 1000m2.

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Low or very low-density housing that is consistent with the existing local context and development pattern. Services and community facilities will contribute to making the neighbourhood a convenient place to live without compromising residential amenity and character.

DO 2

Development on sloping land that is sensitive to the topography of the area and minimises environmental and visual impacts.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Residential development and supporting uses that provide housing and supporting services and facilities that preserve a low density residential character.

DTS 1.1

Development comprises one or more of the following land uses:

Community facility

Dwelling

Educational establishment

Office

Pre-school

Recreation area

Shop.

PO 1.2

Dwellings complement the low-density or very-low density character of the neighbourhood.

DTS 1.2

None are applicable.

PO 1.3

Shops, consulting rooms and offices of a scale to maintain the amenity of nearby residents.

DTS 1.3

Other than a change in the use of an existing building that has been lawfully used as a shop, office or consulting room (or any combination thereof), shops, offices and consulting rooms do not exceed 100m2 in gross leasable floor area (individually or combined).

PO 1.4

Larger scale shops, offices and consulting rooms established on higher order roads and adjacent existing commercial and retail precincts.

DTS/DPF 1.4

Shop, consulting room and office:

(a) floor area does not exceed 200m2; and

(b) are located on sites with a frontage to an arterial or collector road or adjacent a Main Street or Activity Centre Zone.

PO 1.5

Non-residential development located and designed to improve community accessibility to services, primarily in the form of:

- (a) commercial uses including small scale offices, personal and domestic services and consulting rooms;
- (b) community services such as educational establishments, community centres, places of worship, pre-schools, childcare and other health and welfare services;
- (c) services and facilities ancillary to the function or operation of supported accommodation or retirement facilities;
- (d) open space and recreation facilities.

DTS 1.5

None are applicable

PO 1.6

Non-residential development compatible with the low density suburban character and amenity.

DTS 1.6

None are applicable

Site Dimensions and Land Division

PO 2.1

Allotments/sites created for residential purposes are of suitable size and dimension and are compatible with the housing pattern consistent to the locality.

DTS/DPF 2.1

Where the allotment has a slope less than 12.5% (1-in-8), development accords with the following:

- a) site areas (or allotment areas in the case of land division) not less than the minimum allotment size specified in the *Minimum Allotment Size Technical and Numeric Variation Overlay; and*
- b) site frontages not less than the minimum allotment frontage specified in the *Minimum Allotment Frontage Technical and Numeric Variation Overlay.*

PO 2.2

Allotments/sites created for residential purposes are of suitable size and dimension to accommodate residential development that is sensitive to the topography of the locality.

DTS/DPF 2.2

Where the allotment has a slope equal to or greater than 12.5% (1-in-8), development accords with the greater of the following:

- (a) the site areas and site frontages specified in DTS/DPF 2.1; or
- (b) the site areas and site frontages specified below:

Development• Type¤	Gradient¤		Minimum• Frontage• (m)¤	
All∙Dwelling∙ Types¤	>1:8·&· <1:4×	1000¤	15¤	1
	≥1:4¤	1500¤	20¤	1

Site coverage

PO 3.1

Building footprints consistent with the character and pattern of a low-density suburban neighbourhood and provide sufficient space around buildings to limit visual impact, provide an attractive outlook and access to light and ventilation.

DTS / DPF 3.1

The development does not result in a total roofed area (excluding eaves of a dwelling) on the site exceeding 50%.

Building Height

PO 4.1

Buildings contribute to a low-rise suburban character and complement the height of nearby buildings.

DTS/DPF 4.1

Building height (excluding garages, carports and outbuildings) no greater than that specified in the *Building Height Technical and Numeric Variations Overlay*.

Primary Street Setback

PO 5.1

Buildings are setback from primary street boundaries to complement the existing suburban streetscape character.

DTS/DPF 4.1

Buildings are setback from the primary street boundary either:

- (a) at least the average of existing buildings on the adjoining sites which face the same street; or
- (b) in relation to a site on the corner of two streets or adjacent a public space or thoroughfare, at least the distance of existing buildings on the adjacent site or the closest site away from the corner, public space or thoroughfare that contains a building facing the same primary street without crossing another street, public space or thoroughfare; or
- (c) at least 8m where no buildings exist on the adjoining or adjacent sites.

Secondary Street Setback

PO 6.1

Buildings are set back from secondary street boundaries to maintain a pattern of separation between buildings and public streets and reinforce streetscape character.

DTS/DPF 6.1

Buildings are set back at least 900mm from the boundary of the allotment with the secondary street frontage, or if a dwelling on any adjoining allotment is closer to the secondary street than 900

millimetres, the distance of that dwelling from the boundary with the secondary street (being, if relevant, the lesser of the 2 distances).

Boundary Walls

PO 7.1

Boundary walls are limited in height and length to manage impacts on adjoining properties.

DTS/DPF 7.1

Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary, and either:

- (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height; or
- (b) do not exceed the following:
 - (i) 3m in height from the top of the footings;
 - (ii) 10m in length;
 - (iii) when combined with other walls on the boundary of the subject development site, maximum 45% of the length of the boundary; and
 - (iv) setback at least 3 metres from any other existing or proposed boundary walls on the subject land.

PO 7.2

Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a low density suburban streetscape character.

DTS / DPF 7.2

Dwellings in a semi-detached, row or terrace arrangement are setback from side boundaries shared with allotments outside the development site at least the minimum distance identified in DTS / DPF 6.1.

Side Boundary Setback

PO 8.1

Buildings are set back from side boundaries to provide:

- (a) separation between dwellings in a way that complements the established character of the locality; and
- (b) access to natural light and ventilation for neighbours.

DTS/DPF 8.1

Buildings are setback from the side boundary at least:

- A. On sites greater than 800m2:
 - (i) Other than a wall facing a southern boundary 1900mm
 - (ii) At least 1900mm plus a 1/3 of the wall height above 3m measured from the top of the footings for walls facing a southern boundary
- B. On sites less than 800m2, and other than walls located on a side boundary:
 - (i) at least 900mm where the wall is up to 3m measured from the top of the footings;
 - (ii) other than for a wall facing a southern side boundary, at least 900mm plus
 1/3 of the wall height above 3m measured from the top of the footings; and

(iii) at least 1900mm plus 1/3 of the wall height above 3m measured from the top of the footings for walls facing a southern side boundary.

Rear Boundary Setback

PO 9.1

Buildings are set back from rear boundaries to provide:

(a) separation between dwellings in a way that complements the established character of the locality;

- (b) access to natural light and ventilation for neighbours;
- (c) private opens space; and
- (d) space for landscaping and vegetation.

DTS/DPF 9.1

Buildings are set back from the rear boundary at least:

- (a) 3m for the first building level; and
- (b) 5m for any second building level.

Procedural Matters (PM)

Notification

All classes of performance assessed development are excluded from notification except where they involve any of the following:

- (a) the site of the development is adjacent land to land in a different zone
- (b) development identified as "all other code assessed development" in Suburban Neighbourhood (Low Density) Zone Table 3;
- (c) development involving the creation of four or more additional dwellings or allotments; or
- (d) development exceed the height specified in DTS / DPF 4.1.

Township Activity Centre Zone

Table 1 – Accepted Development Classification

Table 1 Accepted Develop	
Class of Development The following Classes of Development are classified as Accepted Development subject to meeting the 'Accepted Development Classification Criteria'	Accepted Development Classification Criteria
Air handling unit, air conditioning system or exhaust fan including any associated components and any associated building alteration or addition	 The item will be installed on or within an existing building The item being installed does not encroach on a public street or affect the ability of the building to resist the spread of fire. If the associated building is in a Local Heritage Area Overlay or State Heritage Area Overlay, no part of the item, when

 necessary or incidental to its installation Except where any of the following apply: State Heritage Place Overlay Local Heritage Place Overlay 	installed, will be able to be seen by a person standing at ground level in a public street.
 Internal building work Except where any of the following apply: State Heritage Place Overlay Local Heritage Place Overlay 	 There will be no increase in the total floor area of the building There will be no alteration to the external appearance of the building.
Shade sail Except where any of the following apply:	1 The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system
 Airport Building Heights (Regulated) Overlay Building Near Airfields 	 2 Shade sail consists of permeable material 3 The total area of the sail - does not exceed 40m² 4 No part of the shade sail will be:
OverlayDefence Aviation Area Overlay	 (a) 3m above ground or floor level (depending on where it is situated) at any place within 900mm of a boundary of the allotment
 Local Heritage Place Overlay 	(b) 5m above ground or floor level (depending on where it is situated) within any other part of the allotment
 Historic Area Overlay River Murray Tributaries Area Overlay Murray Darling Basin 	 5 Primary street setback – at least as far back as the building line of the building to which it is ancillary 6 If any part of the sail will be situated on a boundary of the allotment, the length of sail along a boundary does not exceed 8m
 Overlay State Heritage Place Overlay State Heritage Area Overlay 	7 In a case where any part of the sail or a supporting structure will be situated on a side boundary of the allotment — the length of the sail and any such supporting structure together with all relevant walls or structures located along the boundary will not exceed 45% of the length of the boundary.
 Solar photovoltaic panels (roof mounted) Except where any of the following apply: State Heritage Area Overlay State Heritage Place Overlay Local Heritage Place Overlay 	 Panels are installed parallel to the roof of a building and with the underside surface of the panel not being more than 100mm above the surface of the roof Panels and associated components do not overhang any part of the roof Does not apply to system with a generating capacity of more than 5MW that is to be connected to the State's power system.

Water tank (underground)	2	The development will not be built, or encroach, on an area that is, or will be, required for a sewerage system or waste control system
	3	The tank (including any associated pump) is located wholly below the level of the ground.

Table 2 – Deemed-to-Satisfy Development Classification

	Deemed-to-Satis	sfy Development Classification Criteria			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed- to-Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
 Advertisement attached to a building or structure Except where any of the following apply: State Heritage Area Overlay State Heritage Place Overlay 	None	Clearance from Overhead Powerlines: DTS 1.1 Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5	None	Advertising Near Signalised Intersections Overlay: All DTS	
Freestanding advertisement located on private land	[Advertisemen ts]: DTS 5.1	Clearance from Overhead Powerlines: DTS 1.1	None	Advertising Near Signalised Intersections Overlay: All DTS Airport Building Heights (Aircraft Landing Areas) Overlay: All DTS	

	Deemed-to-Satis	sfy Development Classification Criteria			
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed- to-Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.				
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)	
 Except where any of the following apply: State Heritage Area Overlay State Heritage Place Overlay 		Advertisements [Appearance]: DTS 1.1, 1.3, 1.4 Advertisements [Proliferation of Advertisements]: DTS 2.1, 2.2 Advertisements [Advertising Content]: DTS 3.1 Advertisements [Amenity Content]: DTS 4.1 Advertising [Safety]: DTS 5.1, 5.2, 5.3, 5.4, 5.5		Airport Building Heights (Regulated) Overlay: All DTS Future Road Widening Overlay: DTS 1.1	
Change of use to a <u>shop</u> , <u>office</u> , <u>consulting room</u> or any combination of these uses where the area to be occupied by the proposed development is located in an existing building and	None	Transport, Access and Parking [Vehicle Parking Rates]: DTS 5.1	None	Major Urban Transport Routes Overlay: [Access – Existing Access Points] DTS 3.1 Key Outback and Rural Routes Overlay: Access – Existing Access Points] DTS 3.1	

The following Classes of	Deemed-to-Satisfy Development Classification Criteria					
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed- to-Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
 utilises existing on-site car parking Except where any of the following apply: State Heritage Area Overlay State Heritage Place Overlay 						
Land division	None	Land Division in Urban Areas [All Land Division – Allotment Configuration]: DTS 1.1	None	None		
Temporary change of use to a <u>sales office</u> within an existing building for no more than 2 years	None	None	None	None		
The construction of a new building in the same, or substantially the same, position as a building which was demolished	None	None	None	None		

The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed-	Deemed-to-Satisfy Development Classification Criteria Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.			
to-Satisfy Development Classification Criteria'			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
 within the previous 3 years where the new building has the same, or substantially the same, layout and external appearance as the previous building Except where any of the following apply: Historic Area Overlay A Historic Shipwreck identified in the Historic Shipwrecks Overlay A Local Heritage Place identified In the Local Heritage Place Overlay State Heritage Area Overlay 				

	Deemed-to-Satis	Deemed-to-Satisfy Development Classification Criteria				
The following Classes of Development are classified as Deemed-to-Satisfy Development subject to meeting the 'Deemed- to-Satisfy Development Classification Criteria'	Provisions referred to are Deemed-to-Satisfy Criteria Where a development comprises more than one Class of Development the relevant criteria will be taken to be the sum of the criteria for each Class of Development.					
			(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)		
 A State Heritage Place identified in the State Heritage Place Overlay 						

Table 3 – Applicable Policies for Performance Assessed Development

Class of Development	Applicable Policies					
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Ference Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assess Development. Where a development comprises more than one Class of Development the relevant policies will be take the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
Advertisement	[Advertisements]: PO 5.1	Clearance from Overhead Powerlines: PO 1.1 Advertisements: All	None	All		
Bulky goods outlet	[Land use and intensity]: PO 1.1 and 1.4 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All	None	All		

Class of Development	Applicable Po	licies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance F Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Asses Development. Where a development comprises more than one Class of Development the relevant policies will be ta the sum of the applicable policies for each Class of Development.					
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)		
		 Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 				

Class of Development	Applicable Pol	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performa Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Development. Where a development comprises more than one Class of Development the relevant policies will the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All 			

Class of Development	Applicable Poli	cies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All		
Carport Car park Car parking structure	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All P	None	All

Class of Development	Applicable Pol	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Hours of Operation]: PO 2.1			
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2			

Class of Development	Applicable Pol	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All 			

Class of Development	Applicable Poli	cies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Cinema	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All	None	AII	

Class of Development	Applicable Poli	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Lands Uses [Air Quality]: PO 5.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		

Class of Development	Applicable Pol	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		
		Transport, Access and Parking [Movement Systems]: All		
		Transport, Access and Parking [Sightlines]: All		
		Transport, Access and Parking [Vehicle Access]: All		
		Transport, Access and Parking [Access to People with Disabilities]: All		
		Transport, Access and Parking [Vehicle Parking Rates]: All		

Class of Development	Applicable Poli	cies			
	Policies referred to Relevant Desired Ou Development. Where a developme	are Performance Outcome policies, and a utcomes are not listed, but automatically			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
<u>Community facility</u>	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All	None	All	

Class of Development	Applicable Pol	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Design in Urban Areas [All Non Residential Development]: All P Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 			

Class of Development	Applicable Pol	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		
		Transport, Access and Parking [Movement Systems]: All		
		Transport, Access and Parking [Sightlines]: All		
		Transport, Access and Parking [Vehicle Access]: All		
		Transport, Access and Parking [Access to People with Disabilities]: All		
		Transport, Access and Parking [Vehicle Parking Rates]: All		

Class of Development	Applicable Poli	cies			
	Policies referred to a Relevant Desired Ou Development. Where a developme	are Performance Outcome policies, and a utcomes are not listed, but automatically	eent of the identified Class of Development. es, and any associated Designated Performance Features. matically apply in relation to a Performance Assessed ass of Development the relevant policies will be taken to be Development.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Consulting room	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All	None	All	

Class of Development	Applicable Poli	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Design in Urban Areas [All Non Residential Development]: All P Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 			

Class of Development	Applicable Pol	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		
		Transport, Access and Parking [Movement Systems]: All		
		Transport, Access and Parking [Sightlines]: All		
		Transport, Access and Parking [Vehicle Access]: All		
		Transport, Access and Parking [Access to People with Disabilities]: All		
		Transport, Access and Parking [Vehicle Parking Rates]: All		

Class of Development	 Applicable Policies The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 			
			 Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All 	
Cut/fill Earthworks	[Built form and character]: All	Design in Urban Areas [Earthworks]: PO 7.1	None	All
Demolition of a State or Local Heritage Place	None	None	None	Local Heritage Place Overlay: All State Heritage Place Overlay: All
Demolition within the Historic Area Overlay or	All	None	None	Historic Area Overlay: All State Heritage Area Overlay: All

Class of Development	nt Applicable Policies				
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
the State Heritage Area Overlay					
Dwelling Residential flat building	[Land use and intensity]: PO 1.1-1.2 (inclusive) [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Vehicle Access]: PO 3.1, 3.2, 3.3, 3.4, 3.5, 3.6 Transport, Access and Parking [Vehicle Parking Rates]: PO 5.1	None	AII	

Class of Development	Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Residential Development]: All Design in Urban Areas [Residential Development – 3 Building Levels or Less]: All Design in Urban Areas [Residential Development – 4 Or More Building Levels (Including Serviced Apartments)]: All			

Class of Development	Applicable Poli	cies		
	Policies referred to Relevant Desired O Development. Where a developme	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Design in Urban Areas [Group Dwellings, Residential Flat Buildings and Battle-Axe Development]: All Interface Between Land Uses [General Land Use Compatibility]: PO 1.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.4 Site Contamination: PO 1.1		
Educational establishment	[Land use and intensity]: PO 1.1 [Built form and character]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All	None	All

Class of Development	t Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
	[Building height and setbacks]: All	Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All P Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			

Class of Development	Applicable Policies				
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Fea Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assesse Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All			

Class of Development	Applicable Policies				
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Emergency services facility	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All	None	All	

Class of Development	Applicable Poli	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Featu Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			

Class of Development	Applicable Policies				
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Fea Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assesse Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All			

Class of Development	Applicable Poli	cies			
	Policies referred to Relevant Desired Ou Development. Where a developme	owing policies are applicable to the assessment of the identified Class of Development. referred to are Performance Outcome policies, and any associated Designated Performance Features. t Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed ment. development comprises more than one Class of Development the relevant policies will be taken to be of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All			
Fence	[Built form and character]: All	Design in Urban Areas [Fences and Walls]: PO 8.1	None	All	
Hospital	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All P	None	AII	

Class of Development	Applicable Pol	icies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development.			
	Zone	General Development	Subzone	Overlay
		Policies	(applies only in the area affected by the Subzone)	(applies only in the area affected by the Overlay)
		Interface Between Land Uses [Hours of Operation]: PO 2.1		
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2		
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2		
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		

Class of Development	Applicable Pol	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All 		

Class of Development	Applicable Poli	cies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All		
Hotel	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All	None	AII

Class of Development	Applicable Pol	icies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feat Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Lands Uses [Air Quality]: PO 5.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1			

Class of Development	Applicable Pol	icies			
	The following policies are applicable to the assessment of the identified Class of Developmer Policies referred to are Performance Outcome policies, and any associated Designated Perfor Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performan Development. Where a development comprises more than one Class of Development the relevant policies the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2			
		Transport, Access and Parking [Movement Systems]: All			
		Transport, Access and Parking [Sightlines]: All			
		Transport, Access and Parking [Vehicle Access]: All			
		Transport, Access and Parking [Access to People with Disabilities]: All			
		Transport, Access and Parking [Vehicle Parking Rates]: All			

Class of Development	Applicable Poli	cies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Featu Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Indoor recreation facility	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All	None	All	

Class of Development	Applicable Poli	icies		
	Relevant Desired O Development.	ss of Development. Designated Performance Features. on to a Performance Assessed relevant policies will be taken to be		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2, 4.5, 4.6 Interface Between Lands Uses [Air Quality]: PO 5.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		

Class of Development	Applicable Poli	cies		
	Policies referred to Relevant Desired Or Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and a utcomes are not listed, but automatically ent comprises more than one Class of De- icable policies for each Class of Develop	any associated I y apply in relations evelopment the p	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All		

Class of Development	Applicable Poli	cies			
	Policies referred to Relevant Desired O Development. Where a developme	utcomes are not listed, but automatically	nd any associated Designated Performance Features. ally apply in relation to a Performance Assessed Development the relevant policies will be taken to be lopment.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Library	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All	None	All	

Class of Development	Applicable Poli	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2		

Class of Development	Applicable Poli	cies		
	Policies referred to Relevant Desired Or Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and a utcomes are not listed, but automatically ent comprises more than one Class of De- icable policies for each Class of Develop	any associated I y apply in relations evelopment the p	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All		

Class of Development	Applicable Poli	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Land division	[Land Division]: PO 4.1	Land Division in Urban Areas: All	None	All	
<u>Office</u> Bank Civic centre	[Land use and intensity]: PO 1.1 [Built form and character]: All	Clearance from Overhead Powerlines: PO 1.1	None	All	

Class of Development	ment Applicable Policies				
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
	[Building height and setbacks]: All	Design in Urban Areas [All Development]: All			
		Design in Urban Areas [All Development – 4 or More Building Levels]: All			
		Design in Urban Areas [All Non Residential Development]: All			
		Interface Between Land Uses [Hours of Operation]: PO 2.1			
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2			

Class of Development	ent Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Featur Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken t the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1, 12.2 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All			

Class of Development	Applicable Poli	icies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All		
<u>Outbuilding</u> <u>Store</u>	[Land use and intensity]: PO 1.1	None	None	All

Class of Development	Applicable Poli	cies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Built form and character]: All [Building height and setbacks]: All			
Place of worship	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1	None	AII

Class of Development	Applicable Poli	cies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2			
		Transport, Access and Parking [Movement Systems]: All			

Class of Development	nt Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All 			

Class of Development	Applicable Poli	cies			
	Policies referred to Relevant Desired Ou Development. Where a developme	are Performance Outcome policies, and utcomes are not listed, but automatically	assessment of the identified Class of Development. ne policies, and any associated Designated Performance Features. out automatically apply in relation to a Performance Assessed n one Class of Development the relevant policies will be taken to be Class of Development.		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
<u>Pre-school</u>	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1	None	AII	

Class of Development	Applicable Poli	cies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2			
		Transport, Access and Parking [Movement Systems]: All			

Class of Development	nt Applicable Policies				
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		 Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All 			

Class of Development	Applicable Poli	cies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to b the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Public transport terminal	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1	None	AII	

Class of Development	Applicable Poli	cies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2			
		Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2			
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2			
		Transport, Access and Parking [Movement Systems]: All			

Class of Development	Applicable Pol	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking			

Class of Development	Applicable Poli	cies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feature Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to the sum of the applicable policies for each Class of Development. 				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Recreation area	[Land use and intensity]: PO 1.1 [Built form and character]: All	Open Space and Recreation: All Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All	None	All	

Class of Development	Applicable Poli	cies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All		
<u>Retail fuel outlet</u>	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All	None	All

Class of Development	Applicable Poli	icies		
	Policies referred to Relevant Desired O Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop licable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2 Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1		

Class of Development	Applicable Pol	icies		
	Relevant Desired O Development.	ss of Development. Designated Performance Features. on to a Performance Assessed relevant policies will be taken to be		
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2		
		Transport, Access and Parking [Movement Systems]: All		
		Transport, Access and Parking [Sightlines]: All		
		Transport, Access and Parking [Vehicle Access]: All		
		Transport, Access and Parking [Access to People with Disabilities]: All		
		Transport, Access and Parking [Vehicle Parking Rates]: All		

Class of Development	Applicable Poli	cies			
	Policies referred to a Relevant Desired Ou Development. Where a developme	a development comprises more than one Class of Development the relevant policies will be taken to be m of the applicable policies for each Class of Development.General DevelopmentSubzoneOverlay			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All			
Restaurant	[Land use and intensity]: PO 1.1 [Built form and character]: All [Building height and setbacks]: All	Clearance from Overhead Powerlines: PO 1.1 Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All	None	All	

Class of Development	Applicable Poli	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance As Development. Where a development comprises more than one Class of Development the relevant policies will b the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2 Interface Between Lands Uses [Air Quality]: PO 5.2 Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			

Class of Development	Applicable Poli	cies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1 Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2 Transport, Access and Parking [Movement Systems]: All Transport, Access and Parking [Sightlines]: All Transport, Access and Parking [Vehicle Access]: All Transport, Access and Parking [Access to People with Disabilities]: All		

Class of Development	Applicable Poli	cies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking [Bicycle Parking in Designated Areas]: All		
Retaining wall	[Built form and character]: All	Design in Urban Areas [All Development – Fences and Walls]: All	None	All
<u>Shop</u> (not being a restaurant or bulky goods outlet)	[Land use and intensity]: PO 1.1	Clearance from Overhead Powerlines: PO 1.1	None	All

Class of Development	Applicable Policies			
	Policies referred to Relevant Desired Or Development. Where a developme	es are applicable to the assessment of th are Performance Outcome policies, and utcomes are not listed, but automatically ent comprises more than one Class of Develop icable policies for each Class of Develop	any associated I y apply in relation evelopment the	Designated Performance Features. on to a Performance Assessed
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
	[Built form and character]: All [Building height and setbacks]: All	Design in Urban Areas [All Development]: All Design in Urban Areas [All Development – 4 or More Building Levels]: All Design in Urban Areas [All Non Residential Development]: All Interface Between Land Uses [Hours of Operation]: PO 2.1 Interface Between Land Uses [Overshadowing]: PO 3.1, 3.2 Interface Between Land Uses [Activities Generating Noise or Vibration]: PO 4.1, 4.2		

Class of Development	Applicable Poli	icies			
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Feat Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken the sum of the applicable policies for each Class of Development.				
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)	
		Interface Between Land Uses [Light Spill]: PO 6.1, 6.2			
		Infrastructure and Renewable Energy Facilities [Water Supply]: PO 11.1			
		Infrastructure and Renewable Energy Facilities [Wastewater Services]: PO 12.1, 12.2			
		Transport, Access and Parking [Movement Systems]: All			
		Transport, Access and Parking [Sightlines]: All			
		Transport, Access and Parking [Vehicle Access]: All			

Class of Development	Applicable Pol	icies		
	The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development.			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		 Transport, Access and Parking [Access to People with Disabilities]: All Transport, Access and Parking [Vehicle Parking Rates]: All Transport, Access and Parking [Vehicle Parking Areas]: All Transport, Access and Parking [Undercroft and Below Ground Garaging and Parking of Vehicles]: All Transport, Access and Parking Interpret and Parking Interpret and Parking Transport, Access and Parking Yehicles]: All Transport, Access and Parking Bicycle Parking in Designated Areas]: All 		
Telecommunications facility	[Built form and character]: All	Infrastructure and Renewable Energy Facilities [General]: All	None	All

Class of Development	Applicable Policies			
	 The following policies are applicable to the assessment of the identified Class of Development. Policies referred to are Performance Outcome policies, and any associated Designated Performance Features. Relevant Desired Outcomes are not listed, but automatically apply in relation to a Performance Assessed Development. Where a development comprises more than one Class of Development the relevant policies will be taken to be the sum of the applicable policies for each Class of Development. 			
	Zone	General Development Policies	Subzone (applies only in the area affected by the Subzone)	Overlay (applies only in the area affected by the Overlay)
		Infrastructure and Renewable Energy Facilities [Visual Amenity]: All Infrastructure and Renewable Energy Facilities [Telecommunication Facilities]: All		
Tree-damaging activity	None	None	None	Regulated Tree Overlay: All
Verandah Shade sail	[Built form and character]: All	None	None	All
All other Code Assessed Development	All	AII	None	All

Table 4 – Restricted Development Classification

The following Classes of Development are classified as Restricted	
Industry	Light industry

Assessment Provisions

Desired Outcomes (DO)

DO 1

A cohesive, active, accessible and welcoming centre for local residents and visitors to shop, work, meet, entertain and relax in an attractive and safe environment.

DO 2

The range of land uses that occur in the centre will provide important services to town residents, rural hinterland and the broader region.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Retail, office, entertainment, health and recreation related uses supplemented by other businesses that provide a range of goods and services to the local community and the surrounding district.

DTS/DPF 1.1

Development comprises one or more of the following land uses:

Cinema

Community facility

Consulting room

Educational establishment

Emergency services facility

Health facility

Hospital

Hotel

Indoor recreation facility

Library

Office

Place of worship

Pre-school

Public transport terminal

Recreation area

Restaurant

Retail fuel outlet

Service trade premises

Shop

Tourist accommodation.

PO 1.2

Residential development that does not prejudice the operation of existing or future retail, <u>office</u>, entertainment or recreation related activity within the zone

DTS/DPF 1.2

Dwellings are:

- (a) developed in conjunction with non-residential uses; and
 - (b) sited either behind or above non-residential uses on the same allotment

PO 1.3

Tourist accommodation and visitor attractions that that support the visiting public and holiday makers.

DTS 1.3

None are applicable.

PO 1.4

Bulky goods outlets are sited and designed to achieve or maintain a vibrant and interesting streetscape within retail areas.

DTS/DPF 1.4

Bulky goods outlets with a gross leaseable area of 500m2 or more are located towards the periphery of the zone.

Built Form and Character

PO 2.1

Buildings are sited and designed to create pedestrian, vehicular and visual linkages between the various built-form elements within the zone and adjoining main roads.

DTS 2.1

None are applicable.

PO 2.2

Buildings are sited and designed to create streetscapes and spaces that encourage social interaction.

DTS 2.2

None are applicable.

Building height and setbacks

PO 3.1

Buildings set back from primary and secondary street boundaries to contribute to the consistent established streetscape.

DTS/DPF 3.1

Buildings set back from road boundaries to align with buildings on adjoining land.

PO 3.2

Building height of a low to medium rise that complements the established streetscape and minimises impact on adjoining residential properties.

DTS/DPF 3.2

Building height does not exceed:


- (a) where provided, the relevant maximum height provided within the *Building Height Technical and Numeric Variation Overlay*; or
- (b) in all other cases 3 building levels or 12 metres.

PO 3.3

Buildings mitigate visual impacts of building massing on residential development within a neighbourhood zone.

DTS / DPF 3.3

Buildings constructed within a building envelope provided by a 45 degree plane measured from a height of 3 metres above natural ground level at the allotment boundary of a residential allotment within a neighbourhood zone as shown in the following diagram (except where this boundary is a southern boundary in which case DTS/DPF 3.4 will apply, or where this boundary is the <u>primary</u> <u>street</u> boundary):




PO 3.4

Buildings mitigate overshadowing of residential development within a neighbourhood zone.

DTS / DPF 3.4

Buildings on sites with a southern boundary adjoining a residential allotment within a neighbourhood zone are constructed within a building envelope provided by a 30 degree plane grading north measured from a height of 3m above natural ground level at the southern boundary, as shown in the following diagram:



Land division

PO 4.1

Land division that creates allotments that vary in size and are suitable for a variety of business and community facilities.

DTS 4.1

None are applicable.

Advertisements

PO 5.1

Freestanding advertisements that identify the associated business without creating a visually dominant element within the locality.

DTS 5.1

Freestanding advertisements:

(a) do not exceed 8m in height; and

(b) do not have a sign face that exceeds $6m^2$ per side.

Procedural Matters (PM)

Notification of Performance assessed development

All classes of performance assessed development are excluded from notification except where they involve any of the following:

development on a site located adjacent a dwelling within a neighbourhood zone and which comprises:

- (a) development defined as 'all other code assessed development' in Township Activity Centre Zone Table 3
 - (b) construction of a building which fails to comply with DTS 3.2 to 3.4 (inclusive)
 - (c) the construction of or change of use to a <u>retail fuel outlet</u>, <u>educational</u> <u>establishment</u>, emergency services facility, entertainment venue, hospital, <u>hotel</u>, <u>light industry</u>

Placement of Notices – Exemptions for Performance Assessed Development

None specified.

Placement of Notices – Exemptions for Restricted Development

None specified.

Part 3 – Overlays

Dwelling Excision Overlay

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Creation of allotments to accommodate existing dwellings in primary production areas limited to avoid undermining primary production.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Division

PO 1.1

Land division to create an additional allotment to accommodate an existing dwelling limited to where it can be demonstrated that:

- (a) the dwelling is surplus to a productive land use; and
- (b) continuation of primary production land use will not be undermined.

DTS/DPF 1.1

No additional allotments are created.

PO 1.2

Land division to create an allotment to accommodate a surplus dwelling:

- (a) results in an allotment that supports rural living for the surplus dwelling; and
- (b) ensures that all other allotments are of a size to support primary production.

DTS/DPF 1.2

Land division creates no more than two allotments of which:

- (a) one allotment:
 - a. is 1 hectare or more in area;
 - b. has no boundary that is closer than 40m to an existing dwelling; and
 - c. has a driveway 'handle' of no more than 50 metres in length if it is of a battle-axe configuration;
- (b) the other allotment has an area not less than that identified in the *Minimum Allotment Size Technical and Numeric Variation Overlay*.

Procedural Matters (PM)

Referrals		
Class of Development / Activity	Referral Body	Purpose of Referral
None	None	None

Limited Land Division Overlay

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Limitation of land fragmentation to pursue various outcomes.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

General

PO 1.1

Land division does not result in the creation of an additional allotment.

DTS/DPF 1.1

No additional allotments are created.

Procedural Matters (PM)

Referrals		
Class of Development / Activity	Referral Body	Purpose of Referral
None	None	N/A

Part 4 – General Development Policies

Advertisements

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Advertisements and advertising hoardings are designed appropriate to context, are efficient and effective in communicating with the public, are limited in number to avoid clutter, and do not create hazard.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Appearance

PO 1.1

Advertisements are compatible and integrated with the design of the building and/or land they are located on.

DTS/DPF 1.1

Advertisements attached to a building:

- (a) if located below canopy level, are flush with a wall;
- (b) if located at canopy level, are in the form of a fascia sign;
- (c) if located above a canopy:
 - i. are flush with a wall;
 - ii. do not have any part rising above parapet height; and
 - iii. are not attached to the roof of the building.
- (d) if attached to the side of a verandah, do not exceed the width of the verandah or project from the verandah;
- (e) if attached to the front of a verandah, do not exceed the length of the verandah or project from the verandah;
- (f) if attached to a two storey building, have no part located above the finished floor level of the second storey of the building; and
- (g) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.

PO 1.2

Advertisements designed to conceal their supporting advertising hoarding from view.

DTS 1.2

None are applicable.

PO 1.3

Advertising located so as to not encroach on public land or the land of an adjacent allotment.

DTS/DPF 1.3

Advertisements and/or advertising hoardings are:

- (a) completely contained within the boundaries of the site; or
- (b) if a road widening is applicable, advertising and/or advertising hoarding are completely contained within the proposed property boundary realignment.

PO 1.4

Where possible advertisements on public land are integrated with existing structures and infrastructure.

DTS/DPF 1.4

An advertisement on public land:

- (a) achieves Advertisements DTS/DPF 1.1; or
- (b) is integrated with a bus shelter and it is not to be illuminated.

PO 1.5

Advertisements and/or advertising hoarding of a scale and size appropriate to the character of the locality.

DTS / DPF 1.5

Advertising and/or advertising hoardings meet the area and height requirements set out in <u>Advertisements</u> <u>Table 1 – Maximum Size and Height Requirements</u>

Proliferation of Advertisements

PO 2.1

Proliferation of advertisements minimised to avoid visual clutter and untidiness.

DTS/DPF 2.1

No more than one advertisement is displayed on each public road per occupancy.

PO 2.2

Multiple-business or activity advertisements co-located and coordinated to avoid visual clutter and untidiness.

DTS/DPF 2.2

Advertisements for multiple-business or activity complex incorporating information regarding each business or activity in a single advertisement fixture or structure.

Advertising Content

PO 3.1

Content of advertisements primarily limited to information relating to the lawful use of land they are located on.

DTS/DPF 3.1

An advertisement does not contain third party content.

Amenity Impacts

PO 4.1

Light spill from advertisement illumination does not unreasonably compromise amenity of adjacent and proximate sensitive receivers.

DTS/DPF 4.1

An advertisement does not incorporate any illumination.

Safety

PO 5.1

Advertisements and/or advertising hoardings erected on a verandah or project from a building wall designed and located to allow for safe and convenient pedestrian access.

DTS/DPF 5.1

An advertisement with a minimum clearance of 2.5m between the top of the footway and base of the underside of the sign.

PO 5.2

Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.

DTS/DPF 5.2

No advertisement illumination is proposed.

PO 5.3

Advertisements and/or advertising hoardings do not create a hazard to drivers by:

- (a) being liable to interpretation by drivers as an official traffic sign or signal;
- (b) obscuring or impairing a driver's view of official traffic signs or signals; or
- (c) obscuring or impairing a driver's view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.

DTS/DPF 5.3

DTS/DPF 1.1, 1.2, 5.1, 5.2 and 5.5 are met.

PO 5.4

Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high.

DTS/DPF 5.4

An advertisement and/or advertising hoarding not located along or adjacent to a road having a speed limit of 80km/h or more.

PO 5.5

Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users

DTS/DPF 5.5

Where the advertisement or advertising hoarding is:

- (a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb;
- (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal; or
- (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal:

i.110 km/h road – 14m ii.100 km/h road – 13m iii.90 km/h road – 10m

iv.70 or 80 km/h road – 8.5m

Table 1 – Maximum Size and Height Requirements

P&D Code Zone	Type of Advertisement	Advertised area	Maximu m height (metres)
Urban Activity Centre Suburban Activity Centre	Attached to building	Does not exceed 25 per cent of the ground floor wall area on the façade the sign is placed	N/A
	Freestanding	does not exceed 5m2 per side	8
	Attached to building	X	N/A
Township Activity Centre	Freestanding	Sign face does not exceed 5m2 per side	6
	Attached to building	X	N/A
Suburban Main Street	Freestanding	Sign face does not exceed 4m2 per side	6
Township Main Street	Attached to building	X	Х
	Freestanding	Х	Х
Suburban Business and Innovation Business Neighbourhood	Attached to building	Does not exceed 25 per cent of the ground floor wall area on the façade the sign is placed	N/A
	Freestanding	X	Х
Employment	Attached to building	X	N/A
	Freestanding	Sign face does not exceed 8m2 per side	6
Suburban Employment	Attached to building	X	N/A
	Freestanding	X	Х
City Living	Attached to building	no greater than 0.2 square metres in area, with the exception of the Wellington Square frontages of non- residential sites in the	N/A

P&D Code Zone	Type of Advertisement	Advertised area	Maximu m height (metres)
		south eastern part of the Square (sited between 2 and 38 Wellington Square, where larger advertisements may be appropriate	
	Freestanding	no greater than 0.2 square metres in area, with the exception of the Wellington Square frontages of non- residential sites in the south eastern part of the Square (sited between 2 and 38 Wellington Square, where larger advertisements may be appropriate	X
Urban Corridor (Boulevard) Urban Corridor (Business) Urban Corridor (Living)	Attached to building	Does not exceed 25 per cent of the ground floor wall area on the façade the sign is placed	X
Urban Corridor (Main Street)	Freestanding	X	X
Rural	Attached to building	2m2	Х
Horticulture Viticulture	Freestanding	2m2	X
Peri-Urban	Attached to building	X	Х
	Freestanding	Х	Х
Township	Attached to building	Х	Х
Settlement	Freestanding	X	X
	Attached to building	X	X
Urban Neighbourhood	Freestanding	X	X
Capital City	Attached to building	Х	X

P&D Code Zone	Type of Advertisement	Advertised area	Maximu m height (metres)
City Main Street	Freestanding	X	X
Home Industry	Attached to building	Х	Х
	Freestanding	Х	Х
Neighbourhood	Attached to building	Х	Х
Rural Living etc.	Freestanding	Х	Х

Animal Keeping and Horse Keeping

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Animals kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises adverse effects on the environment, local amenity and surrounding development.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Siting and Design

PO 1.1

Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.

DTS/DPF 1.1 None are applicable

PO 1.2

Animal keeping and horse keeping located and managed to minimise the potential transmission of disease to other operations where animals are kept.

DTS/DPF 1.2

None are applicable

Horse Keeping

PO 2.1

Water from stable wash-down areas directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.

DTS/DPF 2.1

None are applicable

PO 2.2

Stables, horse shelters or associated yards sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.

DTS/DPF 2.2

None are applicable

Stables, horse shelters and/or associated yards sited in accordance with the following:

- (a) 30m or more from any sensitive receivers or approved sensitive receivers on land in other ownership;
- (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.

PO 2.3

All areas accessible to horses separated from septic tank effluent disposal areas to protect the integrity of that system. Kennel flooring constructed with an impervious material to facilitate regular cleaning.

DTS/DPF 2.3

Septic tank effluent disposal areas enclosed with a horse proof barrier such as a fence to exclude horses from this area.

PO 2.4

To minimise environmental harm and adverse impacts on water resources, stables, horse shelters or associated yards are appropriately setback from a watercourse.

DTS/DPF 2.4

Stables, horse shelters or associated yards setback 50m or more from a watercourse

PO 2.5

Stables, horse shelters or associated yards are established on slopes that are stable to minimise risk of soil erosion and water run-off.

DTS/DPF 2.5

Stables, horse shelters or associated yards not located on land with a slope greater than 10% (1-in-10).

Kennels

PO 3.1

Kennel flooring constructed with an impervious material to facilitate regular cleaning.

DTS/DPF 3.1

The floor of kennels:

- (a) constructed of impervious concrete; and
- (b) designed to be self-draining when washed down.

PO 3.2

Kennels and exercise yards designed and sited to minimise noise nuisance to neighbours through measures such as:

- (a) adopting appropriate separation distances; and
- (b) orientating openings away from sensitive receivers.

DTS/DPF 3.2

Kennels sited 500m or more from the nearest sensitive receiver on land in other ownership.

PO 3.3

Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.

DTS/DPF 3.3

Kennels sited in association with a permanent dwelling on the land.

Wastes

PO 4.1

Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:

- (a) avoid attracting and harbouring vermin;
- (b) avoid polluting water resources; and

(c) be located outside 1% AEP flood event areas.

DTS/DPF 4.1

None are applicable

Aquaculture

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Development of aquaculture facilities in an ecologically, economically and socially sustainable manner to support a fair and equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Based Aquaculture

PO 1.1

Land-based aquaculture and associated components sited and designed to avoid adverse impacts on nearby sensitive receivers.

DTS/DPF 1.1

Land-based aquaculture and associated components located:

- (a) 200m or more from a sensitive receiver in other ownership; or
- (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers.

PO 1.2

Land-based aquaculture and associated components sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.

DTS/DPF 1.2

None are applicable.

PO 1.3

Land-based aquaculture and associated components sited and designed to prevent pond leakage that would pollute groundwater.

DTS/DPF 1.3

None are applicable.

PO 1.4

Land-based aquaculture and associated components sited and designed to prevent farmed species escaping and entering into any waters.

DTS/DPF 1.4

None are applicable.

PO 1.5

Land-based aquaculture and associated components, including intake and discharge pipes, designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.

DTS/DPF 1.5

None are applicable.

PO 1.6

Pipe inlet and outlets associated with land-based aquaculture sited and designed to minimise the risk of disease transmission.

DTS/DPF 1.6

None are applicable.

PO 1.7

Storage areas associated with aquaculture activity integrated with the use of the land and sited and designed to minimise visual impact on the surrounding environment.

DTS/DPF 1.7

None are applicable.

Marine Based Aquaculture

PO 2.1

Marine aquaculture sited and designed to minimise adverse impacts on sensitive ecological areas including:

- (a) creeks, and estuaries;
- (b) wetlands;
- (c) significant seagrass and mangrove communities; and
- (d) marine habitats and ecosystems.

DTS/DPF 2.1

None are applicable.

PO 2.2

Marine aquaculture sited in areas with adequate water current to disperse sediments to prevent the buildup of waste.

DTS/DPF 2.2

None are applicable.

PO 2.3

Marine aquaculture incorporates measures to ensure satisfactory removal and disposal of litter, disused material, shells, debris, detritus, dead animals and animal waste from the development to prevent pollution of waters, wetlands, or the nearby coastline.

DTS/DPF 2.3

None are applicable.

PO 2.4

Marine aquaculture designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.

DTS/DPF 2.4

None are applicable

PO 2.5

Marine aquaculture (other than inter-tidal aquaculture) located an appropriate distance seaward of the high water mark.

DTS/DPF 2.5

Marine aquaculture development located 100m or more seaward of the high water mark.

PO 2.6

Marine aquaculture sited and designed to not obstruct or interfere with:

- (a) areas of high public use;
- (b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports.

DTS/DPF 2.6

None are applicable

PO 2.7

Marine aquaculture sited and designed to minimise interference and obstruction to the natural processes of the coastal and marine environment.

DTS/DPF 2.7

None are applicable

PO 2.8

Marine aquaculture sited and designed at a sufficient height above the sea floor and in a manner to minimise seabed damage.

DTS/DPF 2.8

None are applicable

PO 2.9

Marine aquaculture designed to be as unobtrusive as practicable by incorporating measures such as:

- (a) using feed hoppers that are painted in subdued colours and suspended as close as possible to the water surface;
- (b) positioning of structures to protrude the minimum distance practicable above the water surface;
- (c) avoiding the use of shelters and structures above cages and platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety reasons; and
- (d) positioning racks, floats and other farm structures in visually unobtrusive locations from the shoreline.

DTS/DPF 2.9

None are applicable

PO 2.10

Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible.

DTS/DPF 2.10

None are applicable

PO 2.11

Access, launching and maintenance facilities developed as common user facilities and co-located where practicable to mitigate adverse impacts on coastal areas.

DTS/DPF 2.11

None are applicable

PO 2.12

Marine aquaculture sited to minimise potential impacts on, and to protect the integrity of, reserves under the *National Parks and Wildlife Act 1972*.

DTS/DPF 2.12

Marine aquaculture located 1000m or more seaward of the boundary of any reserve under the *National Parks and Wildlife* Act 1972.

PO 2.13

Onshore storage, cooling and processing facilities that do not impair the coastline and its visual amenity and:

- (a) sited, designed, landscaped and developed at a scale and using external materials to minimise any adverse visual impact on the coastal landscape;
- (b) sited and designed with appropriate vehicular access arrangement; and
- (c) incorporate appropriate waste treatment and disposal.

DTS/DPF 2.13

None are applicable

Navigation and Safety

PO 3.1

Marine aquaculture sites are suitably marked to maintain navigational safety.

DTS/DPF 3.1 None are applicable

PO 3.2

Marine aquaculture sited to provide adequate separation between farms for safe navigation.

DTS/DPF 3.2 None are applicable

PO 3.3

Structures secured and/or weighted to prevent drifting from the licensed site.

DTS/DPF 3.3 None are applicable

Environmental Management

PO 4.1

Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species.

DTS/DPF 4.1

None are applicable

PO 4.2

Marine aquaculture designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows.

DTS/DPF 4.2

None are applicable

PO 4.3

Marine aquaculture that provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning.

DTS/DPF 4.3

None are applicable

Beverage Production in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Odour and Noise

PO 1.1

Beverage production activities are designed and sited to minimise odour impacts on amenity.

DTS/DPF 1.1

None are applicable

PO 1.2

Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.

DTS/DPF 1.2

None are applicable

PO 1.3

Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings.

DTS/DPF 1.3

None are applicable

PO 1.4

Breweries designed to minimise odours emitted during boiling and fermentation stages of production.

DTS/DPF 1.4

Brew kettles are fitted with a vapour condenser.

PO 1.5

Beverage production solid wastes stored in a manner that minimises odour impacts on sensitive receivers in other ownership.

DTS/DPF 1.5

Solid waste is collected and stored in sealed containers and removed from the site within 48 hours.

Water Quality

PO 2.1

Beverage production wastewater management systems (including wastewater irrigation) setback from watercourses to minimise adverse impacts on water resources.

DTS/DPF 2.1

Wastewater management systems are setback 50m or more from the banks of watercourses and bores.

PO 2.2

Water resources are protected from pollution by ensuring development does not involve the storage or disposal of chemicals or hazardous substances in a manner that would pose a water pollution risk.

DTS/DPF 2.2

None are applicable

PO 2.3

Stormwater run-off from areas subject to contamination by beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system.

DTS/DPF 2.3 None are applicable

PO 2.4

Stormwater run-off from areas not likely to be subject to contamination by beverage production and associated activities (such as roof catchments and clean hard paved surfaces) is diverted away from beverage production areas and wastewater management systems.

DTS/DPF 2.4

None are applicable

Wastewater Irrigation

PO 3.1

Beverage production wastewater irrigation systems designed and located to not contaminate soil and surface and ground water resources or damage crops.

DTS/DPF 3.1

None are applicable

PO 3.2

Beverage production wastewater irrigation systems designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.

DTS/DPF 3.2

Beverage production wastewater is not irrigated within 50 metres of any dwelling in other ownership.

PO 3.3

Beverage production wastewater is not irrigated onto:

- (a) waterlogged areas;
- (b) land within 50 metres of a creek, swamp or domestic or stock water bore;
- (c) land subject to flooding;
- (d) steeply sloping land; or
- (e) rocky or highly permeable soil overlaying an unconfined aquifer.

DTS/DPF 3.3

None are applicable

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Siting and Design

PO 1.1

Bulk handling and storage facilities sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.

DTS/DPF 1.1

Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing), meet the following minimum separation distances from sensitive receivers:

- (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility: 300m or more
- (b) bulk petroleum storage: 500m or more
- (c) coal handling with:
 - i. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more
 - ii. capacity exceeding 1 tonne per day or a storage capacity exceeding 50 tonnes: 1,000m or more.

Buffers and Landscaping

PO 2.1

Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages.

DTS/DPF 2.1

None are applicable

PO 2.2

Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.

DTS/DPF 2.2

None are applicable

Access and Parking

PO 3.1

Roadways and vehicle parking areas associated with bulk handling and storage facilities designed and surfaced to control dust emissions and drag out of material from the site.

DTS/DPF 3.1

Roadways and vehicle parking areas are sealed with an all-weather surface.

Slipways, Wharves and Pontoons

PO 4.1

Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.

DTS/DPF 4.1 None are applicable.

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

PO 1.1

Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.

DTS/DPF 1.1

One of the following is satisfied:

- (a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the *Electricity Act 1996*; or
- (b) there are no above ground powerlines adjoining the site that is the subject of the proposed development.

Design in Urban Areas

Assessment Provisions (AP)

Desired Outcome (DO) DO 1 Development that is:

- (a) contextual by considering, recognising and carefully responding to its natural surroundings and positively contributing to the character of the immediate area;
- (b) durable fit for purpose, adaptable and long lasting;
- (c) inclusive by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and also promote the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors alike; and
- (d) sustainable by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

ALL DEVELOPMENT

External Appearance

PO 1.1

Buildings that reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).

DTS 1.1

None are applicable.

PO 1.2

Where zero or minor setbacks are desirable, development provides shelter over footpaths to positively contribute to the walkability and comfort of the public realm.

DTS 1.2

None are applicable.

PO 1.3

Buildings (other than ancillary buildings, group dwellings or buildings on a battle-axe allotment) designed so the main façade faces the primary street frontage of the land on which they are situated.

DTS 1.3

None are applicable.

PO 1.4

Plant, exhaust and intake vents and other technical equipment integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:

- (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces;
- (b) screening rooftop plant and equipment from view; and
- (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.

DTS / DPF 1.4

Development does not incorporate any structures that protrude beyond the roofline.

PO 1.5

The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.

DTS 1.5

None are applicable.

Safety

PO 2.1

Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.

DTS 2.1 None are applicable.

PO 2.2

Development designed to differentiate public, communal and private areas.

DTS 2.2

None are applicable.

PO 2.3

Buildings designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.

DTS 2.3

None are applicable.

PO 2.4

Development at street level designed to maximise opportunities for passive surveillance of adjacent public realm.

DTS 2.4

None are applicable.

PO 2.5

Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.

DTS 2.5

None are applicable.

Landscaping

PO 3.1

Landscaped (including trees), permeable open spaces incorporated to:

- (a) minimise heat absorption and reflection;
- (b) maximise shade and shelter;
- (c) maximise stormwater infiltration; and
- (d) enhance the appearance of land and streetscapes.

DTS 3.1

None are applicable.

Environmental Performance

PO 4.1

Buildings sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.

DTS 4.1 None are applicable.

PO 4.2

Buildings sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.

DTS 4.2

None are applicable.

PO 4.3

Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.

DTS 4.3

None are applicable.

Water Sensitive Design

PO 5.1

Development sited and designed to maintain natural hydrological systems without negatively impacting:

- (a) the quantity and quality of surface and groundwater;
- (b) the depth and directional flow of surface and groundwater; or
- (c) the quality and function of natural springs.

DTS 5.1

None are applicable.

Car parking appearance

PO 6.1

Development facing the street designed to minimise the negative impacts of any semi-basement and under-croft car parking on streetscapes.

DTS/DPF 6.1

The protrusion of semi-basement and undercroft car parking structures does not exceed 1.2m above finished ground level and is screened through appropriate plantings, except in a location or zone where a continuous ground floor façade aligned with the front property boundary is desired.

PO 6.2

Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.

DTS 6.2 None are applicable.

PO 6.3

Pedestrian connections that are safe, legible, direct and accessible are provided between parking areas and the development.

DTS 6.3

None are applicable.

PO 6.4

Street level vehicle parking areas that are open to the sky are landscaped to provide shade and reduce solar heat absorption and reflection.

DTS / DPF 6.4

Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.

PO 6.5

Vehicle parking areas are landscaped along public frontages, allotment boundaries and between double rows of parking spaces.

DTS / DPF 6.5

Vehicle parking areas comprising 10 or more car parking spaces contain a vegetated landscaped strip of a minimum dimension of:

- (a) 1m along all public road frontages and allotment boundaries; and
- (b) 0.6m between double rows of car parking spaces.

PO 6.6

Vehicle parking areas and associated driveways are landscaped to shade and positively contribute to amenity.

DTS 6.6

None are applicable.

PO 6.7

Vehicle parking areas and accessways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with landscaping requirements.

DTS 6.7

None are applicable.

Earthworks

PO 7.1

Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.

DTS / DPF 7.1

Development does not involve either:

- (a) excavation exceeding a vertical height of 1m;
- (b) filling exceeding a vertical height of 1m; or
- (c) a total combined excavation and filling vertical height of 2m or more.

Fences and walls

PO 8.1

Fences, walls and retaining walls of sufficient height to maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight.

DTS 8.1

None are applicable.

PO 8.2

Landscaping incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.

DTS / DPF 8.2

A vegetated landscaped strip 500mm deep or more is provided against the low side of a retaining wall.

ALL DEVELOPMENT - 4 OR MORE BUILDING LEVELS

External Appearance

PO 9.1

Buildings positively contribute to the character of the local area by responding to local context.

DTS 9.1

None are applicable.

PO 9.2

Fine-grain detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.

DTS 9.2

None are applicable.

PO 9.3

Buildings designed to reduce visual mass by breaking up building façades into distinct elements.

DTS 9.3

None are applicable.

PO 9.4

Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.

DTS 9.4

None are applicable.

PO 9.5

External materials and finishes are durable and age well to minimise ongoing maintenance requirements.

DTS / DPF 9.5

Buildings utilise a combination (or thereof) of the following external materials and finishes:

- (a) masonry;
- (b) natural stone; and
- (c) pre-finished materials that minimise staining, discolouring or deterioration.

PO 9.6

Street facing building elevations designed to provide attractive, high quality and pedestrian friendly street frontages.

DTS / DPF 9.6

Building street frontages incorporate:

- (a) active uses such as shops or offices;
- (b) prominent entry areas for multi-storey buildings (where it is a common entry);
- (c) habitable rooms of dwellings; and
- (d) areas of communal public realm with public art or the like, where consistent with the Zone and/or sub zone provisions.

PO 9.7

Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.

DTS / DPF 9.7

Entrances to multi-storey buildings:

- (a) oriented towards the street;
- (b) clearly visible and easily identifiable from the street and vehicle parking areas;
- (c) designed to be prominent, accentuated and a welcoming feature if there are no active or occupied ground floor uses;
- (d) provide shelter, a sense of personal address and transitional space around the entry;
- (e) located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors; and
- (f) avoid the creation of potential areas of entrapment.

PO 9.8

Building services, plant and mechanical equipment screened from view from the public realm.

DTS 9.8

None are applicable.

Landscaping

PO 10.1

Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.

DTS / DPF 10.1

Buildings provide a 4m by 4m deep soil space in front of the building to accommodate a medium to large tree, except where no building setback from front property boundaries is desired.

PO 10.2

Deep soil zones provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi storey buildings.

DTS / DPF 10.2

Multi-storey development provides deep soil zones and incorporate trees at not less than the following rates, except in a location or zone where full site coverage is desired:

∙Site•area¤	Minimum• deep•soil• area¤	Minimum• dimension•¤	Tree/· deep· soil· zones¤
•<300m²×	10m²¤	1.5m¤	1·small∙ tree·/∙ 10m²∙ deep·soil×
300- 1500m ² ¤	7%∙site∙ area¤	3m¤	1∙ medium∙ tree∙/∙ 30m²∙ deep∙soil×
•>1500m²×	7%∙site∙ area¤	6m¤	1·large· or· medium· tree·/· 60m ² · deep·soil×
Tree·size·a	nd∙site∙area∙	definitions¤	
•Small·tree×	4-6m∙mature∙height∙and∙<4m∙canopy∙ spread×		
∙Medium∙ tree¤	6-12m·mature·height·and·4-8m· canopy·spread×		
∙Large∙tree×	12m·mature·height·and·>8m·canopy· spread×		
Site∙area×	The·total·area·for·development·site,· not·average·area·per·dwelling×		

PO 10.3

Deep soil zones provided with access to natural light to assist in maintaining vegetation health.

DTS 10.3

None are applicable.

PO 10.4

Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low rise residential development incorporate a deep soil zone along the common boundary, to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more storeys in height.

DTS / DPF 10.4

Building elements of 3 or more storeys in height are set back at least 6m from a zone boundary in which a deep soil zone area is incorporated.

Environmental

PO 11.1

Development minimises detrimental micro-climatic impacts on adjacent land and buildings.

DTS 11.1

None are applicable.

PO 11.2

Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting, green walls, and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.

DTS 11.2 None are applicable.

PO 11.3

Development of 5 or more storeys, or 21m or more in height (as measured from natural ground level and excluding rooftop mounted mechanical plant and equipment), designed to minimise the impacts of wind through measures such as:

- (a) a podium at the base of a tall tower and aligned with the street to deflect wind away from the street;
- (b) substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas;
- (c) the placement of buildings and use of setbacks to deflect the wind at ground level; and / or
- (d) avoid tall shear facades that create windy conditions at street level.

DTS 11.3

None are applicable.

Site Facilities / Waste Storage

PO 12.1

Development provides dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.

DTS 12.1

None are applicable.

PO 12.2

Communal waste storage and collection areas located, enclosed and designed to be screened from view from the public domain, open space and dwellings.

DTS 12.2

None are applicable.

PO 12.3

Communal waste storage and collection areas designed to be well ventilated and located away from habitable rooms.

DTS 12.3 None are applicable.

PO 12.4

Communal waste storage and collection areas designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.

DTS 12.4 None are applicable.

PO 12.5

For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.

DTS 12.5

None are applicable.

Car Parking

PO 13.1

Multi-level vehicle parking structures designed to contribute to active street frontages and complement neighbouring buildings.

DTS/ DPF 13.1

Multi-level vehicle parking structures within buildings to:

- (a) provide land uses such as commercial, retail or other non-car parking uses along ground floor street frontages; and
- (b) incorporate facade treatments along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings.

PO 13.2

Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.

DTS 13.2

None are applicable.

ALL RESIDENTIAL DEVELOPMENT

External Appearance

PO 14.1

Dwellings incorporate windows facing primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.

DTS/DPF 14.1

Each dwelling with a frontage to a public street includes at least one window with a total window area of at least 2m2 facing the primary street, from a habitable room that has a minimum room dimension of 2.7m.

PO 14.2

Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.

DTS/DPF 14.2

Dwellings with a frontage to a public street have the entry door facing the public street.

Outlook and Amenity

PO 15.1

Primary living rooms have an external outlook to provide a high standard of amenity for occupants.

DTS / DPF 15.1

Primary living rooms (other than kitchens) incorporate a window with an external outlook towards the street frontage or private open space.

PO 15.2

Bedrooms separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.

DTS 15.2

None are applicable.

Ancillary Development

PO 16.1

Residential ancillary buildings and structures sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.

DTS / DPF 16.1

Residential ancillary buildings and structures:

- (a) are not being constructed, added to or altered so that any part is situated:
 - i. in front of any part of the building line of the dwelling to which it is ancillary; or
 - ii. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads);
- (b) in the case of a garage or carport, the garage or carport is setback at least 5.5m from the boundary of the primary street;
- (c) not exceeding 7m or 50% of the site frontage (whichever is the lesser) when facing a primary street or secondary street;
- (d) if situated on a boundary (not being a boundary with a primary street or secondary street), a length not exceeding 10m unless:
 - i. a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and
 - ii. the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent;
- (e) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary not exceeding 45% of the length of that boundary;
- (f) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure;
- (g) have a wall height or post height not exceeding 3m above natural ground level;
- (h) have a roof height where no part of the roof is more than 5m above the natural ground level; and
- (i) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour.

PO 16.2

Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements or result in over-development of the site.

DTS / DPF 16.2

Ancillary buildings and structures do not result in:

- (a) less private open space than specified in Design in Urban Areas Table 1 Outdoor Open Space;
- (b) less on-site car parking than specified in Transport, Access and Parking Table 1 Off-street Car Parking Requirements; and
- (c) the total roofed floor area of all existing or proposed ancillary building(s) or structure(s) exceeding 60m2.

PO 16.3

Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.

DTS/DPF 16.3

The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:

- (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment; or
- (b) located at least 12m from the nearest habitable room located on an adjoining allotment.

Flooding

PO 17.1

Residential accommodation sited, designed and constructed to prevent the entry of floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.

DTS / DPF 17.1

Residential accommodation has a ground finished floor level 300mm above the top of the kerb level of the primary street.

RESIDENTIAL DEVELOPMENT - 3 BUILDING LEVELS OR LESS

External appearance

PO 18.1

Garaging designed to not detract from the streetscape or appearance of a dwelling.

DTS/DPF 18.1

Garages and carports facing a street:

- (a) do not exceed 7m in width or 50% of the sites frontage (whichever is less); and
- (b) are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling
- (c) are setback at least 5.5m from the boundary of the primary street; and
- (d) unless the dwelling has two storeys along the street frontage:
 - i. have single width car parking with a maximum garage door not exceeding 3.5m on sites with a frontage of 12m; or less
 - ii. have a garage door not exceeding 50% of the site frontage or 7m (whichever is less) on sites with a frontage greater than 12m.

PO 18.2

Dwelling facades make a positive contribution to streetscapes and common areas by providing variation of light and shadow and creating a sense of depth.

DTS/DPF 18.2

Each dwelling includes at least 3 of the following design features within each façade facing a public road or common driveway:


- (a) a minimum of 30% of the façade is setback an additional 300mm from the primary building line;
- (b) a porch or portico that projects at least 1m from the building façade that is open on at least 2 sides;
- (c) a balcony that projects from the building façade;
- (d) a verandah that projects at least 1m from the building façade;
- (e) eaves surrounding the dwelling of a minimum 450mm width;
- (f) 3a minimum 30% of the upper level projects forward from the lower level primary building line.

PO 18.3

The apparent mass of larger buildings is reduced when viewed from adjoining allotments or public streets.

DTS/DPF 18.3

Buildings of 2 or more building levels and a length exceeding 20m adjacent a secondary street or side boundary incorporate a step back of the building façade of more than 300mm for a minimum length of 1m, at least every 10m.



Overlooking / Visual Privacy

PO 19.1

Development mitigates direct overlooking of habitable rooms and private open spaces of dwellings.

DTS / DPF 19.1

Upper level windows facing side or rear boundaries shared with an allotment put to residential use:

- (a) are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm;
- (b) have sill heights greater than or equal to 1.5m above finished floor level; or
- (c) incorporate screening to a height of 1.5m above finished floor level; and
- (d) the building will not have a balcony or terrace on an upper building level, other than where the longest side of that balcony or terrace will face a road (including any road reserve), or reserve (including any land held as open space), and is at least 15m from the private open space of any other dwelling.

Private Open Space

PO 20.1

Dwellings provided with suitable sized areas of usable private open space to meet the needs of occupants.

DTS / DPF 20.1

Private open space provided in accordance with Design in Urban Areas Table 1 - Outdoor Open Space.

PO 20.2

Private open space positioned to provide convenient access from internal living areas.

DTS / DPF 20.2

Private open space is directly accessible from a habitable room, other than a bedroom or study.

PO 20.3

Private open space is positioned and designed to:

- (a) provide useable outdoor space that suits the needs of occupants;
- (b) take advantage of desirable orientation and vistas;
- (c) animate the street frontage by encouraging activity between buildings and public streets;
- (d) adequately define public and private space when located forward of the building; and
- (e) prolong activity along street frontages by protecting against inclement weather.

DTS / DPF 20.3

A portion of the private open space specified in DTS 20.1 can be provided forward of the primary building line where:

- (a) the area is fenced to a maximum height of 1.8m;
- (b) the area incorporates a verandah with a minimum dimension of 1.5m
- (c) an area is provided behind the primary building line that has the minimum dimensions identified in DTS 20.1;

Landscaping

PO 21.1

Soft landscaping incorporated into development to:

- (a) minimise heat absorption and reflection;
- (b) contribute shade and shelter;
- (c) provide for stormwater infiltration and biodiversity; and
- (d) enhance the appearance of land and streetscapes.

DTS / DPF 21.1

Residential development incorporates areas for soft landscaping with a minimum dimension of 0.5 metres provided in accordance with the following:

(a)

Dwelling·site·area·(or· in·the·case·of· residential·flat·or· group·average·site· area)·(square·metres)¤	%•of•site•¤
<200×	15%¤
201450×	20%¤
>450×	25%¤

; and

(b) 25% of any land between the road boundary and the primary building line is provided for soft landscaping with a minimum dimension of 0.5 metres.

PO 21.2

Tree planting provided to:

- (a) contribute shade and shelter;
- (b) improve outlook for occupants of buildings;
- (c) reduce the apparent mass of buildings;
- (d) contribute to biodiversity;
- (e) mitigate urban heat; and
- (f) improve the amenity and character of streetscapes and contribute to attractive vistas.

DTS / DPF 21.2

Tree planting is provided in accordance with the following tables:

(a)

Allotment· size¤	Tree-size*-and-number- required- <u>per-dwelling</u> ¶ ¤]
<450m ² ×	1·small·tree·per·dwelling×]1
450-800m ² ×	1·medium·tree×]
800m ² +×	1·large·tree×]

*refer Table DTS 21.2 Tree Size

Table·DTS·21.2·Tree·Size¶ ¤			
		Mature: spreadः	Min∙soil∙area∞
Small∞¤			10m²·and·min· dimension·of·1.5m១
Medium®	6-12m¤¤		30m²∙and∙min.∙ dimension∙of⁰2m¤
Large ^{og}	>12mº¤	>8mª¤	60m²∙and∙min∙ dimension∙of⊶m∞¤

Table DTS 21.2 Tree Size

(b) The following discounts apply where existing trees are retained on the subject land that are not a species identified in Regulation3F(4)(b):

tree∙	tree∙	development· site¶ ¤	applied ^{og}
4-6m ^{ox}	<4m¤⊄	10m²∙and∙min∙ dimension∙of∙ 1.5m°¤	2∙small¤
6-12m ^{ox}	4-8mº¤	30m²∙and∙min.∙ dimension∙ of⁰3m∞¤	2∙medium
>12m¤	>8m%¤	60m²∙and∙min∙ dimension∙of∙ 6m⁰¤	2ªlarge¤

(c) Trees can be replaced with smaller trees in accordance with the following rates:

Tree·size*)	Equivalent·planting¶	1
	¤	
Medium∙ tree∞¤	2∙small∙trees∞¤	1
Large-tree%	4·small·trees·or∞	1
	2·medium·trees ^{ox}	

*refer Table DTS 21.2 Tree Size

Water Sensitive Design

PO 22.1

Residential development designed to capture and re-use stormwater to:

(a) maximise conservation of water resources;

- (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded; and
- (c) manage stormwater runoff quality.

DTS / DPF 22.1

Residential development in the form of:

- (a) detached, semi-detached or row dwellings include a retention rainwater tank storage:
 - i. connected to at least 80% of the roof area of the dwelling (row dwelling), or at least 60% of the roof area of the dwelling (detached and semi-detached dwellings);
 - ii. connected to all toilets and either the laundry cold water outlets or hot water service;
 - iii. that has a minimum total capacity in accordance with Table 1, and
 - iv. the roof is at least 80% of the impervious area; or

Table 1: Retention Rainwater Tank

Allotment size (m ²)	Minimum site % perviousness	Minimum rainwater	Additional site permeability discount opportunity	
		tank volume	Site % perviousness	Minimum rainwater tank volume (L)
<200	15%	2,000		
201-400	20%	3,000	30%	2,000
400-500	25%	5,000	35%	3,000

- (a) hammerhead dwellings have driveways and pathways constructed of a minimum of 50% permeable or porous material and include a retention rainwater tank storage:
 - i. connected to at least 60% of the roof area of the dwelling;
 - ii. connected to all toilets and either the laundry cold water outlets or hot water service; and
 - iii. that has a minimum total capacity in accordance with Table 2.

Table 2: Retention Rainwater Tank Option

■ Allotment· size·(m2)×	Site-%-pervious-ness#	Rainwater-tank- volume-(L)×]
<-200×	15%×	2,000×	_,
■ 201-400×	20%×	3,000×	
■401-500×	25%×	5,000×	

PO 22.2

Development creating 5-19 dwellings includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.

DTS 22.2

Development creating 5-19 dwellings is accompanied by an approved Stormwater Management Plan that achieves the following stormwater runoff outcomes:

- (a) 80 per cent reduction in average annual total suspended solids;
- (b) 60 per cent reduction in average annual total phosphorus; and
- (c) 45 per cent reduction in average annual total nitrogen.

PO 22.3

Development creating 5-19 dwellings includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS 22.3

Development creating 5-19 dwellings

- (a) maintains:
 - i. a pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 5year ARI (18.1% AEP) 30 minute storm; and
 - ii. the stormwater runoff time to peak to match that of the pre-development condition; or
- (b) capture and retain the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for a 5-year ARI (18.1% AEP) 30 minute storm; and
- (c) manage site generated stormwater runoff up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings.

Car parking, access and manoeuvrability

PO 23.1

Covered car parking spaces are of dimensions to be functional, accessible and convenient.

DTS / DPF 23.1

Covered car parking spaces:

- (a) where enclosed by fencing or walls, have:
 - i. a minimum internal width of 3.2m and length of 6.0m for a single space;
 - ii. a minimum internal width of 6.0m and length of 6.0m for a double space (side by side); and
 - iii. a minimum internal width of 3.2m and length of 11m for a double space (tandem); or
- (b) where not enclosed by fencing, walls or garage doors, have:
 - i. a minimum width of 3.0m and minimum length of 5.5m for a single space;
 - ii. a minimum width of 5.2m and minimum length of 5.5m for a double (side by side) space; and
 - iii. a minimum width of 3.0m and minimum length of 10.4m for a double (tandem) space.

PO 23.2

Uncovered car parking space are of dimensions to be functional, accessible and convenient.

DTS / DPF 23.2

Uncovered car parking spaces have a minimum width of 2.4m and a minimum length of 5.5m.

PO 23.3

Driveways and access points located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.

DTS / DPF 23.3

Driveways and access points:

- (a) for sites with a frontage to a public road of 12m or less, have a maximum width of 3.2m measured at the property boundary and are the only access point provided on the site; or
- (b) for sites with a frontage to a public road greater than 12m:
 - i. have a maximum width of 6m measured at the property and are the only access point provided on the site; or
 - ii. have a maximum width of 3.2 metres measured at the property boundary and no more than two access points are provided on site.

PO 23.4

Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.

DTS / DPF 23.4

Vehicle access to designated car parking spaces:

- (a) is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land
- (b) where newly proposed, is setback:
- (a) 500mm or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner;
- (b) 2m or more from a street tree unless consent is provided from the tree owner;
- (c) 6m or more from the tangent point of an intersection of 2 or more roads or a pedestrian-actuated crossing.

PO 23.5

Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.

DTS/ DPF 23.5

Driveways are designed and sited so that:

- (a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport when work is completed is not steeper than 1:4 on average; and
- (b) the centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access.

PO 23.6

Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking (where on-street parking is appropriate).

DTS / DPF 23.6

Where on-street parking is available directly adjacent the site, parking is retained in accordance with the following requirements:

- (a) 1 on-street car park per 3 proposed dwellings (rounded up to the nearest whole number); and
- (b) minimum car park length of 6m.

Waste storage

PO 24.1

Provision is made for the convenient storage of waste bins in a location screened from public view.

DTS / DPF 24.1

Dwellings are provided with:

- (a) an area of 3m2 or more for the storage of waste (separate from any designated car parking spaces or private open space) is provided behind the building line; and
- (b) a continuous unobstructed path of travel with a minimum width of 800mm between the waste bin storage area and the street.

Design of Transportable Dwellings

PO 25.1

The sub-floor space beneath transportable buildings enclosed to give the appearance of a permanent structure.

DTS 25.1 None are applicable.

RESIDENTIAL DEVELOPMENT - 4 OR MORE BUILDING LEVELS (INCLUDING SERVICED APARTMENTS)

Outlook and Visual Privacy

PO 26.1

Ground level dwellings have a satisfactory short range visual outlook to public, communal or private open space.

DTS / DPF 26.1

Buildings:

- (a) provide a habitable room at ground or first level with a window facing toward the street; and
- (b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.

PO 26.2

The visual privacy of ground level dwellings within multi-level buildings is protected.

DTS / DPF 26.2

The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m.

Private Open Space

PO 27.1

Dwellings provided with suitable sized areas of usable private open space to meet the needs of occupants.

DTS / DPF 27.1

Private open space provided in accordance with Design in Urban Areas Table 1 - Outdoor Open Space.

Apartment Amenity

PO 28.1

Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.

DTS / DPF 28.1

Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct 'line of sight' between them and 3m or more from a side or rear property boundary.

PO 28.2

Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to:

- (a) respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy; and
- (b) allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor areas.

DTS / DPF 28.2

Balconies utilise a combination (or thereof) of the following design elements:

(a) sun screens;

- (b) pergolas;
- (c) louvres;
- (d) green facades; or

(e) openable walls.

PO 28.3

Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.

DTS / DPF 28.3

Balconies open directly from a habitable room and incorporate:

- (a) a minimum dimension of 2m or more and are well proportioned to accommodate a table and 2 chairs; or
- (b) a minimum dimension of 2.4m and are well proportioned to accommodate a table and 4 chairs.

PO 28.4

Dwellings are provided with sufficient space for storage to meet likely occupant needs.

DTS / DPF 28.4

Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates:

- (a) studio: 6m3 or more;
- (b) 1 bedroom dwelling / apartment: 8m3 or more;
- (c) bedroom dwelling / apartment: 10m3 or more; and
- (d) 3+ bedroom dwelling / apartment: 12m3; and
- (e) 50% or more of the storage volume is provided within the dwelling.

PO 28.5

Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in place.

DTS 28.5

None are applicable.

Apartment Configuration

PO 29.1

Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.

DTS / DPF 29.1

Buildings containing in excess of 10 dwellings provide at least one of each of the following:

- (a) studio (where there is no separate bedroom);
- (b) 1 bedroom dwelling / apartment with a floor area of at least 50m2;
- (c) 2 bedroom dwelling / apartment with a floor area of at least 65m2; and
- (d) 3+ bedroom dwelling / apartment with a floor area of at least 80m2, and any dwelling over 3 bedrooms provides an additional 15m2 for every additional bedroom.

PO 29.2

Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.

DTS 29.2

None are applicable.

Common Areas

PO 30.1

The size of lifts, lobbies and corridors is sufficient to accommodate movement of bicycles, strollers, mobility aids and visitor waiting areas.

DTS / DPF 30.1

Common corridor or circulation areas:

- (a) have a minimum ceiling height of 2.7m;
- (b) provide access to no more than 8 dwellings; and
- (c) incorporate a wider section of apartment entries where the corridors exceed 12m in length from a core.

GROUP DWELLINGS, RESIDENTIAL FLAT BUILDINGS AND BATTLE-AXE DEVELOPMENT

Amenity

PO 31.1

Dwellings are of a suitable size to provide high standard of amenity for occupants.

DTS / DPF 31.1

Dwellings have a minimum internal floor area in accordance with the following table:

Bedrooms¤	Minimum·internal· floor·area¤]
Studio·(where·there· is·no·separate· bedroom)¤	35m ² ×]
1·bed¤	50m ² ×	ŀ
2·bed¤	65m ² ×	1
3+∙bed¤	80m ² , •and •any • dwelling • over • 3 • bedrooms • provides • an • additional • 15m ² • for • every • additional • bedroom ×]]

PO 31.2

The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.

DTS / DPF 31.1 None are applicable.

PO 31.3

Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards neighbouring properties.

DTS 31.3 None are applicable.

Communal Open Space

PO 32.1

Communal open space provided where private open space provision is inadequate to meet the needs of occupants or where the nature of the development is such that private open space is not ordinarily provided.

DTS 32.1

None are applicable.

Car parking, access and manoeuvrability

PO 33.1

Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking (where on-street parking is appropriate).

DTS / DPF 33.1

Where on-street parking is available directly adjacent the site, parking is retained in accordance with the following requirements:

- (a) 1 on-street car park per 3 proposed dwellings (rounded up to the nearest whole number); and
- (b) minimum car park length of 6m.

PO 33.2

The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.

DTS / DPF 33.2

Access to group dwellings or dwellings within a residential flat building provided via a single common driveway.

PO 33.3

Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability of the types of vehicles that are reasonably anticipated.

DTS / DPF 33.3

Battle-axe driveways and driveways that service more than one dwelling satisfy the following:

- (a) a width of 3m or more;
- (b) for driveways servicing three or more dwellings which exceed 30m in length, incorporate a least one vehicle passing point with a width of 5m or more and a length of 6m or more, and an additional passing point at least every 30m thereafter;
- (c) locate the passing point in (b) within 12m of the primary street boundary; and
- (d) a width of 5m or more for at least the first 6m from the primary street boundary where located on an arterial road.

PO 33.4

Driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site in a safe and convenient manner.

DTS / DPF 33.4

Driveways providing access to more than one dwelling allow a B85 passenger vehicle to enter and exit all dedicated car parks and garages in a forward direction without requiring more than a 2-point-turn manoeuvre.

PO 33.5

Dwellings are adequately separated from common driveways and manoeuvring areas.

DTS/DPF 33.5

Dwellings are at least 1.5m from any vehicle movement path required to achieve DTS 34.3.

Landscaping

PO 34.1

Landscaping is provided between dwellings and common driveways to improve the outlook for occupants and improve the appearance of common areas.

DTS/ DPF 34.1

Other than where located directly in front of a garage or directly adjacent a building entry door, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.

PO 34.2

Landscaping is provided that improves the appearance of common driveways.

DTS / DPF 34.2

Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point required in DTS 34.3).

Site Facilities / Waste Storage

PO 35.1

Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.

DTS 35.1 None are applicable.

PO 35.2

Provision is made for suitable external clothes drying facilities.

DTS 35.2 None are applicable.

PO 35.3

Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from public view.

DTS 35.3 None are applicable.

PO 35.4 Waste and recyclable material storage areas are located away from dwellings.

DTS / DPF 35.4

Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.

PO 35.5

Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.

DTS 35.5 None are applicable.

SUPPORTED ACCOMMODATION, HOUSING FOR AGED PERSONS, AND PEOPLE WITH DISABILITIES

Siting and Configuration

PO 36.1

Supported accommodation and housing for aged persons and people with disabilities located where on-site movement of residents is not unduly restricted by the slope of the land.

DTS 36.1

None are applicable.

Movement and Access

PO 37.1

Development designed to support safe and convenient access and movement for residents by providing:

- (a) ground-level access or lifted access to all units;
- (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places;
- (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability; and
- (d) kerb ramps at pedestrian crossing points.

DTS 37.1

None are applicable.

Communal Open Space

PO 38.1

Development designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors alike.

DTS 38.1

None are applicable.

PO 38.2

Communal open space provided where private open space provision is inadequate to meet the needs of occupants or where the nature of the development is such that private open space is not ordinarily provided (such as supported accommodation).

DTS 38.2

None are applicable.

Site Facilities / Waste Storage

PO 39.1

Development designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.

DTS 39.1

None are applicable.

PO 39.2

Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.

DTS 39.2

None are applicable.

PO 39.3 Provision is made for suitable external clothes drying facilities.

DTS 39.3 None are applicable.

PO 39.4

Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.

DTS 39.4 None are applicable.

PO 39.5 Waste and recyclable material storage areas are located away from dwellings.

DTS / DPF 39.5

Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.

PO 39.6

Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.

DTS 39.6 None are applicable.

PO 39.7

Services including gas and water meters conveniently located and screened from public view.

DTS 39.7

None are applicable.

STUDENT ACCOMMODATION

PO 40.1

Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction. DTS / DPF 41.1

Student accommodation provides:

- (a) a range of living options that meet a variety of accommodation needs, such as one bedroom, two bedroom and disability access units;
- (b) common or shared facilities to enable a more efficient use of space, including:
 - i. shared cooking, laundry and external drying facilities;
 - ii. internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 Outdoor Open Space;
 - iii. common storage facilities at the rate of 8 cubic metres for every 2 dwellings or students;
 - iv. common on-site parking to meet anticipated demand in accordance with Transport, Access and Parking Table 1 - Off-street Car Parking Requirements ; and
 - v. secure and sheltered bicycle parking at the rate of one space for every 2 students.

PO 40.2

Student accommodation designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.

DTS 40.2 None are applicable.

ALL NON-RESIDENTIAL DEVELOPMENT

Water Sensitive Design

PO 41.1

Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.

DTS/DPF 41.1

Development includes stormwater management systems designed to achieve the following gross pollutant outcomes:

- (a) 80 per cent reduction in average annual total suspended solids;
- (b) 60 per cent reduction in average annual total phosphorus;
- (c) 45 per cent reduction in average annual total nitrogen;
- (d) 90 per cent reduction of litter/gross pollutants compared to untreated stormwater runoff; and
- (e) no visible oils/grease for flows up to the 1-in-3 month average return interval flood peak flow.

PO 41.2

Water discharged from a development site to be of a physical, chemical and biological condition equivalent to or better than its pre-developed state.

DTS 41.2

None are applicable.

PO 41.3

Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS / DPF 41.3

Development includes stormwater management systems that:

- (a) maintain a pre-development peak flow rate from the site, based upon a 0.35 runoff coefficient for the 20-year ARI (5% AEP) 30 minute storm, unless a lower performance measure is specified in an approved catchment based Stormwater Management Plan;
- (b) maintains the stormwater runoff time to peak to match that of the pre-development; and
- (c) manages up to and including the 100-year ARI flood event (1% AEP) to avoid flooding of buildings.

Wash-down and Waste Loading and Unloading

PO 42.1

Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment that are:

- (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off;
- (b) paved with an impervious material to facilitate wastewater collection;
- (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area; and
- (d) designed to drain wastewater to either:
 - i. a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme; or

ii. a holding tank and its subsequent removal off-site on a regular basis.

DTS 42.1

None are applicable.

Table 1 - Outdoor Open Space

Dwelling Type	Dwelling / Site Configuration	Minimum Rate
Detached dwelling Semi-detached dwelling Row dwelling	Site area >1,000m ²	Total area: 20% of total site area Adjacent to habitable room: 10% total site area / minimum dimension 4m.
Group dwelling	Site area 500m ² – 1,000m ²	Total area: 80m ² Adjacent to habitable room: 24m ² / minimum dimension 4m.
	Site area 300m ² - 500m ²	Total area: 60m ² Adjacent to habitable room: 16m ² / minimum dimension 4m.
	Site area <300m ²	Total area: 24m ² Adjacent to habitable room: 16m ² / minimum dimension 3m
Cabin or caravan (permanently fixed to the ground) in a Residential Park Zone or Caravan and Tourist Park Zone		Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation.
Apartments	Dwellings at ground level:	
	- All types	15m ² / minimum dimension 3m
	Dwellings located above ground level:	
	- Studio	4m ² / minimum dimension 1.8m
	- One bedroom dwelling	8m ² / minimum dimension 2.1m
	- Two bedroom dwelling	11m ² / minimum dimension 2.4m
	- Three + bedroom dwelling	15 m ² / minimum dimension 2.6m

Design in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Development that is:

- (a) contextual by considering, recognising and carefully responding to its natural surroundings and positively contributing to the character of the immediate area;
- (b) durable fit for purpose, adaptable and long lasting;
- (c) inclusive by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and also promote the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors alike; and
- (d) sustainable by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria ALL DEVELOPMENT

External Appearance

PO 1.1

Buildings that reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).

DTS 1.1

None are applicable.

PO 1.2

Where zero or minor setbacks are desirable, development provides shelter over footpaths to positively contribute to the walkability and comfort of the public realm.

DTS 1.2

None are applicable.

PO 1.3

Buildings (other than ancillary buildings, group dwellings or buildings on a battle-axe allotment) designed so the main façade faces the primary street frontage of the land on which they are situated.

DTS 1.3

None are applicable.

PO 1.4

Plant, exhaust and intake vents and other technical equipment integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:

- (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces;
- (b) screening rooftop plant and equipment from view; and

(c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.

DTS / DPF 1.4

Development does not incorporate any structures that protrude beyond the roofline.

PO 1.5

The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.

DTS 1.5

None are applicable.

Safety

PO 2.1

Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.

DTS 2.1

None are applicable.

PO 2.2

Development designed to differentiate public, communal and private areas.

DTS 2.2

None are applicable.

PO 2.3

Buildings designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.

DTS 2.3

None are applicable.

PO 2.4

Development at street level designed to maximise opportunities for passive surveillance of adjacent public realm.

DTS 2.4

None are applicable.

PO 2.5

Common areas and entry points of buildings (such as the foyer areas of residential buildings), and nonresidential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.

DTS 2.5 None are applicable.

Landscaping

PO 3.1

Landscaped (including trees), permeable open spaces incorporated to:

- (a) minimise heat absorption and reflection;
- (b) maximise shade and shelter;
- (c) maximise stormwater infiltration; and
- (d) enhance the appearance of land and streetscapes.

DTS 3.1

None are applicable.

Environmental Performance

PO 4.1

Buildings sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.

DTS 4.1

None are applicable.

PO 4.2

Buildings sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.

DTS 4.2

None are applicable.

PO 4.3

Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.

DTS 4.3

None are applicable.

Water Sensitive Design

PO 5.1

Development sited and designed to maintain natural hydrological systems without negatively impacting:

- (a) the quantity and quality of surface and groundwater;
- (b) the depth and directional flow of surface and groundwater; or
- (c) the quality and function of natural springs.

DTS 5.1

None are applicable.

On-site Waste Treatment Systems

PO 6.1

Dedicated on-site effluent disposal areas that do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.

DTS / DPF 6.1

Effluent disposal drainage areas do not:

- (a) encroach within an area used as private open space or would result in less private open space than that specified in Design in Rural Areas Table 1 Private Open Space;
- (b) use an area also used as a driveway; and

(c) encroach within an area used for on-site car parking or would result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - Off-Street Car Parking Requirements.

Car parking appearance

PO 7.1

Development facing the street designed to minimise the negative impacts of any semi-basement and under-croft car parking on the street scape.

DTS / DPF 7.1

The protrusion of undercroft car parks to not exceed 1.2m above finished ground level and screened through appropriate plantings, except in a location or zone where a continuous ground floor façade aligned with the front property boundary is desired.

PO 7.2

Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.

DTS 7.2

None are applicable.

PO 7.3

Pedestrian connections that are safe, legible, direct and accessible are provided between parking areas and the development.

DTS 7.3

None are applicable.

PO 7.4

Street level vehicle parking areas that are open to the sky are landscaped to provide shade and reduce solar heat absorption and reflection.

DTS / DPF 7.4

Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces, include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.

PO 7.5

Vehicle parking areas are landscaped along public frontages, allotment boundaries and between double rows of parking spaces.

DTS / DPF 7.5

Vehicle parking areas comprising 10 or more car parking spaces contain a vegetated landscaped strip of a minimum dimension of:

- (a) 1m along all public road frontages and allotment boundaries; and
- (b) 0.6m between double rows of car parking spaces.

PO 7.6

Vehicle parking areas and associated driveways are landscaped to shade and positively contribute to amenity.

DTS 7.6 None are applicable.

PO 7.7

Vehicle parking areas and accessways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with landscaping requirements.

DTS 7.7

None are applicable.

Earthworks

PO 8.1

Development, including any associated driveways and access tracks, minimise the need for earthworks to limit disturbance to natural topography.

DTS / DPF 8.1

Development does not involve either:

- (a) excavation exceeding a vertical height of 1m;
- (b) filling exceeding a vertical height of 1m; or
- (c) a total combined excavation and filling vertical height of 2m or more.

Fences and walls

PO 9.1

Fences, walls and retaining walls alongside and rear boundaries of sufficient height to maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight.

DTS 9.1

None are applicable.

PO 9.2

Landscaping incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.

DTS / DPF 9.2

A vegetated landscaped strip 500mm deep or more is provided against the low side of a retaining wall.

ALL RESIDENTIAL DEVELOPMENT

External appearance

PO 10.1

Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.

DTS/DPF 10.1

Each dwelling with a frontage to a public street includes at least one window (or windows) with a total window area of at least 2m2 facing the primary street, from a habitable room that has minimum room dimension of 2.7m.

PO 10.2

Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.

DTS/DPF 10.2

Dwellings with a frontage to a public street has the entry door facing the public street.

Outlook and amenity

PO 11.1

Primary living rooms have an external outlook to provide a high standard of amenity for occupants.

DTS / DPF 11.1

Primary living rooms (other than kitchens) incorporate a window with an external outlook towards the street frontage or private open space.

PO 11.2

Bedrooms separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.

DTS 11.2

None are applicable.

Ancillary Development

PO 12.1

Residential ancillary buildings and structures sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.

DTS / DPF 12.1

Residential ancillary buildings and structures:

- (a) are not being constructed, added to or altered so that any part is situation:
 - i. in front of any part of the building line of the dwelling to
 - ii. within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
- (b) in the case of a garage or carport, the garage or carport is setback at least 5.5m from the boundary of the primary street;
- (c) not exceeding 7m or 50% of the site frontage (whichever is the lesser) when facing a primary street or secondary street;
- (d) if situated on a boundary (not being a boundary with a primary street or secondary street), a length not exceeding 10m unless:
 - i. a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary; and
 - ii. the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
- (e) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary not exceeding 45% of the length of that boundary;
- (f) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or abut the proposed wall or structure;
- (g) have a wall height or post height not exceeding 3m above natural ground level;
- (h) have a roof height where no part of the roof is more than 5m above the natural ground level; and
- (i) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour.

PO 12.2

Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements or result in over-development of the site.

DTS / DPF 12.2

Ancillary buildings and structures do not result in:

- (a) less private open space than specified in Design in Rural Areas Table 1 Outdoor Open Space;
- (b) less on-site car parking than specified in Transport, Access and Parking Table 1 Off-street Car Parking Requirements; and
- (c) the total roofed floor area of all existing or proposed ancillary building(s) or structure(s) exceeding 60m2.

PO 12.3

Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.

DTS/DPF 12.3

The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:

- (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment; or
- (b) located at least 12m from the nearest habitable room located on an adjoining allotment.

RESIDENTIAL DEVELOPMENT - 3 BUILDING LEVELS OR LESS

External appearance

PO 13.1

Garaging designed to not detract from the streetscape or appearance of a dwelling.

DTS/DPF 13.1

Garages and carports facing a street:

- (a) do not exceed 7m in width or 50% of the sites frontage (whichever is less); and
- (b) are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling
- (c) are setback at least 5.5m from the boundary of the primary street;
- (d) unless the dwelling has two storeys along the street frontage:
 - i. have single width car parking with a maximum garage door not exceeding 3.5m on sites with a frontage of 12m or less
 - ii. have a garage door not exceeding 50% of the site frontage or 7m (whichever is less) on sites with a frontage greater than 12m.

PO 13.2

Dwelling facades make a positive contribution to streetscapes and common areas by providing variation of light and shadow and creating a sense of depth.

DTS/DPF 13.2

Each dwelling includes at least 3 of the following design features along each façade facing a public road or common driveway:

- (a) a minimum of 30% of the façade is setback an additional 300mm from the primary building line;
- (b) a porch or portico that projects at least 1m from the building façade that is open on at least 2 sides;
- (c) a balcony that projects from the building façade;
- (d) a verandah that projects at least 1m from the building façade;
- (e) eaves surrounding the dwelling of a minimum 450mm width;
- (f) a minimum 30% of the upper level projects forward from the lower level primary building line.

PO 13.3

The apparent mass of larger buildings is recued when viewed from adjoining allotments or public streets.

DTS/DPF 13.3

Buildings of 2 or more building levels and a length exceeding 20m adjacent a secondary street or side boundary incorporate a step back of the building façade of at least 300mm for a minimum length of 1m, at least every 10m.

Overlooking / Visual Privacy

PO 14.1

Development mitigates direct overlooking of habitable rooms and private open spaces of dwellings.

DTS / DPF 14.1

Upper level windows facing side or rear boundaries shared with an allotment put to residential use:

- (a) are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm;
- (b) have sill heights greater than or equal to 1.5m above finished floor level; or
- (c) incorporate screening to a height of 1.5m above finished floor level; and
- (d) the building will not have a balcony or terrace on an upper building level, other than where the longest side of that balcony or terrace will face a road (including any road reserve), or reserve (including any land held as open space), and is at least 15m from the private open space of any other dwelling.

Private Open Space

PO 15.1

Dwellings provided with suitable sized areas of usable private open space to meet the needs of occupants.

DTS / DPF 15.1

Private open space provided in accordance with Design in Rural Areas Table 1 - Outdoor Open Space.

PO 15.2

Private open space positioned to provide convenient access from internal living areas.

DTS / DPF 15.2

Private open space is directly accessible from a habitable room, other than a bedroom or study.

PO 15.3

Private open space is positioned and designed to:

- (a) provide useable outdoor space that suits the needs of occupants;
- (b) take advantage of desirable orientation and vistas;
- (c) animate street frontages by encouraging activity between buildings and public streets;
- (d) adequately define public and private space where located forward of the building; and
- (e) prolong activity along street frontages by protecting against inclement weather.

DTS / DPF 15.3

A portion of the private open space specified in DTS 15.1 can be provided forward of the primary building line where:

- (a) the area is fenced to a maximum height of 1.8m;
- (b) the area incorporates a verandah with a minimum dimension of 1.5m; and
- (c) an area is provided behind the primary building line that has the minimum dimensions identified in DTS 15.1.

Water Sensitive Design

PO 16.1

Development creating 5-19 dwellings includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.

DTS 16.1

Development creating 5-19 dwellings is accompanied by an approved Stormwater Management Plan that achieves the following stormwater runoff outcomes:

- (a) 80 per cent reduction in average annual total suspended solids;
- (b) 60 per cent reduction in average annual total phosphorus; and
- (c) 45 per cent reduction in average annual total nitrogen.

PO 16.2

Development creating 5-19 dwellings includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS 16.2

Development creating 5-19 dwellings:

- (a) maintains:
 - i. a pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 5year ARI (18.1% AEP) 30 minute storm; and
 - ii. the stormwater runoff time to peak to match that of the pre-development condition; or
- (b) capture and retain the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for a 5-year ARI (18.1% AEP) 30 minute storm; and
- (c) manage site generated stormwater runoff up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings.

Car parking, access and manoeuvrability

PO 17.1

Covered parking spaces are of a size and dimensions to be functional, accessible and convenient.

DTS / DPF 17.1

Covered car parking spaces:

- (a) where enclosed by fencing or walls, have:
 - i. a minimum internal width of 3.2m and length of 6.0m for a single space;
 - ii. a minimum internal width of 6.0m and length of 6.0m for a double space (side by side); and
 - iii. a minimum internal width of 3.2m and length of 11m for a double space (tandem); or
- (b) where not enclosed by fencing, walls or garage doors, have:
 - i. a minimum width of 3.0m and minimum length of 5.5m for a single space;
 - ii. a minimum width of 5.2m and minimum length of 5.5m for a double (side by side) space; and
 - iii. a minimum width of 3.0m and minimum length of 10.4m for a double (tandem) space.

PO 17.2

Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.

DTS / DPF 17.2

Uncovered car parking spaces have a minimum width of 2.4m and a minimum length of 5.5m.

PO 17.3

Driveways located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.

DTS / DPF 17.3

Driveways and access points:

- (a) for sites with a frontage to a public road of 12m or less, have a maximum width of 3.2m measured at the property boundary and are the only access point provided on the site; or
- (b) for sites with a frontage to a public road greater than 12m:
 - i. have a maximum width of 6m measured at the property and are the only access point provided on the site; or
 - ii. have a maximum width of 3.2 metres measured at the property boundary and no more than two access points are provided on site.

PO 17.4

Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.

DTS / DPF 17.4

Vehicle access to designated car parking spaces:

- (a) is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land
- (b) where newly proposed, is setback:
 - i. 500mm or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner;
 - ii. 2m or more from a street tree unless consent is provided from the tree owner;
 - iii. 6m or more from the tangent point of an intersection of 2 or more roads or a pedestrianactuated crossing.

PO 17.5

Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.

DTS/ DPF 17.5

Driveways are designed and sited so that:

- (a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport when work is completed is not steeper than 1:4 on average; and
- (b) the centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access.

PO 17.6

Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking (where on-street parking is appropriate).

DTS / DPF 17.6

Where on-street parking is available directly adjacent the site, parking is retained in accordance with the following requirements:

- (a) 1 on-street car park per 3 proposed dwellings (rounded up to the nearest whole number); and
- (b) minimum car park length of 6m.

Waste storage

PO 18.1

Provision is made for the convenient storage of waste bins in a location screened from public view.

DTS / DPF 18.1

Dwellings are provided with:

- (a) an area of 3m2 or more for the storage of waste (separate from any designated car parking spaces or private open space) is provided behind the building line; and
- (b) a continuous unobstructed path of travel with a minimum width of 800mm between the waste bin storage area and the street.

Design of Transportable Dwellings

PO 19.1

The sub-floor space beneath transportable buildings enclosed to give the appearance of a permanent structure.

DTS 19.1

None are applicable.

GROUP DWELLINGS, RESIDENTIAL FLAT BUILDINGS AND BATTLE-AXE DEVELOPMENT

Amenity

PO 20.1

Dwellings are of a suitable size to accommodate a layout that is well organised and provides high standard of amenity for occupants.

DTS / DPF 20.1

Dwellings have a minimum internal floor area in accordance with the following table:

Bedrooms¤	Minimum·internal· floor·area¤
1·bed¤	50m ² ×
2·bed¤	65m ² ×
3·bed¤	80m ² , •and •any • dwelling • over • 3 • bedrooms • provides • an • additional • 15m ² • for • every • additional • bedroom ×

PO 20.2

The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.

DTS 20.2

None are applicable.

PO 20.3

Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented to towards neighbouring properties.

DTS 20.3

None are applicable.

Communal Open Space

PO 21.1

Communal open space provided where private open space provision is inadequate to meet the needs of occupants or where the nature of the development is such that private open space is not ordinarily provided.

DTS 21.1

None are applicable.

Car parking, access and manoeuvrability

PO 22.1

Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking (where on-street parking is appropriate).

DTS / DPF 22.1

Where on-street parking is available directly adjacent the site, parking is retained in accordance with the following requirements:

- (a) 1 on-street car park per 3 proposed dwellings (rounded up to the nearest whole number); and
- (b) minimum car park length of 6m.

PO 22.2

The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.

DTS / DPF 22.2

Access to group dwellings or dwellings within a residential flat building provided via a single common driveway.

PO 22.3

Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.

DTS / DPF 22.3

Driveways that service more than one dwelling have:

- a) a minimum width of 3m;
- b) incorporate a least one vehicle passing point with minimum width of 5m and minimum length of 6m, and an additional passing point at least every 25m thereafter;
- c) locate the passing point in (b) within 12m of the primary street boundary; and
- d) a width of 5m for at least the first 6m from the primary street boundary where located on an arterial road.

PO 22.4

Residential driveways that service more than one dwelling are designed to allow adequate movement.

DTS / DPF 22.4

Where in a battle-axe configuration, a driveway servicing one dwelling to have a minimum width of 3m.

PO 22.5

Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site in a safe and convenient manner.

DTS / DPF 22.5

Driveways providing access to more than one dwelling allow a B85 passenger vehicle to enter and exit all dedicated car parks and garages in a forward direction without requiring more than a 3-point turn manoeuvre.

PO 22.6

Dwellings are adequately separated from common driveways and manoeuvring areas.

DTS/DPF 22.6

Dwellings are at least 1.5m from any vehicle movement path required to achieve DTS 21.5.

Landscaping

PO 23.1

Landscaping is provided between dwellings and common driveways to improve the outlook for occupants and improve the appearance of common areas.

DTS/ DPF 23.1

Other than where located directly in front of a garage or directly adjacent a building entry door, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.

PO 23.2

Landscaping is provided that improves the appearance of common driveways.

DTS / DPF 23.2

Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point required in DTS 21.3).

Site Facilities / Waste Storage

PO 24.1

Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.

DTS 24.1

None are applicable.

PO 24.2

Provision is made for suitable external clothes drying facilities.

DTS 24.2

None are applicable.

PO 24.3

Provision is made for suitable household waste and recyclable material storage facilities conveniently located from public view.

DTS 24.3

None are applicable.

PO 24.4

Waste and recyclable material storage areas are located away from dwellings.

DTS / DPF 24.4

Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.

PO 24.5

Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.

DTS 24.5

None are applicable.

SUPPORTED ACCOMMODATION, HOUSING FOR AGED PERSONS, AND PEOPLE WITH DISABILITIES

Siting and Configuration

PO 25.1

Supported accommodation and housing for aged persons and people with disabilities is located where onsite movement of residents is not unduly restricted by the slope of the land.

DTS 25.1

None are applicable.

Movement and Access

PO 26.1

Development is designed to support safe and convenient access and movement for residents by providing:

- (a) ground-level access or lifted access to all units;
- (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places;
- (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability; and
- (d) kerb ramps at pedestrian crossing points.

DTS 26.1

None are applicable.

Communal Open Space

PO 27.1

Development that is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors alike.

DTS 27.1

None are applicable.

PO 27.2

Communal open space provided where private open space provision is inadequate to meet the needs of occupants or where the nature of the development is such that private open space is not ordinarily provided (such as supported accommodation).

DTS 27.2

None are applicable.

Site Facilities / Waste Storage

PO 28.1

Development that is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.

DTS 28.1

None are applicable.

PO 28.2

Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.

DTS 28.2

None are applicable.

PO 28.3

Provision is made for suitable external clothes drying facilities.

DTS 28.3

None are applicable.

PO 28.4

Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view.

DTS 28.4

None are applicable.

PO 28.5

Waste and recyclable material storage areas are located away from dwellings.

DTS / DPF 28.5

Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.

PO 28.6

Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.

DTS 28.6

None are applicable.

PO 28.7

Services including gas and water meters conveniently located and screened from public view.

DTS 28.7

None are applicable.

ALL NON-RESIDENTIAL DEVELOPMENT

Water Sensitive Design

PO 29.1

Development likely to result in significant risk of export of litter, oil or grease should include stormwater management systems designed to minimise pollutants entering stormwater.

DTS/DPF 29.1

Development likely to result in significant risk of export of litter, oil or grease should include stormwater management systems designed to achieve the following gross pollutant outcomes:

- (a) 90 per cent reduction of litter/gross pollutants compared to untreated stormwater runoff; and
- (b) no visible oils/grease for flows up to the 1-in-3 month average return interval flood peak flow.

PO 29.2

Water discharged from a development site to be of a physical, chemical and biological condition equivalent to or better than its pre-developed state.

DTS 29.2

None are applicable.

Wash-down and Waste Loading and Unloading

PO 30.1

Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment that are:

- (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off;
- (b) paved with an impervious material to facilitate wastewater collection;
- (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area; and
- (d) designed to drain wastewater to either:
 - i. a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme; or
 - ii. a holding tank and its subsequent removal off-site on a regular basis.

DTS 30.1

None are applicable.

Table 1 - Outdoor Open Space

Dwelling Type	Dwelling / Site Configuration	Minimum Rate
Detached dwelling	Site area 1,000m ² or greater	Total area: 20% of total site area
Semi-detached dwelling Row dwelling		Adjacent to habitable room: 10% total site area / minimum dimension 4m.

Dwelling Type	Dwelling / Site Configuration	Minimum Rate
Group dwelling	Site area 500m ² to <1,000m ²	Total area: 80m ² Adjacent to habitable room: 24m ² / minimum dimension 4m.
	Site area 300m ² to <500m ²	Total area: 60m ² Adjacent to habitable room: 16m ² / minimum dimension 4m.
	Site area <300m ²	Total area: 24m ² Adjacent to habitable room: 16m ² / minimum dimension 3m
Cabin or caravan (permanently fixed to the ground) in a Residential Park Zone or Caravan and Tourist Park Zone		Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation.

Forestry

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Commercial forestry designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport networks, surrounding land uses and landscapes.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Siting

PO 1.1

Commercial forestry plantations established where there is no clearance of valued trees or substantially intact strata of native vegetation, or where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.

DTS/DPF 1.1

None are applicable.

PO 1.2

Commercial forestry plantations established on slopes that are stable to minimise the risk of soil erosion.

DTS/DPF 1.2

Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).

PO 1.3

Commercial forestry plantations and operations associated with their establishment, management and harvesting appropriately setback from a sensitive receiver to minimise fire risk and noise disturbance.

DTS/DPF 1.3

Commercial forestry plantations and operations associated with their establishment, management and harvesting are setback 50m or more from any <u>sensitive receiver</u>.

PO 1.4

Commercial forestry plantations separated from reserves gazetted under the National Parks and Wildlife Act 1972 and/or Wilderness Protection Act 1992 to minimise fire risk and potential for weed infestation.

DTS/DPF 1.4

Commercial forestry plantations and operations associated with their establishment, management and harvesting are setback 50m or more of a reserve gazetted under the *National Parks and Wildlife Act 1972* or *Wilderness Protection Act 1992*.

Water Protection

PO 2.1

Commercial forestry plantations incorporate artificial drainage lines (ie culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.

DTS/DPF 2.1 None are applicable

PO 2.2

Appropriate siting, layout and design measures adopted to minimise the impact of commercial forestry plantations on surface water resources.

DTS/DPF 2.2

Commercial forestry plantations:

- (a) do not involve cultivation (excluding spot cultivation) in drainage lines;
- (b) are setback 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland and sinkhole (direct connection to aquifer); and
- (c) are setback 10m or more from the banks of any first or second order watercourse or sinkhole (nodirect connection to aquifer).

Fire Management

PO 3.1

Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements.

DTS/DPF 3.1

Commercial forestry plantations provide:

- (a) 7m or more wide external boundary firebreaks for plantations of 40ha or less;
- (b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha; or
- (c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuelreduced plantation, for plantations of 100ha or greater.

PO 3.2

Commercial forestry plantations incorporate appropriate fire management access tracks.

DTS/DPF 3.2

Commercial forestry plantation fire management access tracks:

- (a) are incorporated within all firebreaks;
- (b) are 7m or more wide with a vertical clearance of 4m or more;
- (c) are aligned to provide straight through access at junctions, or if they are a no through access track are appropriately signposted and provide suitable turnaround areas for fire-fighting vehicles; and
- (d) partition the plantation into units 40ha or less in area.

Power-line Clearances

PO 4.1

Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.

DTS/DPF 4.1

Commercial forestry plantations incorporating trees with an expected mature height of greater than 6m meet the clearance requirements listed in the following table:

Voltage of transmission line	Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
500 kV	Tower	38m
275 kV	Tower	25m
132 kV	Tower	30m
132 kV	Pole	20m
66 kV	Pole	20m
Less than 66 kV	Pole	20m

Housing Renewal

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Renewed residential environments to replace older social housing, provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Residential development provides a range of housing choices.

DTS/DPF 1.1

Development comprises:

- (a) detached dwellings;
- (b) semi-detached dwellings;
- (c) row dwellings;
- (d) group dwellings; or
- (e) residential flat buildings, except where incorporating above-ground dwellings.

PO 1.2

Higher density housing options (such as medium rise residential flat buildings) provided in close proximity to public transit, open space or activity centres.

DTS/DPF 1.2 None are applicable.

Building Height

PO 2.1

Buildings contribute to a low-to-medium rise suburban character.

DTS/DPF 2.1

Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m, except in the case of a gable end.

PO 2.2

Medium rise buildings in locations close to public transit, centres or open space.

DTS/DPF 2.2

None are applicable.

PO 2.3

Medium rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 storeys transition down in scale and height towards the periphery (side and rear boundaries) of the site.

DTS/DPF 2.3

Primary Street Setback

PO 3.1

Buildings are set back from the primary street boundary in a manner which is compatible with the desired outcomes of the area.

DTS/DPF 3.1

Buildings (excluding any balcony, verandah, porch, awning or similar structure) are set back from the primary street boundary 3m or more.

Secondary Street Setback

PO 4.1

Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.

DTS/DPF 4.1

Buildings are set back from any secondary street allotment boundary:

- (a) 900mm or more for any wall up to 6 metres in height
- (b) 2m or more for any wall above 6 metres in height.

Boundary Walls

PO 5.1

Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.

DTS/DPF 5.1

Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and either:

- (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height; or do not exceed the following:
 - i. 3m in wall height;
 - ii. 10m in length; and
- (b) setback 3m or more from any other existing or proposed boundary walls on the subject land.

PO 5.2

Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character.

DTS/DPF5.2

Dwellings in a semi-detached or row arrangement are setback 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.

Side Boundary Setback

PO 6.1

Buildings are set back from side boundaries to provide:

- (a) separation between dwellings in a way that contributes to a suburban character; and
- (b) access to natural light and ventilation for neighbours.

DTS/DPF 6.1

Other than walls located on a side boundary, buildings are set back from side boundaries:

- (a) 900mm or more where the wall is up to 3m measured from the top of the footings;
- (b) other than for a wall facing a southern side boundary, 900mm or more plus 1/3 of the wall height above 3m measured from the top of the footings; and
- (c) at 1.9m or more plus 1/3 of the wall height above 3m measured from the top of the footings for walls facing a southern side boundary.

Rear Boundary Setback

PO 7.1

Buildings are set back from rear boundaries to provide:

- (a) separation between dwellings in a way that contributes to a suburban character;
- (b) access to natural light and ventilation for neighbours;
- (c) private opens space; and
- (d) space for landscaping and vegetation.

DTS/DPF 7.1

Dwellings are set back from rear boundary:

- (a) 3m or more for the first building level; and
- (b) 5m or more for any subsequent building level.

Façade design

PO 8.1

Dwelling facades facing public streets and common driveways make a positive contribution to the streetscape.

DTS/DPF 8.1

Each dwelling includes at least 2 of the following design features along each façade facing a public road or common driveway:

- (a) a minimum of 25% of the façade is setback an additional 300mm
- (b) a porch or portico that projects at 1m or more from the building façade and is open on least 2 sides
- (c) a balcony that projects 1.0m or more from the building façade
- (d) a verandah that projects at least 1m from the building façade
- (e) eaves surrounding the dwelling of a minimum 450mm width
- (f) a minimum 50% of the upper level projects forward a minimum 300mm from the lower level building line.

PO 8.2

Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.

DTS/DPF 8.2

Each dwelling with a frontage to a public street or common driveway includes at least one window with a total window area of at least 2m2 facing the primary street or common driveway, from a habitable room that has minimum room dimension of 2.7m.

PO 8.3

The visual bulk of larger buildings is reduced when viewed from adjoining allotments or public streets, such as through the incorporation of windows, articulation, building materials and textures.

DTS/DPF 8.3

None are applicable.

PO 8.4

Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.

DTS/DPF 8.4

None are applicable.

PO 8.5

Entrances to apartment buildings are:

- (a) oriented towards the street
- (b) visible and easily identifiable from the street
- (c) designed to include a common mail box structure.

DTS/DPF 8.5

None are applicable.

Outlook and amenity

PO 9.1

Primary living rooms have an external outlook to provide a high standard of internal amenity for occupants.

DTS/DPF 9.1

None are applicable.

PO 9.2

Ground level bedrooms separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.

DTS/DPF 9.2 None are applicable.

Private Open Space

PO 10.1

Dwellings provided with suitable sized areas of usable private open space to meet the needs of occupants.

DTS/DPF 10.1

Private open space provided in accordance with the following table:

Dwelli size¤	ng∙site∙	Minimum· area·of· POS¤	Minimum¶ dimension¤
>•500n	n²·¤	80m ² ×	4m×
3005	500m ^{2.} •×	60m ² ×	4m¤
2003	00m²∙×	24m²×	3m¤
<200¤	Three·+∙ bedroom∙×	15∙m²×	3m×
	Two∙ bedroom∙×	11∙m²×	2.5m×
	One∙ bedroom∙¤	8∙m²¤	2m¤
	Studio×	8∙m²¤	2m¤

PO 10.2

Private open space positioned to provide convenient access from internal living areas.

DTS/DPF 10.2

At least 50% of the required area of private open space is accessible from a habitable room, other than a study or bedroom.

PO 10.3

Private open space is positioned and designed to:

- (a) provide useable outdoor space that suits the needs of occupants;
- (b) take advantage of desirable orientation and vistas; and
- (c) adequately define public and private space.

DTS/DPF 10.3

None are applicable.

Visual privacy

PO 11.1

Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent dwellings.

DTS/DPF11.1

Upper level windows facing side or rear boundaries shared with an allotment put to residential use:

- (a) are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm;
- (b) have sill heights greater than or equal to 1.5m above finished floor level; or
- (c) incorporate screening to a height of 1.5m above finished floor level.

PO 11.2

Balconies are sited and screened to minimise direct overlooking of adjacent dwellings.

DTS/DPF11.2

The building:

- (a) will not have a balcony on an upper storey; or
- (b) the longest side of a balcony faces a road (including any road reserve) or reserve (including any land held as open space); and

(c) the balcony is 15m or more from the private open space of any other dwelling.

Landscaping

PO 12.1

Soft landscaping incorporated into development to:

- (a) minimise heat absorption and reflection;
- (b) maximise shade and shelter;
- (c) maximise stormwater infiltration and biodiversity; and
- (d) enhance the appearance of land and streetscapes.

DTS/DPF 12.1

Residential development incorporates areas for soft landscaping with a minimum dimension of 0.5 metres provided in accordance with the following:

Dwelling-site-area-(or- in-the-case-of- residential-flat- building-or-group- dwellings,-average- site-area)-(m ²)¤	%•of•site•¤
<200¤	15%¤
201450×	20%¤
>450×	25%¤

(a) ; and

(b) 25% of land between the road boundary and the primary building line is provided for soft landscaping with a minimum dimension of 1.5 metres.

Water Sensitive Design

PO 13.1

Residential development designed to capture and re-use stormwater to maximise conservation of water resources, manage peak stormwater runoff flows and volume and manage runoff quality to maintain, as close as is practical, pre development conditions.

DTS/DPF 13.1

None are applicable.

Parking

PO 14.1

On-site car parking provided to meet the anticipated demand of residents, with less on-site parking appropriate in areas in close proximity to public transport stations.

DTS/DPF 14.1

On-site car parking is provided at the following rates:

- (a) 2 or less bedroom dwelling 1 car parking space, covered or able to be covered (without impinging on building setbacks);
- (b) 3 or more bedroom dwelling 2 car parking spaces, 1 of which is covered or able to be covered (without impinging on building setbacks).

PO 14.2

Covered car parking spaces are of dimensions to be functional, accessible and convenient.

DTS/DPF 14.2

Covered car parking spaces:

(a) where enclosed by fencing or walls, have:

- i. a minimum internal width of 3.2m and length of 6.0m for a single garage;
- ii. a minimum internal width of 6.0m and length of 6.0m for a double garage (side by side); and
- iii. a minimum internal width of 3.2m and length of 11m for a double garage (tandem); or (b) carports not enclosed by fencing, walls or garage doors, have:
 - i. a minimum width of 3.0m and minimum length of 5.5m for a single width carport;
 - ii. a minimum width of 5.2m and minimum length of 5.5m for double carports (side by side); and
 - iii. a minimum width of 3.0m and minimum length of 10.4m for double carport (tandem).

PO 14.3

Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.

DTS/DPF 14.3

Uncovered car parking spaces have a minimum width of 2.4m and minimum length of 5.5m.

PO 14.4

Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.

DTS/DPF 14.4

Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided onsite at a minimum ratio of 0.25 car parking spaces per dwelling.

PO 14.5

Residential flat buildings provide dedicated areas for bicycle parking

DTS/DPF 14.4

Residential flat buildings provide one bicycle parking space per dwelling.

Overshadowing

PO 15.1

Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with existing residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.

DTS/DPF 15.1

None are applicable.

Waste

PO 16.1

Provision is made for the convenient storage of waste bins in a location screened from public view.

DTS/DPF 16.1

Dwellings are provided with:

- (a) an area of 3m2 or more for the storage of waste (separate from any designated car parking spaces or private open space) is provided behind the building line; and
- (b) a continuous unobstructed path of travel with a minimum width of 800mm is provided between the waste storage area and the street.

PO 16.2

Residential apartment buildings provide a dedicated area for the on-site storage of waste which is:

- (a) easily and safely accessible for residents and for collection vehicles;
- (b) screened from adjoining land and public roads; and
- (c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.

DTS/DPF 16.2

None are applicable.

Vehicle Access

PO 17.1

Driveways located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.

DTS/DPF 17.1

None are applicable.

PO 17.2

Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees

DTS/DPF 17.2

Vehicle access to designated car parking spaces:

- (a) is provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land
- (b) where newly proposed, is setback:
 - i. 500mm or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner;
 - ii. 2m or more from a street tree unless consent is provided from the tree owner;
 - iii. 6m or more from the tangent point of an intersection of 2 or more roads or a pedestrianactuated crossing.

PO 17.3

Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces

DTS/DPF/ DPF 17.3

Driveways are designed and sited so that:

- (a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport when work is completed is not steeper than 1:4 on average; and
- (b) the centre of the driveway at the public road boundary is no more than 25 degree deviation from the centre of the front of the covered car parking space for which it provides vehicle access.

PO 17.4

Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking (where on-street parking is appropriate).

DTS/DPF17.4

Where on-street parking is available directly adjacent the site, parking is retained in accordance with the following requirements:

- (a) 1 on-street car park per 3 proposed dwellings (rounded up to the nearest whole number); and
- (b) minimum car park length of 6m.

PO 17.5

Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.

DTS/DPF 17.5

Battle-axe driveways and driveways that service more than one dwelling satisfy the following:

- (a) a width of 3m or more;
- (b) for driveways servicing three or more dwellings which exceed 30m in length, incorporate a least one vehicle passing point with a width of 5m or more and a length of 6m or more, and an additional passing point at least every 30m thereafter;
- (c) locate the passing point in (b) within 12m of the primary street boundary; and
- (d) a width of 5m or more for at least the first 6m from the primary street boundary where located on an arterial road.

PO 17.6

Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site in a safe and convenient manner.

DTS/DPF 17.6

Driveways providing access to more than one dwelling allow a B85 passenger vehicle to enter and exit all dedicated car parks and garages in a forward direction without requiring more than a 2-point-turn manoeuvre.

PO 17.7

Dwellings are adequately separated from common driveways and manoeuvring areas.

DTS/DPF 17.7

Dwellings are set back 0.5m or more from any vehicle movement path required to achieve DTS/DPF 18.6.

Storage

PO 18.1

Dwellings are provided with sufficient space for storage to meet likely occupant needs.

DTS/DPF 18.1

Storage provided at the following rates:

- (a) 1 bedroom: 6m3;
- (b) 2 bedroom: 10m3;
- (c) 3+ bedroom: 12m3; and

50% or more of the storage volume is provided within the dwelling.

Earthworks

PO 19.1

Buildings are designed and sited to minimise alteration of existing landform.

DTS/DPF 19.1

The development does not involve:

- (a) excavation exceeding a vertical height of 1m;
- (b) filling exceeding a vertical height of 1m; and
- (c) a total combined excavation and filling vertical height exceeding 2m.

Service connections and infrastructure

PO 20.1

Dwellings are provided with appropriate service connections and infrastructure.

DTS/DPF 20.1

The applicant has certified that the site and building:

- (a) has the ability to be connected to a permanent potable water supply;
- (b) has the ability to be connected to a sewerage system, or a waste water control system approved under Public and Environmental Health Act 1987;
- (c) has the ability to be connected to electricity supply;
- (d) has the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes where located in a Hazard (Bushfire Risk) Overlay; and
- (e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the Electricity Act 1996.

Site contamination

PO 21.1

Development sites are suitable and safe for the intended land use, including remediation where required.

DTS/DPF 21.1

The applicant has provided a declaration indicating, to the best of his or her knowledge and belief, the allotment is not, and has not been, subject to site contamination as a result of a previous use of the land or a previous activity on the land or in the vicinity of the land.

Procedural Matters (PM)

Notification

All development undertaken by:

i) the South Australian Housing Trust either individually or jointly with other persons or bodies; or

ii)registered Community Housing providers participating in housing renewal programs endorsed by the South Australian Housing Authority

is exempt from notification, except for a residential flat building (apartment building) of 3 storeys or greater.

Interface between Land Uses

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Development located and designed to mitigate adverse effects on neighbouring and proximate land uses to reduce potential for conflict.

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
General Land Use Compatibility	
PO 1.1 Sensitive receivers designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses and land uses desired in the zone.	None are applicable.
PO 1.2 Development adjacent to a site containing an existing sensitive receiver or zone primarily intended to accommodate sensitive receivers designed to minimise adverse impacts.	None are applicable.
Hours of Operation	
PO 2.1	DTS/DPF 2.1
Non-residential development does not unreasonably impact the amenity of existing sensitive receivers or an adjacent zone primarily for sensitive receivers through hours of operation having regard to:	Consulting room, office and shop hours of operation are limited to 7am – 9pm Monday to Friday and 8am – 5pm Saturday inclusive.
(a) the nature of the development;	
(b) measures to mitigate off-site impacts;(c) the extent to which the development is desired in the zone; and	

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
(d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.	
Overshadowing	
 PO 3.1 Overshadowing of habitable room windows of adjacent residential land uses not unreasonably interrupted to maintain access to direct winter sunlight. PO 3.2 Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses not unreasonably interrupted to maintain access to direct winter sunlight. 	 DTS/DPF 3.1 North-facing windows of habitable rooms of adjacent residential land uses receive at least 3 hours of direct sunlight over their surface between 9.00 am and 3.00 pm on 21 June. DTS/DPF 3.2 Development maintains 2 hours direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in accordance with the following: (a) for ground level private open space, the smaller of the following: (i) half of the existing ground level open space; or (ii) 35m² of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m); (b) for ground level communal open space, at least half of the existing ground level open space.
 PO 3.3 Development does not unduly reduce the generating capacity of existing rooftop solar energy facilities taking into account: (a) the form of development contemplated in the relevant zone; 	None are applicable.

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
(b) the orientation of the solar energy facilities to operate effectively and efficiently; and	
(c) the extent to which the solar energy facilities are already overshadowed.	
PO 3.4 Development that incorporates moving parts, including windmills and wind farms, located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	None are applicable.
Activities Generating Noise or Vibra	ation
PO 4.1 Development that emits noise (other than music noise) does not unreasonably impact acoustic amenity at the nearest existing sensitive receivers.	DTS/DPF 4.1 Predicted noise at the nearest existing sensitive receiver achieves the relevant Environment Protection (Noise) Policy criteria.
PO 4.2	
Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including:	None are applicable.
(a) locating openings of buildings and	

- (a) locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers;
- (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily

Per	formance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
	intended to accommodate sensitive receivers;	
(c)	housing plant and equipment within an enclosed structure or acoustic enclosure; and	
(d)	providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.	
PO	4.3	DTS/DPF 4.3
pum swim hous	d plant and equipment in the form of ps and/or filtration systems for a nming pool or spa positioned and/or ed to not cause unreasonable noise ance to adjacent sensitive receivers.	 The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment; or (b) located at least 12m from the nearest habitable room located on an adjoining allotment.
PO	4.4	DTS/DPF 4.4
sepa servi sour	rnal noise into bedrooms minimised by rating or shielding these rooms from ice equipment areas and fixed noise ces located on the same or an adjoining ment.	Adjacent land is used for residential purposes.
PO	4.5	DTS/DPF 4.4
pren area unre	loor areas associated with licensed hises (such as beer gardens or dining s) designed and/or sited to not cause asonable noise impact on existing cent sensitive receivers.	None are applicable.

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
--------------------------	---

PO 4.6

Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver or zone primarily intended to accommodate sensitive receivers.

DTS/DPF 4.6

Development incorporating music includes noise attenuation measures that will achieve the following noise levels:

Assessment location	Music noise level
Externally at the nearest existing noise sensitive location	Less than 8dB above the level of background noise (L _{90,15min}) in any octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)

Air Quality

PO 5.1

Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of existing sensitive receivers within the locality and zones primarily intended to accommodate sensitive receivers.

PO 5.2

Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to nearby sensitive receivers by:

- (a) incorporating appropriate treatment technology before exhaust emissions are released; and
- (b) locating and designing chimneys or exhaust flues to maximise dispersion of exhaust emissions taking into account

DTS/DPF 5.1

None are applicable.

DTS/DPF 5.2

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
the location of nearby sensitive receivers.	
Light Spill	
PO 6.1 External lighting positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers.	DTS/DPF 6.1 None are applicable.
PO 6.2 External lighting is not hazardous to motorists and cyclists.	DTS/DPF 6.2 None are applicable.
Solar Reflectivity / Glare	
PO 7.1 Development designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and micro- climatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	DTS/DPF 7.1 None are applicable.
Electrical Interference	
PO 8.1 Development in rural and remote areas does not unreasonably diminish or result in the loss of existing communication services due to electrical interference.	 DTS/DPF 8.1 The building or structure: (a) is no greater than 10m in height, measured from existing ground level; or (b) is not within a line of sight between an existing fixed transmitter and fixed receiver (antenna) other than where an alternative service is available (via a different fixed transmitter or cable).

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
Interface with Rural Activities	
PO 9.1	DTS/DPF 9.1
Sensitive receivers located and designed to mitigate impacts from lawfully existing horticultural and farming activities including chemical spray drift and noise.	None are applicable.
PO 9.2	
Sensitive receivers located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and not prejudice the continued operation of these activities.	None are applicable.
PO 9.3	DTS/DPF 9.3
Sensitive receivers located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land- based aquaculture and associated components in other ownership.
PO 9.4	DTS/DPF 9.4
Sensitive receivers located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and not prejudice the continued operation of these activities.	Sensitive receivers sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership.
PO 9.5	DTS/DPF 9.5
Sensitive receivers located and designed to mitigate potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and not	Sensitive receivers are located at least 300m from the boundary of a site used for the handling, transportation and storage of bulk commodities in other ownership.

Performance Outcome (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
prejudice the continued operation of these activities.	
PO 9.6 Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of chemical spray drift and other impacts associated with agricultural and horticultural activities.	None are applicable.
PO 9.7 Urban development should not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.
Interface with Mines and Quarries (Rural and Remote Areas)	
PO 10.1 Sensitive receivers are separated from existing mines to minimise adverse impacts from noise, dust and vibration.	DTS/DPF 10.1 Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act</i> 1971.

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and that suitably manages adverse visual impacts on natural and rural landscapes and residential amenity.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

General

PO 1.1

Development located and designed to minimise hazard or nuisance to adjacent development and land uses.

DTS/DPF 1.1

None are applicable.

Visual Amenity

PO 2.1

The visual impact of above ground infrastructure networks and services, renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development from townships, scenic routes and public roads is minimised and managed by:

- (a) utilising features of the natural landscape to obscure views where practicable;
- (b) siting development below ridgelines where practicable;
- (c) avoiding visually sensitive and significant landscapes;
- (d) using materials and finishes with low reflectivity and colours that complement the surroundings;
- (e) using existing vegetation to screen buildings; and
- (f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating, or zoned to primarily accommodate sensitive receivers.

DTS/DPF 2.1

None are applicable.

PO 2.2

Substations, pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.

DTS/DPF 2.2

None are applicable.

PO 2.3

Surfaces exposed by earthworks associated with installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.

DTS/DPF 2.3

Rehabilitation

PO 3.1

Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.

DTS/DPF 3.1

None are applicable.

Hazard Management

PO 4.1

Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.

DTS/DPF 4.1

None are applicable.

PO 4.2

Facilities for energy generating, power storage and transmission separated from dwellings, tourist accommodation and frequently visited public places (such as viewing platforms / lookouts) to reduce risks to public safety from fire or equipment malfunction.

DTS/DPF 4.2

None are applicable.

PO 4.3

Bushfire hazard risk minimised for renewable energy facilities by providing appropriate access tracks, safety equipment, and water tanks and establishing cleared areas around substations, battery storage and operations compounds.

DTS/DPF 4.3

None are applicable.

Electricity Infrastructure and Battery Storage Facilities

PO 5.1

Electricity infrastructure located to minimise visual impacts through techniques including:

- (a) siting utilities and services:
 - (i) on areas already cleared of native vegetation; or
 - (ii) where there is minimal interference or disturbance to existing native vegetation or biodiversity; and
- (b) grouping utility buildings and structures with non-residential development, where practicable.

DTS/DPF 5.1

None are applicable.

PO 5.2

Electricity supply (excluding transmission lines) serving new development in urban areas and townships installed underground, excluding lines having a capacity exceeding or equal to 33kV.

DTS/DPF 5.2

PO 5.3

Battery storage facilities co-located with substation infrastructure where practicable to minimise the development footprint and reduce environmental impacts.

DTS/DPF 5.3

None are applicable.

Telecommunication Facilities

PO 6.1

Where technically feasible, telecommunications facilities seek to reduce visual impact by incorporating techniques such as:

- (a) avoiding proliferation of facilities in a local area;
- (b) co-locating with other communications facilities;
- (c) locating antennae as close as practical to support structures ; and
- (d) screening using landscaping and existing vegetation, particularly for equipment shelters and huts.

DTS/DPF 6.1

None are applicable.

PO 6.2

Telecommunications facilities sited and designed to minimise visual impact having regard to:

- (a) the size, scale, context and characteristics of existing structures, heritage, landforms and vegetation so as to be compatible with the local environment;
- (b) incorporating the facility within an existing structure that may serve another purpose; and
- (c) using existing buildings and vegetation for screening.

DTS/DPF 6.2

None are applicable.

Renewable Energy Facilities

PO 7.1

Renewable energy facilities located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.

DTS/DPF 7.1

None are applicable.

Renewable Energy Facilities (Wind Farm)

PO 8.1

Visual impact of wind turbine generators on the amenity of residential and tourist development reduced through appropriate separation.

DTS/DPF 8.1

Wind turbine generators are:

- (a) setback at least 1,200m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation;
- (b) setback at least 2,000m from the base of a turbine to any of the following zones:
 - i. Settlement Zone;
 - ii. Township Zone;

- iii. Rural Living Zone; or
- iv. Rural Neighbourhood Zone

with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine).

PO 8.2

The visual impact of wind turbine generators on natural landscapes managed by:

- (a) designing wind turbine generators to be uniform in colour, size and shape;
- (b) coordinating blade rotation and direction; and
- (c) mounting wind turbine generators on tubular towers as opposed to lattice towers.

DTS/DPF 8.2

None are applicable.

PO 8.3

Wind turbine generators and ancillary development minimise potential for bird and bat strike.

DTS/DPF 8.3

None are applicable.

PO 8.4

Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.

DTS/DPF 8.4

No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.

PO 8.5

Meteorological masts and guidewires identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.

DTS/DPF 8.5

None are applicable.

Renewable Energy Facilities (Solar Power)

PO 9.1

Solar power facilities generating 5MW or more are not located on land of high environmental, scenic or cultural value.

DTS/DPF 9.1 None are applicable.

PO 9.2

Solar power facilities allow for movement of wildlife by:

- (d) incorporating wildlife corridors and habitat refuges; and
- (e) avoiding the use of extensive security or perimeter fencing; or
- (f) incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.

DTS/DPF 9.2

PO 9.3

Amenity impacts of solar power facilities minimised through separation from sensitive receivers.

DTS/DPF 9.3

Solar power facilities are setback at least:

- (a) 500 metres from conservation areas;
- (b) 100 metres from Township, Settlement, Rural Neighbourhood and Rural Living Zones; and
- (c) 30 metres from adjoining land.

PO 9.4

Solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings.

DTS/DPF 9.4

None are applicable.

Hydropower / Pumped Hydropower Facilities

PO 10.1

Hydropower / pumped hydropower facility storage designed and operated to minimise the risk of storage dam failure.

DTS/DPF 10.1

None are applicable.

PO 10.2

Hydropower / pumped hydropower facility storage designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.

DTS/DPF 10.2

None are applicable.

PO 10.3

Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future.

DTS/DPF 10.3

None are applicable.

Water Supply

PO 11.1

Development connected to an appropriate water supply to meet the ongoing requirements of the intended use.

DTS/DPF 11.1

Development is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the on-going requirements of the development.

PO 11.2

Dwellings connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.

DTS/DPF 11.2

A dwelling is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the development. Where this is not available it is instead serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is:

- (a) exclusively for domestic use; and
- (b) connected to the roof drainage system of the dwelling.

Wastewater Services

PO 12.1

Development is connected to an approved common waste water disposal service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate on-site service is provided to meet the on-going requirements of the intended use in accordance with the following:

- (a) it is wholly located and contained within the allotment of the development they will service.
- (b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from on-site disposal of liquid wastes are to include disposal systems that minimise the risk of pollution to those water resources
- (c) ensures septic tank effluent drainage fields and other waste water disposal areas located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm.

DTS/DPF 12.1

Development is connected, or will be connected, to an approved common waste water disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead serviced by an on-site waste water treatment system in accordance with the following:

- (a) is wholly located and contained within the allotment of development it will service; and
- (b) ensures no part of a septic tank effluent drainage field or any other waste water disposal system is located:
 - i. within 50m of a watercourse, bore, well or dam;
 - ii. on any land with a slope greater than 20% (1-in-5), or a depth to bedrock or seasonal or permanent water table less than 1.2m; and
 - iii. on land that is waterlogged, saline, part of a runway area or likely to be inundated by a 10% AEP flood event.

PO 12.2

Effluent drainage fields and other waste water disposal areas maintained to ensure the effective operation of waste systems and minimise risks to human health and environmental harm.

DTS/DPF 12.2

Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.

Temporary Facilities

PO 13.1

In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary on-site waste storage enclosure to minimise the incidence of wind-blown litter.

DTS/DPF 13.1

A waste collection and disposal service will be used to dispose of the volume of waste and at a rate it is generated.

PO 13.2

Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact.

DTS/DPF 13.2

None are applicable.

Intensive Animal Husbandry and Dairies

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers in a manner that minimises adverse effects on amenity and the environment.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Siting and Designs

PO 1.1

Intensive animal husbandry, dairies and associated activities sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.

DTS/DPF 1.1

None are applicable

PO 1.2

Intensive animal husbandry, dairies and associated activities sited, designed, constructed and managed to minimise the potential transmission of disease to other operations where animals are kept.

DTS/DPF 1.2

None are applicable

PO 1.3

Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.

DTS/DPF 1.3 None are applicable

PO 1.4

Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.

DTS/DPF 1.4

Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities located 500m or more from the nearest sensitive receiver in other ownership.

PO 1.5

Lagoons for the storage or treatment of milking shed effluent adequately separated from roads to minimise impacts from odour on the general public.

DTS/DPF 1.5

Lagoons for the storage or treatment of milking shed effluent setback 20m or more from public roads.

Waste

PO 2.1

Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:

- (a) avoid attracting and harbouring vermin;
- (b) avoid polluting water resources; and
- (c) be located outside 1% AEP flood event areas.

DTS/DPF 2.1

None are applicable

Soil and Water Protection PO 3.1

To avoid environmental harm and adverse effects on water resources, intensive animal husbandry operations appropriately setback from:

- (a) public water supply reservoirs;
- (b) major watercourses (third order or higher stream); and
- (c) any other watercourse, bore or well used for domestic or stock water supplies.

DTS/DPF 3.1

Intensive animal husbandry operations are setback:

- (a) 800m or more from a public water supply reservoir;
- (b) 200m or more from a major watercourse (third order or higher stream); and
- (c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.

PO 3.2

Intensive animal husbandry operations and dairies incorporate appropriately designed effluent and run-off facilities:

- (a) that have sufficient capacity to hold effluent and runoff from the operations on site; and
- (b) ensure that effluent does not infiltrate and pollute groundwater, soil or other water resources.

DTS/DPF 3.2

Land Division in Urban Areas

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Land division that:

- (e) creates allotments having appropriate dimensions and shape for intended use;
- (f) allows efficient provision of new infrastructure and optimum use of existing underutilised infrastructure;
- (g) integrates and allocates adequate and suitable land for the preservation of site features of value including significant vegetation, watercourses, water bodies and other environmental features;
- (h) supports energy efficiency in building orientation;
- (i) creates a compact urban form that supports active travel, walkability and the use of public transport; and
- (j) avoids areas of high natural hazard risk.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

ALL LAND DIVISION

Allotment configuration

PO 1.1

Land division creates allotments suitable for their intended use taking into account physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.

DTS/DPF 1.1

Land division for the:

- (a) minor adjustment of allotment boundaries to remove an anomaly in existing boundaries with respect to the location of existing buildings or structures where no additional allotments are created; or
- (b) creation of a single additional allotment for residential purposes where:
 - i. the allotment will contain a single lawfully existing dwelling or an approval for a single dwelling exists and is operative;
 - ii. access is provided via a lawfully existing driveway or access point or an access point for which approval under the Local Government Act exists and is operative; and
 - iii. the resulting allotment achieves any minimum site area and frontage width specified by the relevant zone or a relevant Technical and Numeric Variation Overlays.

Design and Layout

PO 2.1

Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls

DTS 2.1 None are applicable.

PO 2.2

Land division enables appropriate treatment of the interface between potentially conflicting land uses and/or zones.

DTS 2.2 None are applicable. PO 2.3

Land division maximises the number of allotments that face public open space and public streets.

DTS 2.3 None are applicable.

PO 2.4

Land division integrated with site features, adjacent land uses, the existing transport network and available infrastructure.

DTS 2.4 None are applicable.

PO 2.5

Development and infrastructure provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.

DTS 2.5 None are applicable

PO 2.6

Land division results in watercourses being retained within open space and land subject to flooding free from development.

DTS 2.6 None are applicable.

PO 2.7 Land division results in street patterns that are legible and connected to the surrounding street network.

DTS 2.7 None are applicable.

PO 2.8

Land division is designed to allocate adequate and suitable land for the preservation of existing vegetation of value including native vegetation, regulated and significant trees.

DTS 2.8 None are applicable.

Roads and Access

PO 3.1

Land division provides allotments with access to a public road.

DTS 3.1 None are applicable.

PO 3.2

Street patterns and intersections designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.

DTS 3.2 None are applicable.

PO 3.3 Land division does not impede access to publicly owned open space and recreation facilities.

DTS 3.3 None are applicable.

PO 3.4

Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles, and allow for the efficient movement of service and emergency vehicles.

DTS 3.4

None are applicable.

PO 3.5

Road reserves provide for footpaths, cycle lanes and shared-use paths, and accommodate street tree planting, landscaping and street furniture.

DTS 3.5 None are applicable.

PO 3.6 Road reserves accommodate stormwater drainage and public utilities.

DTS 3.6 None are applicable.

PO 3.7

Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.

DTS 3.7 None are applicable.

PO 3.8

Street patterns and intersections designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.

DTS 3.8 None are applicable.

PO 3.9

Roads, open space and thoroughfares provided establish safe and convenient linkages to the surrounding open space and transport network.

DTS 3.9 None are applicable.

PO 3.10 Public streets include tree planting to provide shade and enhance the amenity of streetscapes.

DTS 3.10 None are applicable.

PO 3.11 Local streets designed to create low-speed environments that are safe for cyclists and pedestrians.

DTS 3.11 None are applicable.

Infrastructure

PO 4.1 Land division incorporates public utility services within road reserves or within dedicated easements.

DTS 4.1 None are applicable.

PO 4.2

Waste water, sewage and other effluent is capable of being disposed of from each allotment without unreasonable risk to public health or the environment.

DTS/DPF 4.2

Each allotment can be connected to any of the following:

(a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotments; or

(b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.

PO 4.3

Septic tank effluent drainage fields and other waste water disposal areas maintained to ensure the effective operation of waste systems and minimise risks to human health and environmental harm.

DTS / DPF 4.3

Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.

PO 4.4

Constructed wetland systems, including associated detention and retention basins, sited and designed to ensure public health and safety is protected including by minimising potential public health risks arising from the breeding of mosquitoes.

DTS 4.4

None are applicable.

PO 4.5

Constructed wetland systems, including associated detention and retention basins, sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.

DTS 4.5

None are applicable.

PO 4.6

Constructed wetland systems, including associated detention and retention basins, sited and designed to function as a landscape feature.

DTS 4.6

None are applicable.

MINOR LAND DIVISION (UNDER 20 ALLOTMENTS)

Open Space

PO 5.1

Land division proposing an additional allotment under 1 hectare in area provides or supports the provision of open space.

DTS 5.1

PO 5.2

Land division creating 5-19 non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS 5.2

Land division creating 5-19 non-residential allotments is accompanied by an approved Stormwater Management Plan and manages up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings and:

- (a) maintain
 - i. a pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 5year ARI (18.1% AEP) 30 minute storm; and
 - ii. the stormwater runoff time to peak to match that of the pre-development; or
- (b) capture and retain the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for a 5-year ARI (18.1% AEP) 30 minute storm; and
- (c) manage site generated stormwater runoff up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings.

Solar Orientation

PO 6.1

Land division for residential purposes facilitates solar access for energy efficiency through allotment orientation.

DTS 6.1

None are applicable.

Water Sensitive Design

PO 7.1

Land division creating 5-19 allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.

DTS 7.1

Land division creating 5-19 allotments is accompanied by an approved Stormwater Management Plan and achieves the following stormwater runoff outcomes:

- (a) 80 per cent reduction in average annual total suspended solids;
- (b) 60 per cent reduction in average annual total phosphorus;
- (c) 45 per cent reduction in average annual total nitrogen.

PO 7.2

Land division creating 5-19 non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS / DPF 7.2

Land division creating 5-19 non-residential allotments includes a storm water management system designed to:

(a) maintain a pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 20-year ARI (5% AEP) 30 minute storm, unless a lower performance measure is specified in an approved catchment based Stormwater Management Plan;

- (b) maintain the stormwater runoff time to peak to match that of the pre-development; and
- (c) manage site generated stormwater runoff up to and including the 100 year ARI flood event (1% AEP).

MAJOR LAND DIVISION (20+ ALLOTMENTS)

Open Space

PO 8.1

Land division allocates or retains, evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration.

DTS 8.1

None are applicable

PO 8.2

Land allocated for open space is suitable for intended active and passive recreational use considering gradient and potential for inundation.

DTS / DPF 8.2

Where provided, no more than 20% of open space:

- (a) has a slope in excess of 1 in 4; and
- (b) is comprised of watercourses, wetlands or detention basins.

PO 8.3

Land allocated for active recreation is of a size and has dimensions capable of accommodating a range of active recreational activities.

DTS 8.3

None are applicable.

Water Sensitive Design

PO 9.1

Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS/DPF 9.1

Land division creating 20 or more residential allotments is accompanied by an approved Stormwater Management Plan and manages up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings and:

- (a) maintains pre-development peak 5-year ARI (18.1% AEP) flow rate from the site, and maintains the time to peak to match that of the pre-development; or
- (b) captures and retains the difference in pre-development volume vs post development volume from the site for a 5-year ARI (18.1% AEP) 30 minute storm; or where there is no adequate local drainage scheme to connect to, captures and retains post development volume from the site for a 5 year ARI (18.1% AEP) 30 minute storm.

PO 9.2

Land division creating 20 or more non- residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.

DTS/DPF 9.2

Land division creating 20 or more non- residential allotments is accompanied by an approved Stormwater Management Plan and manages up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings and:

- (a) maintains pre-development peak 20-year ARI (5% AEP) flow rate from the site and, maintains the time to peak to match that of the pre-development; or
- (b) captures and retains the difference in pre-development volume vs post development volume from the site for a 20-year ARI (5% AEP) 30 minute storm; where there is no adequate local drainage scheme to connect to, captures and retains post development volume from the site for a 20 year ARI (5% AEP) 30 minute storm.

PO 9.3

Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies

DTS 9.3

Land division creating 20 or more allotments is accompanied by an approved Stormwater Management Plan and achieves the following stormwater runoff outcomes:

- (a) 80 per cent reduction in average annual total suspended solids;
- (b) 60 per cent reduction in average annual total phosphorus;
- (c) 45 per cent reduction in average annual total nitrogen.

Solar Orientation


PO 10.1

Land division for residential purposes facilitates solar access for energy efficient through allotment orientation and allotment dimensions.

DTS/DPF 10.1

Land division results in:

(a) at least 80% of allotments oriented so that their long axis conforms with figure 10.1:



- (b) 80% of allotments with an east-west orientation having a minimum frontage of 15m
- (c) no more than 20% of allotments are located on the south side of east-west oriented streets.

Land Division in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Land division that:

- (a) creates allotments having appropriate dimensions and shape for intended use;
- (b) allows efficient provision of new infrastructure and optimum use of existing underutilised infrastructure;
- (c) integrates and allocates adequate and suitable land for the preservation of site features of value including significant vegetation, watercourses, water bodies and other environmental features; and
- (d) supports energy efficiency in building orientation;
- (e) creates a compact urban form that supports active travel, walkability and the use of public transport; and
- (f) avoids areas of high natural hazard risk.

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
	Planning and Design Code)

ALL LAND DIVISION

Allotment configuration

PO 1.1	DTS/DPF 1.1
Land division creates allotments suitable for their intended use taking into account physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality.	 Land division for the: (a) minor adjustment of allotment boundaries to remove an anomaly in existing boundaries with respect to the location of existing buildings or structures where no additional allotments are created; or
	(b) Creation of a single additional allotment for residential purposes where:
	 (i) the allotment will contain a single lawfully existing dwelling or an approval for a single dwelling exists and is operative;

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
	 (ii) access is provided via a lawfully existing driveway or access point or an access point for which approval under the Local Government Act exists and is operative; and (iii) the resulting allotment achieves any minimum site area and frontage width specified by the relevant zone or a relevant Technical and Numerical Variation Overlays.
PO 1.2 Land division creates allotments suitable for their intended use.	DTS/DPF 1.1 Division of land that reflects the site or allotment boundaries on a valid development authorisation for Development Plan Consent under the <i>Development Act 1993</i> or Planning Consent under the <i>Planning, Development and</i> <i>Infrastructure Act 2016.</i>
Design and Layout	
PO 2.1 Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls	None are applicable.
PO 2.2 Land division enables appropriate treatment of the interface between potentially conflicting land uses and/or zones.	None are applicable.
PO 2.3 Land division maximises the number of allotments that face public open space and public streets.	None are applicable.
PO 2.4	None are applicable.

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
Land division integrated with site features, adjacent land uses, the existing transport network and available infrastructure.	
PO 2.5 Development and infrastructure provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable
PO 2.6 Land division results in watercourses being retained within open space and land subject to flooding free from development.	None are applicable.
PO 2.7 Land division results in street patterns that are legible and connected to the surrounding street network.	None are applicable.
Roads and Access	
PO 3.1 Land division provides allotments with access to a public road.	None are applicable.
PO 3.2 Street patterns and intersections designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.3 Land division does not impede access to publicly owned open space and recreation facilities.	None are applicable.

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
PO 3.4 Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles, and allow for the efficient movement of service and	None are applicable.
emergency vehicles. PO 3.5 Road reserves provide for footpaths, cycle lanes and shared-use paths, and accommodate street tree planting, landscaping and street furniture.	None are applicable.
PO 3.6 Road reserves accommodate stormwater drainage and public utilities.	None are applicable.
PO 3.7 Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.	None are applicable.
PO 3.8 Street patterns and intersections designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
PO 3.9 Roads, open space and thoroughfares provided establish safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
PO 3.10 Public streets include tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
PO 3.11 Local streets designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infrastructure	
PO 4.1 Land division incorporates public utility services within road reserves or within dedicated easements.	None are applicable.
PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without unreasonable risk to public health or the environment.	 DTS/DPF 4.2 Each allotment can be connected to any of the following: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotments; or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.
PO 4.3 Septic tank effluent drainage fields and other waste water disposal areas maintained to ensure the effective operation of waste systems and minimise risks to human health and environmental harm.	DTS/DPF 4.3 Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.


Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code) 	
PO 4.4 Constructed wetland systems, including associated detention and retention basins, sited and designed to ensure public health and safety is protected including by minimising potential public health risks arising from the breeding of mosquitoes.	None are applicable.	
PO 4.5 Constructed wetland systems, including associated detention and retention basins, sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.	None are applicable.	
PO 4.6 Constructed wetland systems, including associated detention and retention basins, sited and designed to function as a landscape feature.	None are applicable.	
MINOR LAND DIVISION (UNDER 20 ALLOTMENTS)		
Open Space		
PO 5.1 Land division proposing an additional allotment under 1 hectare in area provides or supports the provision of open space.	None are applicable.	
Solar Orientation		
PO 6.1 Land division for residential purposes facilitates solar access for energy efficiency through allotment orientation.	None are applicable.	
Water Sensitive Design		

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
PO 7.1 Land division creating 5-19 allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	 DTS 7.1 Land division creating 5-19 allotments is accompanied by an approved <i>Stormwater Management Plan</i> and achieves the following stormwater runoff outcomes: (a) 80 per cent reduction in average annual total suspended solids; (b) 60 per cent reduction in average annual total phosphorus; (c) 45 per cent reduction in average annual total nitrogen.
PO 7.2 Land division creating 5-19 non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.	 DTS / DPF 7.2 Land division creating 5-19 non-residential allotments includes a storm water management system designed to: (a) maintain a pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 20-year ARI (5% AEP) 30 minute storm, unless a lower performance measure is specified in an approved catchment based Stormwater Management Plan; (b) maintain the stormwater runoff time to peak to match that of the pre-development; and (a) manage site generated stormwater runoff up to and including the 100 –year ARI flood event (1% AEP).
MAJOR LAND DIVISION (20+ ALLOTMENTS)	
Open Space	
PO 8.1	

Land division allocates or retains, evenly distributed, high quality areas of open space to improve residential amenity and provide	None are applicable.
urban heat amelioration.	

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
PO 8.2 Land allocated for open space is suitable for intended active and passive recreational use considering gradient and potential for inundation.	 DTS / DPF 8.2 Where provided, no more than 20% of open space: (a) has a slope in excess of 1 in 4; and (b) is comprised of watercourses, wetlands or detention basins.
PO 8.3 Land allocated for active recreation is of a size and has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
Water Sensitive Design	
PO 9.1 Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded.	 DTS/DPF 9.1 Land division creating 20 or more residential allotments is accompanied by an approved <i>Stormwater Management Plan</i> and manages up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings and: (a) maintains pre-development peak 5-year ARI (18.1% AEP) flow rate from the site, and maintains the time to peak to match that of the pre-development; or (d) captures and retains the difference in pre-development volume vs post development volume from the site for a 5-year ARI (18.1% AEP) 30 minute storm; or where there is no adequate local drainage scheme to connect to, captures and retains post development volume from the site for a 5 year ARI (18.1% AEP) 30 minute storm.
PO 9.2 Land division creating 20 or more non- residential allotments includes a stormwater management system designed to mitigate	DTS/DPF 9.2 Land division creating 20 or more non- residential allotments is accompanied by an approved <i>Stormwater Management Plan</i> and

Performance Outcomes (PO)	 Deemed to Satisfy Criteria (DTS) (required for development to be classified as Deemed-to-Satisfy) Designated Performance Feature (DPF) (used for development to be assessed on its merits against the applicable policies of the Planning and Design Code)
peak flows and manage the rate and duration of stormwater discharges from the site to ensure the carrying capacities of downstream systems are not overloaded	 manages up to and including the 100 –year ARI flood event (1% AEP) to avoid flooding of buildings and: (a) maintains pre-development peak 20-year ARI (5% AEP) flow rate from the site and, maintains the time to peak to match that of the pre-development; or (b) captures and retains the difference in pre-development volume vs post development volume from the site for a 20-year ARI (5% AEP) 30 minute storm; where there is no adequate local drainage scheme to connect to, captures and retains post development volume from the site for a 20 year ARI (5% AEP) 30 minute storm.
PO 9.3 Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies	 DTS 9.2 Land division creating 20 or more allotments is accompanied by an approved <i>Stormwater Management Plan</i> and achieves the following stormwater runoff outcomes: (a) 80 per cent reduction in average annual total suspended solids (b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen
Solar Orientation	
PO 10.1 Land division creating 20 or more allotments for residential purposes facilitates solar access for energy efficient through allotment orientation and allotment dimensions.	 DTS/DPF 10.1 Land division results in: (a) at least 80% of allotments oriented so that their long axis conforms with figure 10.1:



Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Marinas and on-water structures located and designed to minimise impairment of commercial, recreational and navigational activities and adverse impacts on the environment.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Navigation and Safety

PO 1.1

Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.

DTS/DPF 1.1 None are applicable

PO 1.2

The operation of wharves not impaired by marinas and on-water structures.

DTS/DPF 1.2

None are applicable

PO 1.3

Navigation and access channels not impaired by marinas and on-water structures.

DTS/DPF 1.3 None are applicable

PO 1.4

Commercial shipping lanes not impaired by marinas and on-water structures.

DTS/DPF 1.4

Marinas and on-water structures are setback 250m or more from commercial shipping lanes.

PO 1.5

Marinas and on-water structures located to avoid interfering with the operation or function of a water supply pumping station.

DTS/DPF 1.5

On-water structures are setback:

- (a) 3km or more from upstream water supply pumping station take-off points; and
- (b) 500m or more from downstream water supply pumping station take-off points.

PO 1.6

Maintenance of on-water infrastructure, including revetment walls, not impaired by marinas and on-water structures.

DTS/DPF 1.6 None are applicable

Environmental Protection

PO 2.1

Development sited and designed to facilitate water circulation and exchange.

DTS/DPF 2.1 None are applicable

Open Space and Recreation

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Pleasant, functional and accessible open space and recreation facilities provided for active and passive recreation.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Recreation facilities compatible with surrounding land use and activity.

DTS/DPF 1.1 None are applicable

Design and Siting

PO 2.1

Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility.

DTS/DPF 2.1 None are applicable

PO 2.2

Open space and recreation facilities incorporate park furniture, shaded areas and resting places to enhance pedestrian comfort.

DTS/DPF 2.2

None are applicable

PO 2.3

Open space and recreation facilities link habitats, wildlife corridors and existing open spaces and recreation facilities.

DTS/DPF 2.3 None are applicable

Pedestrians and Cyclists

PO 3.1

Open space incorporates:

- (a) pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes;
- (b) safe crossing points where pedestrian routes intersect the road network; and
- (c) easily identified access points.

DTS/DPF 3.1

None are applicable.

Usability

PO 4.1

Land allocated for open space is suitable for intended active and passive recreational use considering gradient and potential for inundation.

DTS/DPF 4.1

No more than 20% of the open space:

- (a) has a slope in excess of 1 in 4; and
- (b) is comprised of watercourses, wetlands or detention basins.

Safety and Security

PO 5.1

Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible.

DTS/DPF 5.1

None are applicable.

PO 5.2

Play equipment is located where it can be casually observed by nearby residents and users.

DTS/DPF 5.2

None are applicable.

PO 5.3

Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.

DTS/DPF 5.3

None are applicable.

PO 5.4

Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment.

DTS/DPF 5.4

None are applicable.

PO 5.5

Adequate lighting provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.

DTS/DPF 5.5

None are applicable.

PO 5.6

Pedestrian and bicycle movement after dark focused along clearly defined, adequately lit routes with observable entries and exits.

DTS/DPF 5.6

Signage

PO 6.1

Signage provided at entrances to and within public open space to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.

DTS/DPF 6.1

None are applicable.

Buildings and Structures

PO 7.1

Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.

DTS/DPF 7.1

None are applicable.

PO 7.2

Buildings and structures in open space are clustered where practical to ensure that the majority of the site remains open.

DTS/DPF 7.2

None are applicable.

PO 7.3

Development in open space is constructed to minimise the extent of hard paved areas.

DTS/DPF 7.3

None are applicable.

PO 7.4

Development that abuts or includes a coastal reserve or Crown land used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of the reserve.

DTS/DPF 7.4 None are applicable.

Landscaping

PO 8.1

Open space and recreation facilities provide for the planting and retention of large trees and vegetation.

DTS/DPF 8.1

None are applicable.

PO 8.2

Landscaping in open space and recreation facilities provides shade and windbreaks:

(a) along cyclist and pedestrian routes

- (b) around picnic and barbecue areas; and
- (c) in car parking areas.

DTS/DPF 8.2 None are applicable.

PO 8.3

Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity.

DTS/DPF 8.3 None are applicable.

Resource Extraction

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Resource extraction activities developed in a manner that minimises human and environmental impacts.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Land Use and Intensity

PO 1.1

Resource extraction activities minimise landscape damage and provide for the progressive reclamation and betterment of disturbed areas.

DTS/DPF 1.1

None are applicable.

PO 1.2

Resource extraction activities avoid damage to cultural sites or artefacts.

DTS/DPF 1.2

None are applicable.

Water Quality

PO 2.1

Stormwater and/or waste water from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on-site.

DTS/DPF 2.1 None are applicable.

Separation Treatments, Buffers and Landscaping

PO 3.1

Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.

DTS/DPF 3.1

None are applicable.

PO 3.2

Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.

DTS/DPF 3.2 None are applicable.

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Protection of human health and the environment wherever site contamination has been identified or is suspected to have occurred.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

PO 1.1

Ensure land is suitable for sensitive use in circumstances where it is, or may have been, subject to site contamination as a result of previously established uses of land or activities in the vicinity of the land.

DTS/DPF 1.1

Development:

- (a) does not incorporate a change of use of land;
- (b) incorporates a change of use of land that is not a more sensitive use of land than previously established uses of the land;
- (c) in respect of which the applicant is able to furnish, or the relevant authority is in possession of, a site contamination audit report less than 5 years old under Part 10A of the Environment Protection Act 1993 to the effect:
 - i. that site contamination does not exist (or no longer exists) at the land; or
 - ii. that any site contamination at the land has been cleared or addressed to the extent necessary to enable the land to be suitable for sensitive use; or
- (d) the allotment was the subject of consent granted under the Development Act 1993 or the Planning Development and Infrastructure Act 2016 on or after 1 September 2009 in relation the division of the land.

Tourism Development

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Tourism development in suitable locations that caters to the needs of visitors.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

General

PO 1.1

Tourism development complements and contributes to local, natural, cultural or historical context.

DTS/DPF 1.1

None are applicable.

PO 1.2

Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) clustered to minimise environmental and contextual impact.

DTS/DPF 1.2

Caravan and Tourist Parks

PO 2.1

Potential conflicts between long-term residents and short-term tourists minimised through suitable siting and design measures.

DTS/DPF 2.1

None are applicable.

PO 2.2

Occupants are provided privacy and amenity through landscaping and fencing.

DTS/DPF 2.2

None are applicable.

PO 2.3

Communal open space and centrally located recreation facilities provided for guests and visitors.

DTS/DPF 2.3

12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.

PO 2.4

Perimeter landscaping is used to enhance the amenity of the locality.

DTS/DPF 2.4

None are applicable.

PO 2.5

Amenity blocks (showers, toilets, laundry and kitchen facilities) sufficient to serve peak population.

DTS/DPF 2.5

None are applicable.

PO 2.6

Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverside locations.

DTS/DPF 2.6

None are applicable.

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Movement Systems

PO 1.1

Development integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.

DTS/DPF 1.1

None are applicable.

PO 1.2

Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.

DTS/DPF 1.2

None are applicable.

PO 1.3

Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.

DTS/DPF 1.3

None are applicable.

PO 1.4

Development sited and designed so that loading, unloading and turning of all traffic likely to be generated avoids interrupting the operation of and queuing on public roads and pedestrian paths.

DTS/DPF 1.4

All vehicle manoeuvring occurs onsite.

Sightlines

PO 2.1

Maintenance or enhancement of sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians to ensure safety for all road users and pedestrians.

DTS/DPF 2.1

None are applicable.

PO 2.2

Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.

DTS/DPF 2.2

None are applicable.

Vehicle Access

PO 3.1

Safe and convenient access that minimises impact or interruption on the operation of public roads.

DTS/DPF 3.1

The access is:

- (a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land; and
- (b) not located within 6m of an intersection of 2 or more roads or a pedestrian actuated crossing.

PO 3.2

Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.

DTS/DPF 3.2

None are applicable.

PO 3.3

Access points sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.

DTS/DPF 3.3

None are applicable.

PO 3.4

Access points sited and designed to minimise any adverse impacts on neighbouring properties.

DTS/DPF 3.4

None are applicable.

PO 3.5

Access points located so as not to interfere with mature street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.

DTS/DPF 3.5

The access point does not involve the removal or relocation of mature street trees, street furniture or utility infrastructure services.

PO 3.6

Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).

DTS/DPF 3.6

Driveways and access points:

- (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided.
- (b) for sites with a frontage to a public road greater than 20m:
 - i. a single access point no greater than 6m in width is provided; or
 - ii. not more than two access points with a width of 3.5m each are provided.

PO 3.7

Access points appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.

DTS/DPF 3.7

None are applicable.

PO 3.8

Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.

DTS/DPF 3.8

PO 3.9

Development designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.

DTS/DPF 3.9

None are applicable.

Access for People with Disabilities

PO 4.1

Development sited and designed to provide safe, dignified and convenient access for people with a disability.

DTS/DPF 4.1

None are applicable.

Vehicle Parking Rates

PO 5.1

The provision of sufficient on-site vehicle parking and specifically marked accessible car parking places to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as:

- (a) availability of on-street car parking
- (b) shared usage of other parking areas
- (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site the provision of vehicle parking may be shared.

DTS/DPF 5.1

Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using Transport, Access and Parking Table 1 – General Off-Street Car Parking Requirements or Transport, Access and Parking Table 2 – Off-Street Vehicle Parking Requirements in Designated Areas, whichever is relevant.

Vehicle Parking Areas

PO 6.1

Vehicle parking areas that are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another.

DTS/DPF 6.1

Movement between vehicle parking areas within the site can occur without the need to use a public road.

PO 6.2

Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.

DTS/DPF 6.2

None are applicable.

PO 6.3

Vehicle parking areas designed to provide opportunity for integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.

DTS/DPF 6.3

None are applicable.

PO 6.4

Pedestrian linkages between parking areas and the development are provided and are safe and convenient.

DTS/DPF 6.4

None are applicable.

PO 6.5

Vehicle parking areas that are likely to be used during non-daylight hours are provided with floodlit entry and exit points to ensure clear visibility to users.

DTS/DPF 6.5

None are applicable.

PO 6.6

Loading areas and designated parking spaces for service vehicles provided within the boundary of the site.

DTS/DPF 6.6

Loading areas and designated parking spaces are wholly located within the site.

PO 6.7

On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.

DTS/DPF 6.7

None are applicable.

Undercroft and Below Ground Garaging and Parking of Vehicles

PO 7.1

Undercroft and below ground garaging of vehicles designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.

DTS/DPF 7.1

None are applicable.

Internal Roads and Parking Areas in Residential Parks and Caravan and Tourist Parks

PO 8.1

Internal road and vehicle parking areas surfaced to prevent dust becoming a nuisance to park residents and occupants.

DTS/DPF 8.1

None are applicable.

PO 8.2

Traffic circulation and movement within the park that is pedestrian friendly and promotes low speed vehicle movement

DTS/DPF 8.2

Bicycle Parking in Designated Areas

PO 9.1

The provision of adequately sized on-site bicycle parking facilities to encourage cycling as an active transport mode supporting community health.

DTS/DPF 9.1

Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.

PO 9.2

Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and to deter property theft.

DTS/DPF 9.2

None are applicable.

PO 9.3

Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.

DTS/DPF 9.3

None are applicable.

The number of employees

Table 1 – General Off-Street Car Parking Requirements

Class of Development	Car Parking Rate (unless varied by Table 3 onwards) Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential Development	
Detached Dwelling	1 or 2 bedroom dwelling –1 space per dwelling. 3 or more bedroom dwelling – 2 spaces per dwelling.
Group Dwelling	 1 or 2 bedroom dwelling – 1 space per dwelling. 3 or more bedroom dwelling – 2 spaces per dwelling. 0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	1 or 2 bedroom dwelling – 1 space per dwelling. 3 or more bedroom dwelling – 2 spaces per dwelling.

Class of Development	Car Parking Rate (unless varied by Table 3 onwards) Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Row Dwelling	1 or 2 bedroom dwelling – 1 space per dwelling. 3 or more bedroom dwelling – 2 spaces per dwelling.
Semi-Detached Dwelling	1 or 2 bedroom dwelling – 1 space per dwelling. 3 or more bedroom dwelling – 2 spaces per dwelling.
Aged / Supported Accommodation	
Aged person's accommodation	0.3 spaces per bed.
Nursing home	0.3 spaces per bed.
Retirement village	 1 or 2 bedroom dwelling – 1 space per dwelling. 3 or more bedroom dwelling – 2 spaces per dwelling. 0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
Residential Development (Other)
Ancillary accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	 1 or 2 bedroom dwelling – 1 space per dwelling. 3 or more bedroom dwelling - 2 spaces per dwelling. 0.2 spaces per dwelling for visitor parking.
Workers' accommodation	0.5 spaces per bed plus 0.25 spaces per bed for visitor parking.
Tourist	
Caravan park ∕ tourist park	Parks with 100 sites or less – a minimum of 1 space per 10 sites to be used for accommodation.

Class of Development	Car Parking Rate (unless varied by Table 3 onwards) Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation. A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.
Tourist accommodation	1 car parking space per accommodation unit / guest room.
Commercial Uses	
Auction room/ depot	1 space per 100m ² of building floor area plus an additional 2 spaces.
Automotive collision repair	3 spaces per 100m ² of gross leasable floor area plus 1 space for each vehicle being serviced, repaired or fitted with accessories, including vehicles waiting to be repaired, fitted with accessories or collected by owners.
Bulky goods outlet	3 spaces per 100m ² of gross leasable floor area.
Call centre	8 spaces per 100m ² of gross leasable floor area.
Motor repair station	3 spaces per 100m ² of gross leasable floor area plus 1 space for each vehicle being serviced, repaired or fitted with accessories, including vehicles waiting to be repaired, fitted with accessories or collected by owners.
Office	4 spaces per 100m ² of gross leasable floor area.
Retail fuel outlet	6 spaces per service bay, plus 50% of the spaces calculated to be provided for ancillary uses
Service trade premises	4 spaces per 100m ² of gross leasable floor area 1 space per 100m ² of outdoor area used for display purposes.
Shop other than a bulky goods outlet or restaurant	7 spaces per 100m ² of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle

Class of Development	Car Parking Rate (unless varied by Table 3 onwards) Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
	 parking, vehicle loading and unloading, and the storage and collection of refuse are shared. 6 spaces per 100m² of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
Community and Civic Uses	
Childcare centre	0.25 spaces per child
Library	4 spaces per 100m ² of total floor area.
Community facility	10 spaces per 100m ² of total floor area.
Hall / meeting hall	0.2 spaces per seat.
Place of worship	1 space for every 3 visitor seats.
Pre-school	1 per employee plus 0.25 per child (drop off/pick up bays)
Educational establishment	 For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student. For a secondary school - 1.1 per full time equivalent employee plus 0.16 spaces per student For a tertiary institution - 0.8 per student based on the maximum number of students on the site at any time.
Health Related Uses	
Hospital	5 spaces per bed.
Consulting room	4 spaces per 100m ² of gross leasable floor area.

Class of Development	Car Parking Rate (unless varied by Table 3 onwards)
	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.

Recreational and Entertainment Uses

Amusement machine centre	1 space per 10m ² of total floor area.
Bowling club	10 spaces per bowling green.
Cinema complex	0.33 spaces per seat.
Concert hall / theatre	0.33 spaces per seat.
Hotel	1 space for every 2m ² of total floor area in a public bar plus 1 space for every 6m ² of total floor area available to the public in a lounge, beer garden or other licensed area.
Indoor recreation facility	7 spaces per 100m ² of total floor area
	For a squash court or tennis court – 4 spaces per court.
Restaurant	Premises with a dine-in service only - 0.4 spaces per seat.
	Premises with a dine-in and take-away services - 0.55 spaces per seat.
	[Note: requirements associated with a drive-through service are to be considered separately to the parking rates mentioned herein]
Industry/Employment Use	S
Fuel depot	If employee numbers are known - 1 space per employee with a minimum of 2 spaces per premises.
	If employee numbers are unknown - 1.85 spaces per 100m ² of total floor area with a minimum of 2 spaces per premises.
Industry	If employee numbers are known - 1 space per employee with a minimum of 2 spaces per premises.
	If employee numbers are unknown - 1.85 spaces per 100m ² of total floor area with a minimum of 2 spaces per premises.

Class of Development	Car Parking Rate (unless varied by Table 3 onwards) Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.	
Store	If employee numbers and known - 1 space per employee with a minimum of 2 spaces per premises. If employee numbers are unknown - 1.85 spaces per 100m ² of total building floor area with a minimum of 2 spaces per premises.	
Timber yard	If employee numbers are known - 1 space per employee with a minimum of 2 spaces per premises. If employee numbers are unknown - 1.85 spaces per 100m ² of total floor area with a minimum of 2 spaces per premises.	
Warehouse	If employee numbers are known - 1 space per employee with a minimum of 2 spaces per premises. If employee numbers are unknown - 1.85 spaces per 100m ² of total floor area with a minimum of 2 spaces per premises.	
Other Uses		
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.	
Radio or Television Station	5 spaces per 100m ² of total building floor area.	
Table 2 – Off-Street Vehicle Parking Requirements in Designated Areas		

Class of Development	Car Parking Rate Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.		Designated Areas
	Minimum number Maximum number of spaces of spaces		
Development	generally		
All classes of development	No minimum.	No maximum.	Capital City Zone

Class of	Car Parking Rate		Designated Areas
Development	Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.		
	Minimum number of spaces	Maximum number of spaces	
			City Main Street Zone
Non-residenti	al development		
Non-residential development excluding tourist accommodation	3 spaces per 100m ² of gross leasable floor area.	5 spaces per 100m ² of gross leasable floor area.	Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
Non-residential development excluding tourist accommodation	3 spaces per 100m ² of gross leasable floor area.	6 spaces per 100m ² of gross leasable floor area.	Where located in accordance with the Table 2 - Criteria: Business Neighbourhood Zone Education and Innovation Zone Suburban Activity Centre Zone Suburban Business and Innovation Zone Suburban Main Street Zone Urban Activity Centre Zone
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone

Class of Development	Car Parking Rate Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.		Designated Areas
	Minimum number of spaces	Maximum number of spaces	
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street) Zone
			Urban Neighbourhood Zone
Residential de	evelopment		
Residential component of a multi-storey building	Dwelling with no separate bedroom – 0.25 spaces per dwelling 1 bedroom dwelling – 0.75 spaces per dwelling 2 bedroom dwelling – 1 space per dwelling 3 or more bedroom dwelling – 1.25 spaces per dwelling 0.25 spaces per dwelling for visitor parking.	None specified.	Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone
Residential flat building	Dwelling with no separate bedroom – 0.25 spaces per dwelling 1 bedroom dwelling – 0.75 spaces per dwelling 2 bedroom dwelling – 1 space per dwelling 3 or more bedroom dwelling – 1.25 spaces per dwelling	None specified.	Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street) Zone Urban Neighbourhood Zone

Class of Development	Car Parking Rate Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.		Designated Areas
	Minimum number Maximum number of spaces of spaces		
	0.25 spaces per dwelling for visitor parking.		

Table 2 - Criteria:

The designated area is wholly located within Metropolitan Adelaide and any part of the area satisfies one of the following:

- (a) is within 400 metres of a bus interchange⁽¹⁾
- (b) is within 400 metres of an O-Bahn interchange⁽¹⁾
- (c) is within 400 metres of a passenger rail station⁽¹⁾
- (d) is within 400 metres of a passenger tram station⁽¹⁾
- (e) is within 400 metres of the Adelaide Parklands.

[NOTE(S): (1) Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles.]

Table 3 – Off-Street Bicycle Parking Requirements

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

Class of Development	Bicycle Parking Rate Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.
Consulting Room	1 space per 20 employees plus 1 space per 20 consulting rooms for customers.
Educational establishment	For a secondary school – 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.
	For tertiary education – 1 space per 20 employees plus 1 space per 10 full time students.
Hospital	1 space per 15 beds plus 1 space per 30 beds for visitors.

Class of Development	Bicycle Parking Rate Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.
Indoor recreation facility	1 space per 4 employees plus 1 space per 200m ² of gross leasable floor area for visitors.
Office	1 space for every 200m ² of gross leasable floor area plus 2 spaces plus 1 space per 1000m ² of gross leasable floor area for visitors.
Residential flat building	1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.
Residential component of a multi-storey building	1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors.
Shop	1 space for every 300m ² of gross leasable floor area plus 1 space for every 600m ² of gross leasable floor area for customers.
Tourist accommodation	1 space for every 20 employees plus 2 for the first 40 rooms and 1 for every additional 40 rooms for visitors.

Schedule to Table 3

Designated Area	Relevant part of the State The bicycle parking rate applies to a designated area located in a relevant part of the State described below.
All zones	City of Adelaide
Business Neighbourhood Zone Education and Innovation Zone Suburban Activity Centre Zone Suburban Business and Innovation Zone Suburban Main Street Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone	Metropolitan Adelaide

Designated Area	Relevant part of the State
	The bicycle parking rate applies to a designated area located in a relevant part of the State described below.
Urban Corridor (Living) Zone	
Urban Corridor (Main Street) Zone	
Urban Neighbourhood Zone	

Waste Treatment and Management Facilities

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Mitigation of potential environmental and amenity impacts of waste treatment and management facilities.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Siting

PO 1.1

Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.

DTS/DPF 1.1

None are applicable.

Soil and Water Protection

PO 2.1

Soil, groundwater and surface water protected from contamination from waste treatment and management facilities through measures such as:

- (a) containing potential groundwater and surface water contaminants within waste operations areas;
- (b) diverting clean stormwater away from waste operations areas and potentially contaminated areas; and
- (c) providing a leachate barrier between waste operations areas and underlying soil and groundwater.

DTS/DPF 2.1

None are applicable.

PO 2.2

Wastewater lagoons setback from watercourses to minimise environmental harm and adverse effects on water resources.

DTS/DPF 2.2

Wastewater lagoons are setback 50m or more from watercourse banks.

PO 2.3

Wastewater lagoons designed and sited to:

- (a) avoid intersecting underground waters;
- (b) avoid inundation by flood waters;
- (c) ensure lagoon contents do not overflow; and
- (d) include a liner designed to prevent leakage.

DTS/DPF 2.3

None are applicable.

PO 2.4

Waste operations areas of landfills and organic waste processing facilities setback from watercourses to minimise adverse impacts on water resources.

DTS/DPF 2.4

Waste operations areas are setback 100m or more from watercourse banks.

Amenity

PO 3.1

Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity.

DTS/DPF 3.1

None are applicable.

PO 3.2

Access routes to waste treatment and management facilities via residential streets is avoided.

DTS/DPF 3.2

None are applicable.

PO 3.3

Litter control measures minimise the incidence of windblown litter.

DTS/DPF 3.3

None are applicable.

PO 3.4

Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation.

DTS/DPF 3.4

None are applicable.

Access

PO 4.1

Traffic circulation movements within any waste treatment or management site designed to enable all vehicles expected to use the facility to enter and exit the site in a forward direction.

DTS/DPF 4.1

None are applicable.

PO 4.2

Suitable access for emergency vehicles provided to and within waste treatment or management sites.

DTS/DPF 4.2

None are applicable.

Fencing and Security

PO 5.1

Security fencing provided around waste treatment and management facilities to prevent unauthorised access to operations and potential hazard to the public

DTS/DPF 5.1

Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.

Landfill

PO 6.1

Landfill gas emissions managed in an environmentally acceptable manner.

DTS/DPF 6.1

None are applicable.

PO 6.2

Landfill facilities separated from areas of environmental significance and land used for public recreation and enjoyment.

DTS/DPF 6.2

Landfill facilities are setback 250m or more from a public open space reserve, forest reserve, national park or the Conservation Zone.

PO 6.3

Landfill facilities located on land that is not subject to land slip.

DTS/DPF 6.3

None are applicable.

PO 6.4

Landfill facilities separated from areas subject to flooding to avoid potential environmental harm.

DTS/DPF 6.4

Landfill facilities are setback 500m or more from land inundated in a 1% AEP flood event.

Organic Waste Processing Facilities

PO 7.1

Organic waste processing facilities separated from the coast to avoid potential environment harm.

DTS/DPF 7.1

Organic waste processing facilities are setback 500m or more from coastal high water mark.

PO 7.2

Organic waste processing facilities not located on land where the interface of the engineered liner and natural soils would be within any of the following:

a. 15m of unconfined aquifers bearing groundwater with less than 3,000mg per litre total dissolved salts; or

- b. 5m of groundwater with a water quality of 3,000mg to 12,000mg per litre total dissolved salts; or
- c. 2m of groundwater with a water quality exceeding 12,000mg per litre total dissolved salts.

DTS/DPF 7.2

None are applicable.

PO 7.3

Organic waste processing facilities sited away from areas of environmental significance and land used for public recreation and enjoyment.

DTS/DPF 7.3

Organic waste processing facilities are setback 250m or more from a public open space reserve, forest reserve, national park or the Conservation Zone.

PO 7.4

Organic waste processing facilities located on land that is not subject to land slip.

DTS/DPF 7.4

None are applicable.

PO 7.5

Organic waste processing facilities separated from areas subject to flooding to avoid potential environmental harm.

DTS/DPF 7.5

Organic waste processing facilities are setback 500m or more from land inundated in a 1% AEP flood event.

Major Wastewater Treatment Facilities

PO 8.1

Major wastewater treatment and disposal systems, including lagoons, designed to minimise potential adverse odour impacts on sensitive receivers.

DTS/DPF 8.1

None are applicable.

PO 8.2

Artificial wetland systems for the storage of treated wastewater designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.

DTS/DPF 8.2 None are applicable.

Workers Accommodation and Settlements

Assessment Provisions (AP)

Desired Outcomes (DO)

DO 1

Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

PO 1.1

Workers accommodation and settlements sited and designed to minimise impacts on views from scenic routes, tourist destinations and areas of conservation significance.

DTS/DPF 1.1

None are applicable.

PO 1.2

Workers accommodation and settlements sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.

DTS/DPF 1.2

None are applicable.

PO 1.3

Workers accommodation and settlements designed with materials and colours that blend with the landscape.

DTS/DPF 1.3

None are applicable.

PO 1.4

Workers accommodation and settlements supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.

DTS/DPF 1.4 None are applicable.

Part 5 – Designated Areas

Under the *Planning, Development and Infrastructure (General) Regulations* the Planning and Design Code may designate a zone, subzone, overlay or identify other areas for certain purposes.

Column A identifies the purpose of a designated area and Column B identifies the relevant zone, subzone or overlay in the Planning and Design Code or other area designated for that purpose, including limits to the extent of a designated area.

Where the extent of a designated area is limited in Column B by a figure, the figure is provided in Schedule 1 of this Part.

Introduction	Designated Area(s) (Column B)
(Column A) Interpretation	
Areas identified as 'designated 'airport building heights area' for the purposes of clause 3(1) of the Regulations – Interpretation	Airport Building Heights (Aircraft Landing Areas) Overlay Airport Building Heights (Regulated) Overlay Defence Aviation Area Overlay
Areas identified as 'designated environmental zone, subzone or overlay' for the purposes of clause 3(1) of the Regulations – Interpretation	None specified
Areas identified as 'designated flood zone, subzone or overlay' for the purposes of clause 3(1) of the Regulations – Interpretation	Coastal Areas Overlay Hazards (Flooding) Overlay River Murray Flood Plain Overlay
Areas identified as 'designated regulated tree overlay' for the purposes of clause 3(1) of the Regulations – Interpretation	Regulated Tree Overlay
Building Rules: bushfire prone a	areas
Areas identified as 'designated bushfire prone areas' for the purposes of clause 98(b) of the Regulations – Building Rules: bushfire prone areas	Hazards (Bushfire - General Risk) Overlay Hazards (Bushfire - High Risk) Overlay Hazards (Bushfire - Medium Risk) Overlay Hazards (Bushfire - Outback) Overlay Hazards (Bushfire - Regional) Overlay Hazards (Bushfire – Urban Interface) Overlay
Additions to definition of develo	pment
Areas identified for the purposes of clause 1 of	Hills Face Zone Significant Landscape Protection Overlay Hazard (Acid Sulfate Soils) Overlay

Table 1 — Designated Areas

Introduction (Column A)	Designated Area(s) (Column B)
Schedule 3 under the Regulations – Excavating or filling in identified zones or areas	Sloping Land Overlay
Areas identified for the purposes of clause 3 of Schedule 3 under the Regulations – Excavation or filling in identified zones or areas subject to inundation or flooding	In addition to a 'designated flood zone, subzone or overlay', the following: None specified
Exclusions from definition of de	velopment - general
Areas identified as 'environmental areas' for the purposes of clause 2(1)(d)(i) of Schedule 4 under the Regulations – Council works	Conservation Zone Significant Landscape Protection Overlay Consider deleting from the regulations as unsure of the purpose of this provision.
Areas identified as 'environmental areas' for the purposes of clause 2(1)(d)(ii)(A) of Schedule 4 under the Regulations – Council works	Coastal Areas Overlay As above – consider deleting from the regulations as unsure of the purpose of this provision.
Areas identified for the purposes of clause 4 (1)(a) of Schedule 4 under the Regulations – Outbuilding	In addition to a 'designated flood zone, subzone or overlay', the following: Hills Face Zone Significant Landscape Protection Overlay
Areas identified for the purposes of clause 4(1)(c) of Schedule 4 under the Regulations – Swimming pool	In addition to a 'designated flood zone, subzone or overlay', the following: Hills Face Zone
Areas identified for the purposes of clause 4 (1)(d)(i)(B) of Schedule 4 under the Regulations – Fence not exceeding 2.1m in height	In addition to a 'designated flood zone, subzone or overlay', the following: Hills Face Zone Significant Landscape Protection Overlay
Areas identified for the purposes of clause 4(1)(i) of	In addition to a 'designated bushfire prone area', the following: Coastal Areas Overlay

Introduction	Designated Area(s)
(Column A)	(Column B)
Schedule 4 under the Regulations – Deck	Hills Face Zone Significant Landscape Protection Overlay
Areas identified for the purposes of clause 4(9) of Schedule 4 under the Regulations – External painting of a building	Any building located within the area identified in Figure Ga/1 or Figure Ga/2 of Schedule 1.
Areas identified for the purposes of clause 10 of Schedule 4 under the Regulations – Demolition of the whole of a building	Historic Area Overlay
Areas identified for the purposes of clause 11 of Schedule 4 under the Regulations – Dams	In addition to a 'designated flood zone, subzone or overlay', the following: Hills Face Zone Significant Landscape Protection Overlay
Areas identified for the purposes of clause 13 of Schedule 4 under the Regulations – Aerials, towers	In addition to a 'designated flood zone, subzone or overlay', the following: Hills Face Zone Significant Landscape Protection Overlay
Relevant authority - Commissio	'n
Areas identified for the purposes of clause 4(1) of Schedule 6 of the Regulations – Buildings exceeding 4 storeys	Design Overlay
Areas identified for the purposes of clause 5(1) of Schedule 6 of the Regulations – Developments over \$3m in the City of Port Adelaide	Design Overlay
Areas identified for the purposes of clause 8(1) of Schedule 6 of the Regulations – Developments over \$3m in the City of Charles Sturt	Design Overlay
Areas identified for the purposes of clause 11 of Schedule 6 of the Regulations – Developments in the show grounds	Recreation Zone in the City of Unley shown in Figure Un/1 of Schedule 1.
Areas identified for the purposes of clause 12 of	Conservation Zone

Introduction (Column A)	Designated Area(s) (Column B)
Schedule 6 of the Regulations – Tourism developments over \$3m on Kangaroo Island	
State agency development exer	npt from approval
Areas identified for the purposes of clause 3 of Schedule 13 of the Regulations - Certain development in part of City of Mitcham	The area identified in Figure Mit/1 of Schedule 1 in connection with the

Location	Figures
Corporation of the Town of Gawler	Figure Ga/1
Corporation of the Town of Gawler	Figure Ga/2
City of Mitcham – Colonel Light Gardens	Figure Mit/1

Schedule 1 — Figures for Designated Areas

Location	Figures
City of Unley	Figure Un/1

Part 6 – Index of Technical and Numeric Variations

Part 6.1 Local Heritage Places

Clare and Gilbert Valley

Polish Hill Road POLISH	Church of St. Stanislaus		14537
HILL RIVER			
Main North Road	Cottage (Apple Shed)		14527
PENWORTHAM			
Main North Road	Cottage (Dave Jenner)		14532
PENWORTHAM			
Main North Road	Cottage (Edward Penna)		14525
SEVENHILL			
Main North Road	Cottage (G.D. Young)		14529
PENWORTHAM			
Main North Road	Cottage (Laura Davies)		14524
SEVENHILL			
Main North Road	Cottage (Mathy's)		14528
PENWORTHAM			
Main North Road	Cottage (Nykiel)		14526
SEVENHILL			
Old North Road CLARE	Court House		14495
74 May Street	Dwelling; Original form of the building, including all decorative features, canopies and fenestration.	a d	27613
WOODVILLE WEST	Excludes later additions and outbuildings.		
Main North Road	Flour Mill Ruins, Manager's Residence		14531
PENWORTHAM			
17 Dame Street	Former Armagh School (Hall)		14518
ARMAGH			
4 Findon Road	Former Fire Station; Original two-storey building excluding single-storey addition to rear and	С	9250
WOODVILLE WEST	Outbuildings and fences		
Farrell Flat Road HILL	Former Hill River Station Outbuildings and yards		14515
RIVER			
Hilltown Road BARINIA	Former Hill River Station Woolshed		14512

Ohlmyer Park Road EMU	Former Railway Dam	14520
FLAT		
Farrell Flat Road CLARE	Hill River Station Complex	17630
Hilltown Road HILLTOWN	Hill River Station Outbuildings	14513
Farrell Flat Road HILL	Hill River Station Tree Plantation	14536
RIVER		
Pawleski Road	Horrock's Tree	14534
PENWORTHAM		
Dunns Range Road	House (Mary Thomas) (N. Dunn's)	14522
SPRING FARM		
Outa-Wurta Road	Kookynie Homestead	14517
BOCONNOC PARK		
254 Main North Road	National Bank	14497
CLARE		
Blyth Road ARMAGH	Norfolk house	14519
Lennon Street CLARE	Oaks Lennon Street	14501
Pawelski Road	Penwortham Cemetery	14533
PENWORTHAM		
Pioneer Avenue CLARE	Pioneer Tree	14502
Main North Road CLARE	Post Box VR	14498
Main North Road CLARE	Primary School/Residence	14499
Main North Road	Road Bridge	14506
BUNGAREE		
Main North Road	Road Bridge	14508
BUNGAREE		
Main North Road	Road Bridge	14507
BUNGAREE		
Main North Road	Road Bridge	14505
BUNGAREE		
19 Mill Street CLARE	School Building	14496

Pawelski Road	St. Mark's Church of England, Cemetery & Parsonage	14535
PENWORTHAM		
Victoria Road CLARE	St. Michael's Church	14500
Old Blyth Road	Stanley Cooper Mine Workings	14516
BENBOURNIE		
Gaelic Cemetery Road	Stanley Flat Cemetery	14510
STANLEY FLAT		
Camels Hump Range	Stone Wall	14514
HILLTOWN		
Seipelt Lane	Suicide Hill	14530
PENWORTHAM		
Springfarm Road SPRING	Wendouree Cemetery	14523
FARM		
Wendouree Road East	Wendouree Winery	14521
SPRING FARM		
Union Street CLARE	Windsorlodge	14503
CLARE	Wolta Wolta	14504

Flinders Ranges

Cemetery Road HAWKER	Cemetery; The whole of the Cemetery Reserve including historic monuments and grave railings.	abc	25747
Over Pinkerton Creek	Digger's Bridge; Bridge	а	25715
(back of Railway			
Terrace), QUORN			
Main North Road	Former Hotel (House that Jack Built)		14509
STANLEY FLAT			
Roach Road STANLEY	Former White Hut School		14511
FLAT			
Arden Vale Road	Former Yarrah Vale Uniting Church; Exterior form and materials including corrugated iron gabled roof,	аc	25722
WYACCA	pierced barge boards and timber finial, face stonework, brick trims and timber windows and door.		
	Excludes stone addition and veranda.		

Quorn-Hawker Road	Gordon Cemetery; Grave area including monuments, stone and iron grave surrounds.	abc	25725
QUORN			
58 Elder Terrace	Hawker Institute; External form and materials of the original hall including hipped corrugated iron	acg	25736
HAWKER	roof, face stonework and timber windows. Excludes recent additions.		
Wirreanda Terrace	Hawker Area School (older section); External form and materials of the 1927-28 section including	a c	25745
HAWKER	hipped galvanised iron roof with louvered half gables and ventilators, brick stepped chimney, timber		
	windows and doors. Excludes lean-to additions.		
Wirreanda Terrace	Great Northern War Memorial Hospital; External form and materials including the hipped bungalow	acd	25744
HAWKER	roof with double gables, an entrance gable and a roof lantern. Includes face stonework, timber sash		
	windows and timber doors. Excludes cream brick and rendered extensions.		
2 Hospital Road QUORN	Quorn and District Memorial Hospital; External form and materials of the 1950 section including	a c	25712
	hipped roof, painted rendered masonry walls, timber framed windows and timber framed half glass		
	doors. Includes the long verandah, timber posts, a masonry wall, concrete floor and flat roof. Excludes		
	1975 and later additions.		
15-16 Park Terrace	Former St Petri's Lutheran Church; External form and materials including gabled corrugated iron roof,	a c	25714
QUORN	parapet face stonework walls, pointed arch timber / leaded windows and timber doors. Excludes		
	additions at the rear.		
Railway Terrace QUORN	Former Power House; External form and materials including corrugated iron roof with louvered half	a c	25687
	gables, face stonework, timber windows and doors. Excludes additions.		
Lot 100 Railway Terrace	CWA Hall; External form.	abc	25710
QUORN			
22 Railway Terrace	Police Station; External form and materials including hipped corrugated iron roof, chimneys, verandah,	а	25692
QUORN	face stonework and timber sash windows and timber panelled door.		
3 Second Street QUORN	Former Primary School; "External form and materials of the original school and residence including	acd	25708
	corrugated iron gabled roof with ventilators and decorative barges. Includes face stonework, timber		
	framed windows, porch and verandah. The roof is of corrugated galvanized iron and has typical round		
	ventilators. Excludes additions to the south."		
West Terrace QUORN	Quorn Area School; External form and materials of the 1924 school including hipped and half gabled	a c d	25711
	corrugated iron roof, lantern, roof ventilators, face stonework and brick trims, rendered entrance.		
Town Oval QUORN	Memorial Hall; External form and materials including corrugated iron walls and roof, face stone facade	abc	25716
	and timber doors and windows.		

Town Oval QUORN	Pavilion - Grandstand; The external form and materials of the grandstand including corrugated galvanized iron hipped and gabled roof form, timber gable trims and finials, timber frieze, corrugated iron walls, timber tiers, seating, verandah posts and decoration.	a b	25717
3.2 km south of	Lattice Girder Railway Bridge; The wrought iron bridge and stone abutments.	adf	25732
Woolshed Flat QUORN			
Arden Vale Road Portion	Memorial Avenue; Avenue of trees and monument.	а	25713
of Government Road			
Reserve known as Arden			
Vale Road which runs			
between A1 DP43274			
and A26 DP874 A34			
DP874. Hundred of Pichi			
Richi QUORN			
16 Railway Terrace	Memorial; Memorial	а	25753
QUORN			
Leigh Creek Road	New Hookina Cemetery; Cemetery reserve including historic monuments, iron railings and grave sites.	abc	25752
Hookina Via Hawker			
HAWKER			
Yappala Road	Old Hookina Cemetery; Cemetery area including historic monuments and grave sites.	a b c	25751
BARNDIOOTA			
Road Reserve, Proby's	Proby's Grave; Grave, memorial stone, timber fence and dead tree.	e f	25723
Grave Road via			
Simmonston Road,			
QUORN			
Cemetery (near) Road	Quorn Cemetery; The cemetery area including historic monuments, graves, masonry edging and iron	abce	25727
QUORN	railings and associated tree plantings.		
Pichi Richi Pass, Saltia -	Railway Bridge; Railway bridge abutments.	adf	25728
10 km west of Quorn			
QUORN			
Quorn-Port Augusta	S Bend Bridge; Wrought iron plate girder railway bridge, timber trestle andstone abutments.	a f	25730
Road 2.5 km north of			
Woolshed Flat via Quorn			
WOOLSHED FLAT			

16 Railway Terrace	Soldiers Memorial; Memorial and Italian Cypress tree.	a f	25686
QUORN			

Kangaroo Island

62 Dauncey Street (cnr	ANZ Bank	a d	20640
Murray Street)			
KINGSCOTE			
Arranmore Road CYGNET	Arranmore - ruin	abd	20581
RIVER			
Scenic Drive (cnr	Art Gallery & Tea Rooms	a d	20610
Redbanks Road)			
AMERICAN RIVER			
Wilson River Road	Brakenmore - Pug & pine cottage; whole of cottage	abd	20563
DUDLEY EAST			
PELICAN LAGOON	Cottage; front and side elevations, roof and veranda form	abd	20595
Brownlow Road	Cottage; front and side elevations, roof form	a d	20606
BROWNLOW K.I.			
North Coast Road	Dover Farm - ruin	a b d	20601
KINGSCOTE			
Franks Road Cnr Franks &	Dwelling "Fas Kally"; front and side elevations, roof form, verandas	abd	20564
Kingscote-Penneshaw			
Road DUDLEY EAST			
Howard Drive	Dwelling (former Council Chambers, former hospital); front and side elevations, roof form and	abcd	20538
PENNESHAW	veranda excluding rear additions and veranda enclosure		
Hog Bay Road PELICAN	Dwelling (former farmhouse); front and side elevations, roof form and verandas	abd	20573
LAGOON			
Emu Bay Road	Dwelling, "Emu Bay Homestead"; front and side elevations, roof form, veranda	a d	20591
WISANGER			
17 Dauncey Street	Dwelling; front and side elevations, roof form and veranda	abe	20624
KINGSCOTE			
49 Esplande Road	Dwelling; front and side elevations, roof form and veranda	d	20617
KINGSCOTE			

15 Franklin Street KINGSCOTE	Dwelling; front and side elevations, roof form and veranda	a d	20627
13 Giles Street KINGSCOTE	Dwelling; front and side elevations, roof form and veranda	a d	20618
61 Kohinoo Road Cnr Acacia & Kohinoor Roads KINGSCOTE	Dwelling; front and side elevations, roof form and verandas	abd	20628
59 Chapman Terrace KINGSCOTE	Dwelling; front and side elevations, roof form, front fence and veranda excluding verandah enclosure and carport	a d	20626
57 Chapman Terrace KINGSCOTE	Dwelling; front and side elevations, roof form, veranda and front fence	a d e	20625
21 Osmond Street (cnr Commercial Street) KINGSCOTE	Dwelling; front and side stone elevations, roof form, excluding lean-to additions	a d	20620
Charing Cross Road KANGAROO HEAD	Dwelling; ruin including outbuildings	abd	20597
North Coast Road KINGSCOTE	Eucalyptus distillery - ruin	b	20600
Seagers Road MACGILLIVRAY	Former "Hawks Nest" homestead; whole of ruin	a b d	20570
Telegraph Terrace KINGSCOTE	Former Carnarvon House (Island Resort)	a d	20520
1 Commercial Street (cnr Commercial Street) KINGSCOTE	Former house	a d	20642
Howard Drive PENNESHAW	Former Methodist Church	a d	20540
Howard Drive PENNESHAW	Former School (National Trust Museum)	a d	20541
North Coast Road BAY OF SHOALS	Former school building; front and side elevations, roof form excluding rear addition	abc	20603
Playford Highway CYGNET RIVER	Former school building; front, side and rear elevations, roof form excluding later additions	abc	20582

Howard Drive	Former Shop (Valentine Store)	a d	20539
PENNESHAW			
65 Dauncey Street	Hall (RAOB)	a d	20641
KINGSCOTE			
Ryberg Road AMERICAN	House	a d	20609
RIVER			
Government Road	House	a d	20536
DUDLEY EAST			
46 Dauncey Street	House	a d	20637
KINGSCOTE			
3 Giles Street KINGSCOTE	House	a d	20504
9 Giles Street KINGSCOTE	House	a d	20505
9 Kingscote Terrace	House	a d	20509
KINGSCOTE			
11 Kingscote Terrace	House	a d	20510
KINGSCOTE			
17 Kingscote Terrace	House	a d	20511
KINGSCOTE			
26 Kohinoor Road	House	a d	20513
KINGSCOTE			
12 Wheelton Street	House	a d	20522
KINGSCOTE			
14 Wheelton Street	House	a d	20523
KINGSCOTE			
17 Wheelton Street	House	a d	20524
KINGSCOTE			
South Terrace (cnr	House	a d	20549
Rapide Drive)			
PENNESHAW			
South Terrace	House	a d	20548
PENNESHAW			

Warawee Terrace	House	a d	20551
PENNESHAW			
Howard Drive PENNESHAW	House (Christmas Cove Cottage)	a d	20542
Willoughby Road DUDLEY EAST	House (former Post Office)	a d	20552
Redbanks Road AMERICAN RIVER	House (former school)	a d	20608
16 Franklin Street KINGSCOTE	House (former schoolmaster's house)	a d	20502
North Terrace PENNESHAW	House (Johnston's Cottage)	a d	20545
Hog Bay Road DUDLEY WEST	Frogmore farmhouse and former schoolroom; dwelling front and side elevations, roof forms, verandas; whole of former schoolroom excluding interior	abd	20565
Frenchmans Terrace (cnr Cheopis Street) PENNESHAW	House (Rock Cottage)	a d	20535
51 Chapman Terrace KINGSCOTE	Guest House (Seaview); External form under main roof, materials, open veranda and original detailling of the original guest house and the masonry fence.	a d	20632
Willoughby Road PENNESHAW	House (Seaview Lodge)	a d	20554
19 Kingscote Terrace KINGSCOTE	House (Seymour)	a d	20512
Howard Drive PENNESHAW	House (Surbiton)	a d	20543
17 Osmond Street KINGSCOTE	House (The Captain's Retreat)	a d	20519
Murray Street KINGSCOTE	Church; The overall external form, materials, original doors and windows, cement dressing and original facade detailing, excluding rear lean-to additions.	a d	20517
11 Osmond Street Cnr Murray and Osmond Streets KINGSCOTE	Dwellings; front and side elevations, roof form and veranda of single storey dwelling, excluding rear lean-to addition; whole of "Doll's House" excluding interior, porch, pergola and shutters	a d	20619

45 Chapman Terrace KINGSCOTE	House and fence	a d	20631
South Coast Road SEDDON	Kaiwarra; whole of original stone cottage, excluding veranda enclosure and later addition	a b d	20571
43 Dauncey Street (cnr Murray Street) KINGSCOTE	Kingscote Town Hall	a d	20636
Wattle Avenue cnr Ryberg Road AMERICAN RIVER	Memorial Hall	a d	20615
Timber Creek Road Sir Cecil Hincks Memorial Reserve SEDDON	Monument - remnant floor slab and timber gantry	c e	20586
Hog Bay Road AMERICAN BEACH	Moreton farmhouse, barn and stone wall; front and side elevations, roof form and veranda of dwelling, stone outbuilding and stone wall	a b d	20566
Hog Bay Road DUDLEY WEST	Muckle Roe farmhouse and outbuildings; front and side elevations, roof form, stone outbuildings	a b d	20567
9 Murray Street KINGSCOTE	Office	a d	20516
67 Chapman Terrace KINGSCOTE	Ozone Hotel	a d	20633
Thomas Wilson Street PENNESHAW	Penneshaw Hotel and Stables; overall form, materials and detailing of original stone hotel and stable, excluding later additions and veranda)	acf	20546
Thomas Wilson Street PENNESHAW	Police Station and Outbuildings	a d	20550
Hog Bay Road near Pelican Lagoon HAINES	Prospect Hill	c e f	20577
Dauncey Street KINGSCOTE	Queenscliffe Family Hotel, Rear Wall & Town Square	a d	20638
North Coast Road WISANGER	Ruin	а	20592
Off North Coast Road West of Bay of Shoals,	Salt Lake - lake	acf	20604

South East of Emu Bay WISANGER			
Hog Bay Road PELICAN LAGOON	Salt Lake Cottage; front and side elevations	abd	20576
18 Franklin Street KINGSCOTE	Scout Hall (former school)	a d	20503
Esplanade Kingscote KINGSCOTE	Settler's Memorial	a d	20506
61 Dauncey Street KINGSCOTE	Shop	a d	20639
Scenic Drive AMERICAN RIVER	Shop (former General Store)	a d	20611
Cnr Commercial Street Cnr Commercial & Dauncey Streets KINGSCOTE	Shop (Landmark Real Estate)	a d	20634
1 Murray Street KINGSCOTE	Shop (The Gallery)	a d	20515
Osmond Street (cnr Drew Street) KINGSCOTE	St Albyn's Anglican Church	a d	20518
Duck Lagoon Road MENZIES	Tilka - ruin	abd	20585
North Coast Road WISANGER	Whittaker's Cottage - ruin	a b d e	20589

Kingston

Reserve, north of Maria	ABORIGINAL BURIAL GROUND; Surrounding open space	аc	24916
Creek KINGSTON S.E.			
Princes Highway REEDY	ASHMORE WOOLSHED (c1910); Large stone masonry building only	af	24923
CREEK			
40 Holland Street	BANK (FORMER)(1876); Former bank and its allotment, dominating a major intersection	acf	24894
KINGSTON S.E.			

Rowney Road West	BLACKFORD SCHOOL; Small corrugated iron building and tree plantings	acf	24942
BLACKFORD			
Government Road	CADARA HOMESTEAD; Two early stone masonry cottages only	а	24935
WANGOLINA			
King Drive CAPE JAFFA	CAPE JAFFA JETTY; Timber and steel jetty only	acf	24940
Maria Creek KINGSTON	CHARLES STREET BRIDGE (1863); The iron screw piles of the former road bridge.	acf	24915
S.E.			
19 Dowdy Street	COTTAGE (ROSETOWN)(c1890); Small stone masonry cottage.	аc	24910
KINGSTON S.E.			
9 East Terrace KINGSTON	Cottage (Rosetown); Small stone masonry cottage	acf	26029
S.E.			
11 East Terrace	Cottage (Rosetown); Small stone masonry cottage	acf	26030
KINGSTON S.E.			
Old Coorong Road	COTTAGE (TEELUC); Stone masonry Cottage only	аc	24938
COORONG			
Old Coorong Road	COTTAGE, WHITE HUT; Stone masonry cottage only	acf	24930
COORONG			
2 Hanson Street	COURT HOUSE (FORMER)(c1870); The former Court House building. It is the standard South Australian	acf	24895
KINGSTON S.E.	government design for local courts, and its relationship to the Post Office and Police Station is		
	important.		
51 Agnes Street	DISTRICT HALL; Large stone masonry building only.	acf	24907
KINGSTON S.E.			
11-15 Agnes Street	FORMER TEAROOMS; Stone masonry building only	acf	24909
KINGSTON S.E.			
Off Rowney Road	GOYDER'S BANK; Low artificial earth bank about 400m in length, running east-west, faced with stone	acf	24937
BLACKFORD	on its north side.		
13 Hanson Street	HARBORMASTERS HOUSE (1888); Stone masonry house only.	acf	24893
KINGSTON S.E.			
Agnes Street KINGSTON	HOLY TRINITY ANGLICAN CHURCH; The church itself, a small rectangular building in simple Gothic	acf	24897
S.E.	style, and its street aspect.		
31 Agnes Street	CROWN INN; Two storey stone masonry building only, with some interior details such as the double	acf	24902
KINGSTON S.E.	doors of faceted glass.		

Ballater Road	JIP JIP ROCKS; Jip Jip Conservation Park.	acf	24936
MARCOLLAT			
Keilira-Avenue Road	KEILIRA HOMESTEAD; Attached stone masonry cottages only	a f	24931
KEILIRA			
Lots 173 & Pt Sec 477	KINGSTON JETTY; Timber and steel jetty structure only.	acf	24917
Marine Parade			
KINGSTON S.E.			
Lot 4 Macfarlane Street	KINGSTON SCHOOL (FORMER)(1880); The L-shaped stone masonry building. Its form is characteristic	acf	24896
KINGSTON S.E.	of South Australian government schools of the late nineteenth century		
Marine Parade	LEN LAMPIT RESERVE; The entire reserve.	acf	24920
KINGSTON S.E.			
15 Marine Parade	LIGHTKEEPERS' COTTAGE 1 (c1937); The three timber cottages and open space between and in front	acf	24911
KINGSTON S.E.	of them.		
16 Marine Parade	LIGHTKEEPERS' COTTAGE 2 (c1937); The three timber cottages and open space between and in front	acf	24912
KINGSTON S.E.	of them.		
17 Marine Parade	LIGHTKEEPERS' COTTAGE 3 (c1937); The three timber cottages and open space between and in front	acf	24913
KINGSTON S.E.	of them.		
Bernouilli Conservation	LIGHTKEEPERS' COTTAGES RUIN; Stone masonry cottage ruins within Bernouilli Conservation Park	acf	24939
Park CAPE JAFFA			
Princes Highway REEDY	MURRABINNA HOMESTEAD; Three principal elements forming the Murrabinna Homestead complex: a	a f	24925
CREEK	house and outbuilding in a stone fenced yard; a large T-plan woolshed; and a two storey stone barn.		
James Street KINGSTON	OLD COUNCIL OFFICE; Small stone masonry building only.	acf	24903
S.E.			
Litigation Lane TILLEY	OLD KERCOONDA HOMESTEAD RUINS (c1880); Early stone T-plan woolshed and nearby small stone	a c	24924
SWAMP	masonry cottage only		
Mount Scott Road	OLD MOUNT SCOTT HOMESTEAD; Stone masonry homestead and kitchen, cottages and sheds	a c	24928
BLACKFORD			
35 Cooke Street	OLD SCHOOL ROOM (c1867); The small single masonry room on the Cooke Street frontage.	acf	24898
KINGSTON S.E.			
Petherick Road TILLEY	OLD TILLEYS SWAMP HOMESTEAD (c1886); Complex of buildings including an early stone woolshed,	а	24926
SWAMP	shearers' quarters, workers' cottages, large truck shed built of flattened fuel drums, small sheds and		
	stables.		

Lions Park, Hanson	POWERHOUSE ENGINE; Small brick and glass building in Lions Park, containing the former powerhouse	acf	24919
Street KINGSTON S.E.	engine.		
Princes Highway REEDY	PROLIFIC HUT; Small stone masonry cottage	adf	24944
CREEK			
Kingston-Lucindale Road	RAILWAY FORMATION (c1876); Straight section of railway formation about 1.6km in length, extending	acf	24945
REEDY CREEK	from the Princes Highway parallel with the Lucindale Road to the intersection of Bowaka Road.		
12 Macfarlane Street	RAOB HALL; Small stone masonry building only.	acf	24901
KINGSTON S.E.			
Mail Bridge Road REEDY	REEDY CREEK HALL (1907); Stone masonry homestead and kitchen, cottages and sheds	аc	24929
CREEK			
6 - 10 Hanson Street	ROYAL MAIL HOTEL (1867); Two storey stone masonry building only	acf	24899
KINGSTON S.E.			
Limestone Coast Road	SCHOOL, CAPE JAFFA (c1935); Small stone masonry building and toilet ruin	acf	24934
WANGOLINA			
East Terrace KINGSTON	SCULPTURE PARK & SUNDIAL; The entire park.	acf	24918
S.E.			
King Drive CAPE JAFFA	SEAFARERS' MEMORIAL; Stone cairn with bronze plaques and anchors	abf	24941
James Street KINGSTON	SOLDIERS MEMORIAL & RAILWAY RESERVE; Marble statue on granite plinth, with park, flagpole and	acf	24914
S.E.	conifer plantings.		
56 Young Street	SOLDIERS MEMORIAL HOSPITAL (1949); Stone masonry building and landscaped open space in front.	acf	24908
KINGSTON S.E.			
33 James Street	STATIONMASTERS HOUSE (FORMER); Stone masonry cottage only.	аc	24905
KINGSTON S.E.			
KINGSTON S.E.	THE GRANITES; Six outcropping granite rocks on the beach and offshore.	f	24946
Marine Parade	TREES OF TRIBUTE (1940); Five Norfolk Island pine trees in a row along Marine Parade at the end of	afg	24921
KINGSTON S.E.	Hanson Street		
17 Holland Street	UNITING CHURCH AND MANSE (1887 and 1924); Church and manse buildings.	acf	24900
KINGSTON S.E.			
Kingston-Robe Road	WANGOLINA HOMESTEAD (c1851); Early stone masonry house only	а	24932
WANGOLINA			

Land not within a Council Area

Port Neill Foreshore PORT	Port Neill Jetty	f	16569
NEILL			

Lower Eyre

KIANA	Chimney - Sheep Yards - Hut - 'Gum Hut'	a b	16650
Section 39, Hundred Uley ULEY	Cobbler Hut and Well Ruin	a b	16631
Kellidie Bay Waters COFFIN BAY	Coffin Bay Main Jetty	abcf	16617
Flinders Highway COULTA	Cottage	abf	20956
Part Section 341, Hundred Louth GREEN PATCH	Cottage - 'Beecroft' - Now called Altocha	abf	16625
689 White Flat Road Part Section 201, Hundred Louth WHITES FLAT	Cottage - cottage and outbuilding behind School House	a b	20957
Section 9, Hundred Flinders LINCOLN NATIONAL PARK	Cottage - Near Cape Colbert	abf	16628
Section WW1, Hundred Wanilla FOUNTAIN	Cottage - Near 'The Fountain' Homestead	a b	16613
Lot 10, Part Secion 81, Hundred Warrow COULTA	Coulta Store	abcf	16622
Phillips Street CUMMINS	Cummins Child Parent Centre	bc	16643
Lot 2 Railway Terrace CUMMINS	Cummins Institute	abcf	16634
Part Section 3A CUMMINS	Cummins Uniting Church	abcf	16642
Section 39, Hundred Kiana KIANA	'Easton's Hut'	a b	16647
Part Section 486, Hundred Lincoln SLEAFORD	Flinders Cairn (Water Supply)	e f	16611
Section 29, Hundred Flinders LINCOLN NATIONAL PARK	Flinders Monument, Stamford Hill	abf	16629
Lots 21-23 Bruce Terrace CUMMINS	Flour Mill	abcf	16640
Lot 14 Jeanes Street CUMMINS	Former Butter Factory	abcf	16641
Flinders Highway KIANA	Homestead - 'Kiana'	abf	16655
Poona Road COULTA	Homestead - 'Poona'	a b	16654
Section 35, Hundred Uley ULEY	Homestead - 'Uley'	a b	16632
COULTA	Homestead and Cottages - 'Coulta'	a b	16653
Flinders Highway COULTA	House - Now Tea Rooms - on western side of road	a b	16652
KIANA	House - 'Spring Villa' And Stone Walls	a b	16649

28 Haigh Drive Section 25, Hundred Lincoln NORTH SHIELDS	House - 'Taitucka' 'Outbuilding, Taitucka'	abf	20959
Flinders Highway Section 108, Hundred Warrow COULTA	House - western side of road	a b	20961
959 Lincoln Highway Part Section 104, Hundred Lincoln NORTH SHIELDS	House 0.05 kilometres south of North Shields western side	abf	20958
Section 162, Hundred Wanilla FOUNTAIN	House and Cottage - 'The Fountain' Homestead	a b	16614
852 Flinders Highway Section 66, Hundred Lincoln HAWSON	House and Shed	a b	20960
Section 219, HUndered Lake Wangary MOUNT DUTTON BAY	House- South to turn off to Dutton Bay - Previous Church	abcf	16619
KIANA	Hut - 'The Bell'	a b	16648
Section 143, Hundred Lincoln HAWSON	Little Swamp School - Now Residence	abc	16624
Part Section 373, Hundred Lake Wangary COFFIN BAY	Monument - Corner Giles Road	e f	16615
Section 215, Hundred Lincoln HAWSON	Monument to Frank Hawson, Hawson Reserve	e f	16623
Part Section 189, Hundred Louth NORTH SHIELDS	North Shields Hall	abc	16626
Section 456, Hundred Louth NORTH SHIELDS	North Shields Jetty	abcf	16610
Lot 65, 66 Hundred Warrow COULTA	Old Coulta Hall	abc	16621
Flinders Highway MOUNT HOPE	Outbuilding - 'Kiana'	abf	16656
Part Section 2WC1, Hundred Uley COOMUNGA	Port Lincoln & Districts Rural Youth Club - Previous Church	abc	16612
MOUNT HOPE	Post Office/Residence	abc	16646
26 Railway Terrace CUMMINS	Previous Bank - Additional Item No. 26 Railway Terrace	abc	16645
Part Section 2W CUMMINS	Railway Water Tank	a f	16637
Part Section 2W CUMMINS	Roman Catholic Church	abcf	16636
Section 35, Hundred Uley ULEY	Ruins of John McDouall Stuart's Hut	е	16633
Cummins Township CUMMINS	Seven Railway Cottages	abf	16639
Part Section 231, Hundred Lake Wangary MOUNT DUTTON BAY	Shearer's Quarters - Mount Dutton Bay	abc	16620
Flinders Highway KIANA	Sheepyard - 'Kiana'	abf	16657
Section 274, Hundred Lake Wangary COFFIN BAY	Site of Oyster Town - including well	a b	16616
Lot 13, 14, Hundred Kiana MOUNT HOPE	Soliders' Memorial Hall	abcf	16644
Lot 203, Hundred Lake Wangary WANGARY	St Matthias Anglican Church	abcf	16618
Section 4, Hunded Flinders LINCOLN NATIONAL PARK	Stone Tank and Ruin, Surfleet Cove	ab	16630

Lot 1 & Lot 2 Railway Terrace CUMMINS	Two Cottages/Houses	a b	16635
Part Section 19, Hundred Lincoln BOSTON	Two Stone Cottages, 6.2km Sth of North Shields, western	a b	16609
	side of road		
WANGARY	Wangary Store - Prevous Holes	abcf	16651
Dorward Road NORTH SHIELDS	Wheatsheaf Hotel	abcf	16627
Part Section 2W CUMMINS	Workmen's Quarters - Cummins Railway Station	a b	16638

Naracoorte Lucindale

64 Smith Street NARACOORTE	Bank; Whole of exterior of two storey building	acd	25601
Section 683 Hundred of Binnum Bull Oak Woodland FRANCES	Cemetery (Bull Oak Woodland); Headstones, fences and kerbing	ae	25530
Stewart Terrace NARACOORTE	Cemetery Gates, Wall & Sexton's Room:; Cemetery gates, wall and Sextons Cottage including cypress pine trees	a e	25556
Railway Terrace KYBYBOLITE	Cemetery:; Stone walls, gates, graves, headstones and conifer trees	a e	25546
Pallants Road HYNAM	Cottage (Closer Settlement); Surviving fabric of dwelling	а	25532
Mill Road KYBYBOLITE	Dwelling "Cooee" and Former Shop; Whole of exterior of both buildings	a e	25544
Lot 50 Caves Road HYNAM	Dwelling "Gum Park"; Whole of exterior excluding later additions	a d	25531
LO Rolland Street NARACOORTE Dwelling (former Head Teacher's Dwelling); Whole of exterior of dwelling excluding later additions		b	25599
12 Robertson Street NARACOORTE	Dwelling (former Shillings Restaurant); Whole of exterior excluding later additions	аc	25597
Stewarts Range Road STEWARTS RANGE	Dwelling and Almond Grove; Whole of exterior of dwelling and grove of trees	a b	25565
Stewart Terrace / Wattle Avenue corner NARACOORTE	Dwelling, Cottage and Stables; Whole of exterior of stone house, cottage and Stables excluding later additions	a e	25557
32 Musgrave Avenue LUCINDALE	Dwelling, former Police Station and Cell Building; Whole of exterior and internal fittings of police cell, exterior of former Police Station	а	25551
18 Lacey Drive KYBYBOLITE	Dwelling; Whole of exterior excluding later additions	a d	25543
3 Jenkins Terrace NARACOORTE	Dwelling; Whole of exterior excluding later additions	a b	25583
Maranoa Downs Road STEWARTS RANGE	Dwelling; Whole of exterior excluding later additions	аc	25561

15 Jenkins Terrace NARACOORTE	Dwelling; Whole of exterior of dwelling excluding later additions	a d	25584
18 MacDonnell Street NARACOORTE	Dwelling; Whole of exterior of dwelling excluding later additions	a b	25586
Old Kingston Road STEWARTS RANGE	ton Road STEWARTS Farm Complex (ruins); Surviving fabric of stone and iron buildings		25562
Lucindale-Kingston Road AVENUE RANGE	con Road AVENUE Farm Group "Bull Island"; Whole of exterior of Shearing Shed and Shearers' Quarters		25525
Callendale Road LUCINDALE	Farm Group "Callendale"; Whole of exterior of Homestead, Cottage and Stables	a b	25573
Princes Highway REEDY CREEK	Farm Group "Conmurra"; Whole of exterior of Homestead, Shearing Shed and Stables	a d e	25575
Legges Lane LUCINDALE	Farm Group "Fernleigh"; Whole of exterior of Homestead, Shearing Shed and Stables	a d e	25572
Wimmera Highway HYNAM	Farm Group "Hynam House"; Whole of exterior of Homestead, Shearers' Quarters and Cottage excluding later additions	abde	25535
Bool Lagoon Road BOOL LAGOON	Farm Group "Killanoola"; Whole of exterior of Homestead, Shearing sheds, Quarters and Outbuildings and function related historic internal elements	abde	25567
Morambro Lane KEPPOCH	Farm Group "Morambro"; Whole of exterior of Homestead and Shearing Shed	a d	25571
Callendale Road LUCINDALE	ndale Road LUCINDALE Farm Group "Redbank"; Whole of exterior of Homestead, Cottage, Shearing Shed and stone outbuildings		25549
Comaum - Wrattonbully Road WRATTONBULLY	Farm Group "Wrattenbullie"; Whole of exterior of Homestead and Shearers' Quarters	ade	25569
Kidman Street KYBYBOLITE	Former Cheese Factory; Whole of exterior	a b	25542
32 Robertson Street NARACOORTE	Former Convent (La Eurana House) and Tree; Whole of exterior and oak tree	acg	25598
Old Kingston Road STEWART RANGE	Former Dwelling "Sarnia" (ruins); Surviving fabric of stone and iron buildings	abe	25590
Second Street FRANCES	Former Police Station; Whole of exterior	a c	25528
1 Willow Avenue LUCINDALE	Former Presbyterian Church; Whole of exterior	a c	25553
124-140 Smith Street NARACOORTE	Former Rivoli Theatre; Whole of exterior	c d	25605
Lucindale-Kingston Road AVENUE RANGE	Former School (Art Gallery); Whole of exterior including porch	ac	25524
Struan - Joanna Road JOANNA	Former Schoolhouse; Whole of exterior	аc	25539
24 Musgrave Avenue LUCINDALE	Former Shop, Store; Whole of exterior of stone shop and store including loading platform	аc	25552
Langkoop Road JOANNA	Former Stables; Whole of exterior	b d	25538

Stewarts Range Road STEWARTS RANGE	Former Stewarts Range School; Whole of exterior of school buildings		25564
10 Robertson Street NARACOORTE	Heritage Chapel; Whole of exterior of 1906 building	аc	25596
Caves Road NARACOORTE	Homestead "Kay Park"; Whole of exterior of farm buildings excluding later additions	a b	25555
Deepwater Road KEPPOCH	Homestead "Lake Roy"; Whole of Homestead exterior	a d	25570
Laurie Park Road HYNAM	Homestead "Laurie Park"; Whole of exterior	аe	25568
Moy Hall Road MOYHALL	Homestead "Moy Hall"; Whole of exterior of Homestead and stone outbuildings excluding later additions	ae	25574
Wimmera Highway NARACOORTE	Homestead "Penkyne"; Whole of exterior	a e	25558
20 Robertson Street NARACOORTE	Hotel "Bushman's Arms"; Whole of exterior of two-storey hotel and stone outbuilding excluding later additions	acd	25595
Railway Terrace FRANCES	Hotel; Whole of exterior excluding later additions	аc	25527
Hynam Caves Road HYNAM	Hynam Cemetery,; Stone walls, gates headstones, graves and cypress pine trees	a e	25534
Wimmera Highway HYNAM	Hynam Hall (former Schoolhouse); Whole of exterior of School House and cypress pine trees.		25537
Wimmera Highway HYNAM	Hynam Woolshed; Whole of exterior and function related historic internal elements	a d e	25536
Smith Street NARACOORTE	James Quarry Lime Kiln; Surviving stone and brick structures	а	25607
158 Smith Street NARACOORTE	Kincraig Hotel; Whole of exterior of two-storey building	acd	25606
4 Poplar Street NARACOORTE	Masonic Lodge; Whole of Lodge exterior and cypress pine trees	acd	25594
65 Jenkins Terrace NARACOORTE	Medical Centre (former Dwelling "Buona Vista"); Whole of exterior of building excluding later additions	a d e	25585
Mullinger Road KYBYBOLITE	Mullinger Swamp Conservation Park; Whole of reserve and remnant timber fencing	аg	25547
91 Ormerod Street NARACOORTE	Naracoorte Art Gallery (former Surgery & Dwelling); Whole of exterior including stone garage and pergolas		25592
73 Ormerod Street NARACOORTE	Naracoorte Hotel; Whole of exterior of stone hotel buildings excluding later additions	аc	25591
19 Gordon Street NARACOORTE	Naracoorte TAFE (former High School); Whole of exterior of 1913 school buildings excluding later additions		25581
79 Smith Street NARACOORTE	Office (former Bank); Whole of exterior	acd	25602
Plantation Road STEWARTS RANGE	Plantation; Surviving plantation of sugar gum trees	аc	25563
Second Street FRANCES	Post Office and Shop; Whole of exterior	bc	25529

4 Church Street NARACOORTE	Presbyterian Manse; Whole of exterior excluding later additions	а	25579
14 Rolland Street NARACOORTE	School and Shelter Shed; Whole of exterior of 1896-1913 stone buildings and shelter shed		25600
Lochaber South Road STEWARTS RANGE	Shearing Shed "Messamurry"; Surviving fabric of stone and iron building and function a related historic internal elements		25559
Lucindale Road STEWARTS RANGE	Shearing Shed and Outbuildings "The Nook"; Whole of exterior of stone and iron buildings and function related historic internal elements	ac	25560
Stewarts Range Road STEWARTS RANGE	Sheep Dip; Surviving stone and iron structure	a b	25566
116 Smith Street NARACOORTE	Shop; Shopfront	a d	25604
Church Street NARACOORTE	St Andrews Sunday School and Stables; Whole of exterior	ас	25578
1 Gordon Street NARACOORTE	St. Thomas Catholic Church; Whole of exterior of church and parish hall	acd	25580
29 MacDonnell Street NARACOORTE	Stables (ruins) and Tuck Shop; Surviving stone and iron structures	аc	25587
Moore Street NARACOORTE	Swim Lake; Lake and exterior of changing sheds	ас	25588
95 Smith / MacDonnell Street NARACOORTE	5 Smith / MacDonnell Street Town Hall (former Institute); Whole of exterior		25603
Ormerod and Smith Street NARACOORTE	Town Squares; Road layout, war memorials and bandstand, Town Clock and cypress pine trees	ace	25593
Bordertown Road KYBYBOLITE	Trial Plots and associated Farm Buildings; Whole of exterior of stone and timber buildings and layout of trial plots	ace	25545
Honner's Road FRANCES	Woolshed "Binnum"; Whole of exterior and function related historic internal elements	abde	25526
Cooee Road KYBYBOLITE	Woolshed "Cooee"; Whole of exterior	аc	25540
Riddoch Highway STRUAN	Working Men's Graves; Headstones	а	25576

Peterborough

113 Main Street	Elder's Office	аc	26013
PETERBOROUGH			
Park Street PETERBOROUGH	Park Street Entrance and Gateway; Rendered piers and walls, hinges, fences and foundation	aef	26025
	stone.		
Black Rock to Dawson Road	Black Rock Station Wool Shed; External form and materials including corrugated iron roof, face	a b d	26004
BLACK ROCK	stonework walls and timber doors and windows.		

7 to 11 Jervois Street	Former Peterborough Printing Office & Offices; External form of printing shop and offices,	a c	26008
PETERBOROUGH	including corrugated iron roof, chimneys, rendered parapet and trims, face stonework, timber		
	and iron verandah and shopfront. Includes timber windows and doors.		
13 Jervois Street	Former Savings Bank of SA and Residence; External form and materials of bank and residence,	d	26012
PETERBOROUGH	including corrugated iron roof, chimneys, rendered parapet, face stonework and brick trims,		
	timber and iron canopy and verandah, timber windows and timber door.		
51-53 Kitchener Street	St Peters Anglican Church and Hall; External form and materials of the church and hall, including	a c d	26010
PETERBOROUGH	corrugated iron roofs, roof vents, cast iron finials, rendered parapet cappings, face stonework		
	and brick trims, windows and timber doors.		
59 Kitchener Street	Former Baptist Church and Tennyson Hall; External form, materials and details of the stone	c d	26011
PETERBOROUGH	church and hall, but excluding later northern additions.		
85-87 Main Street	Former CWA Rest Rooms; External form and materials including corrugated iron roof, brick	a c	26014
PETERBOROUGH	chimney, parapet, face stonework. timber windows and doors and verandah.		
96 Main Street	Federal Hotel; External form, materials and detailing of stone hotel, excluding later concrete	а	26022
PETERBOROUGH	block and iron additions.		
110 Main Street	Former Institute; External form and materials including corrugated iron roof, chimneys, rendered	abf	26015
PETERBOROUGH	parapet, cornice, gable and trims, face stonework, timber windows and timber doors.		
121 Main Street	Junction Hotel; External form and materials including corrugated iron roof, brick chimneys, face	abc	26016
PETERBOROUGH	stonework, brick trims, timber windows and doors. Includes the single storey section to the west.		
	Excludes two storey wing to the north.		
145-149 Main Street	Diamond Jubilee Building; External form, materials and details, including corrugated iron roof,	d	26017
PETERBOROUGH	rendered parapets with gable and curved pediments, face stonework, timber and tiled		
	shopfronts and timber doors. Excludes the modern verandah.		
163-165 Main Street	Former Hoile's Pharmacy; External form, materials and detailing, including the rendered	a e	26019
PETERBOROUGH	parapets, bullnose iron and timber verandah and shopfront.		
191 Main Street	Former ANZ Bank; External form, materials and details of the bank and residence, including	a c	26021
PETERBOROUGH	corrugated iron roof, rendered parapet, face stonework, timber windows and timber doors.		
217-221 Main Street	Railway Hotel; External form, materials and detail of stone hotel including tower, chimneys,	a d f	26023
PETERBOROUGH	pediment, verandah and balcony and single storey building with roof lantern, but excluding later		
	brick additions.		
5 to 7 Meadows Street	Former E&WS Depot and Well; External form and materials of the store and well, including	a b	26024
PETERBOROUGH	corrugated iron roof, louvred vents, face stonework, brick trims and timber framed windows.		

Morgan East Road via	a Former Morgan East School; External form and materials including corrugated iron roof, face		25995
Peterborough	stonework and timber framed openings.		
PETERBOROUGH			
15 Pine Street	Residence; External form, materials and details, including corrugated iron roofs, louvred gables,	d	25983
PETERBOROUGH	brick chimneys, tower, cast iron finial, decorative barges and gable infill, window canopy and		
	bullnose iron and timber verandah, face stonework, brick trims and timber windows and doors.		
	Includes the timber and pipe fence.		
60-78 Queen Street	Peterborough High School; External form, materials and detail of stone school building including	С	26040
PETERBOROUGH	roof cupola, timber and colonnaded verandahs.		
134 Queen Street	Peterborough Hill View Baptist Church; External form and materials including corrugated iron	abc	25985
PETERBOROUGH	roof, face red brick walls, and arched porch. Excludes aluminium windows.		
34 Railway Terrace and	St Anacletus Catholic Church; External form, materials and details of stone church building,	ace	26007
Bourke St PETERBOROUGH	including stone and cast iron fence		
88 Railway Terrace	Former Residence and Surgery; External form, materials and details of the residence and surgery,	cef	25988
PETERBOROUGH	including corrugated iron roofs, chimneys, iron and timber verandahs, face stonework, brick		
	trims and timber windows and doors. Includes concrete addition and detached two room		
	building.		
104 Railway Terrace	St Peters Lutheran Church; External form, materials and details, including corrugated iron roof,	сd	25989
PETERBOROUGH	brick parapet and gablets, iron finials, face stonework, brick trims, arched timber windows and		
	timber doors. Includes inscription stone.		
113 Railway Terrace	Former Railway Superintendent's House; External form, materials and details, including hipped	a b	25991
PETERBOROUGH	corrugated iron roof, brick chimneys, face stonework, brick trims, timber and iron verandah,		
	timber framed windows and timber doors.		
130 Railway Terrace	Killarney House; External form and materials including corrugated iron hipped roof, brick	a b	25990
PETERBOROUGH	chimneys, face stonework, brick trims, verandah and timber windows and doors.		
Telford Avenue Section 486	Nissen Hut; External form and materials including corrugated iron roof and walls.	abef	25993
PETERBOROUGH			
Lot 537 East Terrace YONGALA	Flour Store; External form and materials including corrugated iron roof, face stonework,	а	25997
	rendered trims and timber windows and doors. Includes associated platform.		
Lot 80 East Terrace YONGALA	Former Yongala Primary School; External form and materials of schoolhouse and former	С	26002
	residence, including corrugated iron roofs, chimneys, face stonework and brick trims, corrugated		
	iron and timber verandahs, timber framed windows and timber doors.		

P			
Lot 27 Fourth Street YONGALA	Yongala Peace Hall (Institute); External form, materials and details of the hall and entry, including	с	25998
	corrugated iron roof, rendered parapets, face stonework, brick trims and timber windows and		
	doors. Excludes blockwork additions.		
Lot 539 Main Street YONGALA	Former Post Office and Residence; External form, materials and details, including corrugated iron	d	26000
	roof, chimneys, rendered parapet, iron and timber verandah, face stonework, brick trims, and		
	timber windows and doors.		
Lot 68 Main Street YONGALA	Former St Leonard's Church Of England; External form, materials and details, including	abd	25999
	corrugated iron roofs, iron finials, rendered parapet walls, face stonework, brick trims, timber		
	framed windows and timber doors.		
Lot 72 Second Street	RSL Sub-Branch; External form and materials of the masonry building, including corrugated iron	с	26001
YONGALA	roof, louvred and stucco gable infill, face stonework, brick trims, timber windows and door.		
Lot 97 West Street YONGALA	Police Cells; External form and materials including skillion corrugated iron roof, face stonework	а	26003
	and brick trims and timber door with iron hardware.		
Railway Reserve	Underground Pedestrian Subway; The whole of the subway and associated ramps.	acd	25987
PETERBOROUGH			
Queen Street Part Lot 20	Victoria Park Gates; Rendered piers and foundation stones. Excludes modern gates and fences.	е	25986
PETERBOROUGH	Includes the extant original gates in storage.		

Robe

Dairy Range Road MOUNT BENSON	Bagdad Homestead and Original House	a b d	16477
ROBE	Beacon Hill	a f	16468
28 Banks Street ROBE	Cottage	а	16467
6 Elizabeth Street ROBE	Cottage	a d	16430
9 Elizabeth Street ROBE	Cottage	а	16436
11 Main Road ROBE	Cottage	a b d	16447
9 Robe Street ROBE	Cottage	a f	16446
Sturt Street ROBE	Cottage	a d	16465
18 Sturt Street ROBE	Cottage	a b f	16412
34 Sturt Street ROBE	Cottage	а	16429
14 Union Street ROBE	Cottage	а	16473

17 Victoria Street ROBE	Cottage	af	16438
28 Victoria Street ROBE	Cottage (Bermingham's)	ad	16443
11 Union Street ROBE	Cottage (Blind Barlowe's Tom Pepper's)	abde	16444
29 Sturt Street ROBE	Cottage (Burr Cottage)	ade	16427
ROBE	Cottage (Dunn's)	abde	16449
10 Elizabeth Street ROBE	Cottage (Patsy Ryan's)	ade	16431
12 Victoria Street ROBE	Cottage (Skye)	a b d	16434
Sturt Street ROBE	Cottage (The School in Rotten Row)	abc	16428
23 Victoria Street ROBE	Cottage (Victoria Cottage)	a d	16441
35 Victoria Street ROBE	Cottage (Wee Wittalooka)	а	16474
Nora Creina Road ROBE	CSIRO Building		16475
Old Naracoorte Road ROBE	Dennington Homestead and Outbuildings	a b d	16478
ROBE	Drain L and Bridges	acf	16470
2 Victoria Street ROBE	Former Bank	ac	16426
14 Smillie Street ROBE	Former Butcher's Shop (Dawson's)	abcd	16464
22 Sturt Street ROBE	Former Free Presbyterian Chapel	abcf	16413
32 Smillie Street ROBE	Former George Lord's Horseshoe Forge	abe	16422
21 Sturt Street ROBE	House	а	16417
26 Tobruk Avenue ROBE	House	а	16448
2 Union Street ROBE	House	a d	16466
17 Sturt Street ROBE	House (Eltham House)	а	16416
22 Victoria Street ROBE	House (William Savage House)	ae	16442
Powells Road NORA CREINA	Jeffrey's Homestead	a d	16479
ROBE	Lake Butler	a f	16461
Main Road ROBE	Lake Charra	f	16460
Main Road ROBE	Lake Fellmongery	abef	16469
Bagdad Road MOUNT BENSON	Lowrie's Hill Church	abcf	16476
5 Elizabeth Street ROBE	Maisonettes (Broom Cottage)	a b d	16435
1 Union Street ROBE	Public School	abc	16439

Main Road Lakeside Caravan Park ROBE	Reducing Boilers (temporary location)		16452
Mundy Terrace ROBE	Robe Hotel (formerly Bonnie Owl Hotel)	acf	16411
10 Victoria Street ROBE	Shop and House	af	16433
24 Sturt Street ROBE	St Peter's Church of England	abcef	16414
Nora Creina Road ROBE	Sunny Side (House)	а	16458
1 Main Road ROBE	The Lodge (House)	a b d	16445
3 Union Street ROBE	Villa	a d	16440
Nora Creina Road ROBE	Wattle Banks (House)	а	16455
3 Smillie Street ROBE	Well	abc	16462
Robe-Penola Road (Beachpoint turnoff) BRAY	Whip Well	a f	16472

Tatiara

Ellis Street KEITH	AMP Memorial and Wiles Hut; The open space setting, the external from and materials of the two Wiles huts, the vehicle and the monuments.	abef	18261
Mount Monster Road KEITH	Mount Monster Granite Quarry; The whole of the Stone Reserve.	af	18272
Woolshed Street BORDERTOWN	Murray Memorial Clock, Apex Park; The clock, clock stand, pedestal and its landscaped park setting.	aef	18245
Black Joes Road BUCKINGHAM	Plaited Tree; The tree and its curtilage of open grassy woodland vegetation. The tree is located within the road reserve, approximately 25 metres from the carriageway.	fg	18249
Scowns Road CANNAWIGARA	Scown's Runaway Hole; The whole of the depression, the tree and its curtilage of open grassland.	cf	18258
Cannawigara Road CANNAWIGARA	Shearing Tree; The tree and its curtilage of open grassy woodland vegetation.	bfg	18257
Packer Avenue MUNDULLA	Soldiers Memorial Park; The monument and its formal park setting, including palms, conifers and Australian native trees.	adf	18279
Railway Terrace North WOLSELEY	Soldiers Memorial Park; The monument, the uncluttered open landscape setting and the sugar gum backdrop.	aef	18289

Heritage Street KEITH	Soldiers Memorial Park; The obelisk and its hedged surrounds, as well as the exotic avenue	aef	18265
	planting between Ellis Street and Anzac Terrace. Trees include deciduous elms, live oaks,		
	palms and pines.		
East Terrace BORDERTOWN	Soldiers Memorial Park; The open parkland character, including established traditional	а	18236
	exotic and Australian park trees, including deciduous oak, ash and elms, casuarina,		
	brachychiton, three formal palms, cypress, pines, carob, pyramid trees and pittosporum.		
	Includes the avenue of coppiced sugar gums.		
Binnie Street BORDERTOWN	Pioneer Chapel; External form and materials of the church, porch and hall, including	ace	18231
	painted stonework, finial, battened eaves, unpainted galvanised steel roofing, and leadlight		
	windows. Includes the post and woven wire fences. Includes two Norfolk Island pine trees		
	in Benjamin Street. Excludes blockwork lean-to additions at the rear.		
Binnie Street BORDERTOWN	Former Paterson's Store; External form and materials of the double shopfront facing Binnie	а	18232
	Street, including the shopfront itself and the stone walls, gable infills and finials. Includes		
	the external form and materials of the shopfront facing Crocker Street, including gabled		
	galvanised iron roof, brickwork walling and pressed metal ceilings.		
Crocker Street BORDERTOWN	Woolshed Inn; External form and materials, including hipped galvanised iron roofs,	acef	18233
	chimneys and parapets, all stone walling, verandahs, timber framed windows and doors,		
	and the original kitchen with its massive fireplace. Includes the stepped pressed metal and		
	stone façade only of the detached store facing Crocker Street. Excludes function centre,		
	motel units and bottle shop pergola.		
79 East Terrace BORDERTOWN	Bordertown Hotel; External form and materials of two storey section of the hotel, including	acf	18235
	painted face stonework, unpainted brick chimneys, weatherboard cladding, timber and		
	leadlight windows and doors, and verandahs. Excludes the modern brick and stone saloon		
	bar, the drive thru bottle shop, the blockwork store and the colorbond shed. Excludes the		
	modern brick and stone wall.		
63 Farquhar Street BORDERTOWN	Hawke House; External form and materials, including face stonework, rendered chimneys,	a e	18237
	corrugated steel roof, window canopies, timber framed windows and doors, and the		
	concave verandah. Excludes the weatherboard lean-to additions and the freestanding		
	carport.		
Frances Road BORDERTOWN	Olive Bank Homestead; External form and materials of the house, including the tiled roof,	adf	18282
	the chimneys, the freestone walling, timber fretwork, keyhole window, box windows,		
	timber windows and doors. Includes the Canary Island Palm.		

McLeod Street BORDERTOWN	Uniting Church; External form and materials of the stone church and Sunday school room, and the 1983 new entrance, including galvanised iron roof, stone walls, timber and leadlight windows. Includes the Norfolk Island pine tree in DeCoursey Street	a c	18238
67 McLeod Street BORDERTOWN	St Barnabas Anglican Church & Rectory; External form and materials of the church, porch and vestry, including the galvanised iron roof, face stonework, and the timber and leadlight windows and doors. Includes the external form and materials of the rectory including galvanised iron roof, brickwork chimneys, face stonework with brick quoins, timber windows, shutters and doors, and the two porches. Excludes the concrete brick addition at the rear of the rectory.	a c d	18239
Nalang Road /Six Mile Well Road BORDERTOWN	Nalang Homestead; External form and materials of the hipped roof house, the adjoining gable section, the attached original kitchen, the store (present garage), the slab stables, the shearing shed and the shearers quarters. Includes the galvanised iron roofing, stone chimneys, stonework, timber windows and doors, slab and iron walling. Includes the landmark trees, consisting of Washingtonia palms, pyramid tree, white cedar and mulberry trees. Excludes the iron jackaroos quarters, block work additions to the house, and later rural sheds and outbuildings.	a d e	18283
North Terrace BORDERTOWN	Former Police Cells; External form and materials of the original cell block. Excludes the fit out, roof extension and steel bar enclosure	ab	18241
81 North Terrace BORDERTOWN	Former Police Station, Morning Loaf Bakery; External form and materials of the former Police Station, including the galvanised iron roof, eaves details, symmetrical façade, and timber windows and doors. Excludes the enclosing modern bakery and tearooms.	acd	18240
Rowney Road BORDERTOWN	Charla Homestead; External form and materials of the whole complex, including slab and stone buildings. Includes galvanised iron roofs, brick and stone chimneys, stonework and timber slab walling, timber windows and doors.	асе	18248
South Terrace BORDERTOWN	Showground Grandstand; External form and materials of the grandstand, including the half hipped galvanised iron roof and the open tiered bench seating. Excludes the aluminium tiers in front and the blockwork additions to the rear and sides.	acf	18243
South Terrace BORDERTOWN	Former School; External form and materials of the whole complex of stone school buildings, including galvanised iron roofs, chimneys, sheet metal roof ventilators, timber windows and doors, verandahs and window canopy.	acf	18242
80 Victoria Parade BORDERTOWN	House, Former St Mary's Catholic Church; External form and materials of the church, porch and vestry, including galvanised iron roof, stone walls with rendered trims and cappings, and timber windows and doors. Excludes outbuildings.	а	18244

62 Woolshed Street BORDERTOWN	Face Place Hairdressers; External form and materials, including galvanised iron roof,	a c	18246
	masonry walls, timber framed hoarding, and the verandah. Includes the timber framed		
	windows, doors and fanlights. Excludes the steel clad shed at the rear.		
102 Woolshed Street	Tatiara Motorcycles; External form and materials, including painted hipped iron roof, brick	a e	18247
BORDERTOWN	chimney, weatherboard cladding, timber framed windows and doors, and the verandah		
	including hardwood posts. Includes the extension facing Crocker Street, including the		
	stepped timber hoarding.		
Buckingham Road /Schusters Road	Buckingham Homestead; External form and materials of the stone house, including	a e f	18251
BUCKINGHAM	galvanised iron roof, stone chimneys, unpainted stone walls, timber windows and doors,		
	and the verandahs. Excludes farm sheds and outbuildings		
Buckingham Road BUCKINGHAM	Buckingham Uniting Church; External form and materials of the church, porch and lean-to,	acdf	18250
	including galvanised iron roof and parapet walls. Includes unpainted face stonework, and		
	timber windows and doors. Includes two pairs of swings. Includes the park like setting		
	comprising mature eucalypts, sugar gums and pine trees.		
Buckingham Road BUCKINGHAM	Glen Park Homestead; External form and materials of the four roomed house, detached	a c	18254
	kitchen and detached post office, including the galvanised iron roof, stone chimneys and		
	walls, timber windows and doors, and verandahs. Includes pepper trees and the garden		
	layout defined by stone-edged paths. Excludes verandah infills, the timber framed kitchen		
	addition, the laundry and the hipped roof shed.		
Barton Steer Road CANNAWIGARA	Cannawigara Homestead; External form and materials of the stone house and shearers	a d e	18252
	quarters, the dummy hut chimney and the shearing shed. Includes stone chimneys, face		
	stonework, galvanised iron roofs and timber windows and doors. Excludes the concrete		
	house additions and flat verandahs, and the extension to the north of the shearing shed.		
	Excludes recent houses and rural sheds.		
Cannawigara Road CANNAWIGARA	Hall, Former Congregational Church; External form and materials of stone chapel, including	acdf	18255
	galvanised iron roof, face stone walls, timber windows and doors and timber porch.		
	Includes two Italian cypress trees. Excludes 1953 hall and 1968 extensions.		
Cannawigara Road CAREW	Carew Park Homestead; External form and materials of the stone house, kitchen,	adfg	18256
	underground tank, shearing shed and stable, and the pole frame dairy. Includes the whole		
	of the stone fences. Includes the two Green Leaved Morton Bay Fig trees as well as pepper		
	trees and sugar gums along the road frontage. Excludes the galvanised iron addition to the		
	shearing shed.		

Joes Road (Off) CAREW	Old Brimbago Homestead; External form and materials of the house, including steeply	a d f	18253
	pitched hipped roofs, stone chimneys, stone walls, timber windows and doors and the		
	verandahs. Includes the two Washingtonia palms. Includes the external form and materials		
	of the unfinished stone building. Excludes the garage near the house, and the rural sheds		
	and outbuildings.		
Anzac Terrace KEITH	CWA Clubroom, Former Institute; External form and materials, including face stonework	a c	18259
	and massive chimney. Excludes the skillion roofed additions.		
7 Dugan Street KEITH	Hairdressers (Former Uniting Church Hall); External form and materials, including unpainted	а	18260
	face stoneworks and quoins, unpainted rendered trims, timber windows and doors, and		
	slate step. Includes the interior space and ceilings. Excludes the Mt Gambier limestone		
	addition.		
Emu Flat Road KEITH	Davis Cottage; External form and materials of cottage, including unpainted face stonework,	abef	18262
	chimneys, parapet walls, timber windows and doors. Includes the stone tank, stone		
	outbuilding, stone trough and post/flat iron shed. Excludes the new implement shed.		
Heritage Street KEITH	Makin Memorial Institute; External form and materials of 1936 Institute, including face	acef	18264
-	stonework, parapets and original windows. Excludes the brick and rendered additions.		
Heritage Street KEITH	Former Congregational Church; External form and materials of the church, porch and	acf	18263
-	vestry, including galvanised iron roof, face stonework with unpainted rendered cappings,		
	iron finial, timber windows and doors, and slate steps. Includes the interior space, including		
	floors ceilings, joinery and decorative plasterwork. Includes the Italian cypress tree.		
Makin Street KEITH	Keith Hotel; External form and materials, including roof and eaves, face stonework and	acf	18267
	rendered trims, fenestration pattern, original timber window frames, keg ramp and half		
	doors. Excludes the Mt Gambier limestone addition on McBain Street, the verandah in its		
	current form, and the stone building in the centre of the site.		
2 Makin Street KEITH	Carrie's Cottage; External form and materials including original stoneworks, face brick trims,	aef	18266
	timber fascias and barges, and a four panel door. Excludes pergola and attached shop at the		
	rear.		
7 McBain Street KEITH	Police Residence; External form and materials of the police residence, including parapet	аc	18268
	walls, unpainted face stoneworks and brick trims, roof eaves and chimneys, original timber		
	windows and doors, and bull-nose verandah. Excludes lean-to additions and later cell block		
	and Police Station.		
Park Terrace KEITH	Uniting Church; External form and materials and the landscape setting of the church.	af	18269

Riddoch Highway KEITH	Old Mount Monster Homestead; External form and materials of the homestead complex of	af	18270
	stone buildings. Includes the stone workman's cottage standing as part of the Balclaimey		
	farm complex. Includes galvanised iron roofs, stone chimneys, stonework and remaining		
	timber windows and doors. Excludes the modern farm buildings of Balclaimey farm		
	complex.		
Riddoch Highway KEITH	Mount Monster Homestead; External form and materials of the homestead building.	а	18271
	Includes galvanised iron roofs, chimneys, stonework and remaining timber windows and		
	doors. Excludes other outbuildings and farm buildings.		
Wynarling Road (Off) KEITH	Wynarling Woolshed; External form and materials of the stone woolshed, including	а	18274
	galvanised iron roof, clerestory roof section, stonework and timber windows and doors.		
	Includes the timber yards. Excludes the surrounding timber sheds and outbuildings.		
3 Jones Street MUNDULLA	House; External form and materials of the house and butchers shop, including the	bd	18275
	galvanised iron roof, brick chimney, face stone walls with brick quoins, timber windows and		
	doors, and verandahs. Excludes the attached carport, and detached sheds and outbuildings.		
8 Jones Street MUNDULLA	Church of Christ; External form and materials of church, porch and kitchen, including	acd	18276
	galvanised iron roof, metal cladding, timber windows and doors, and pressed metal		
	canopies. Includes the Italian cypress trees and the hardwood post and woven wire fence.		
	Excludes the verandahs and toilet at rear.		
21 Jones Street MUNDULLA	Maleys of Mundulla Emporium; External form and materials of the store, including	acf	18277
	galvanised iron roof, timber hoarding, timber framed shopfront and the bull-nose verandah		
	with decorative timber end infill. Excludes the adjacent dwelling.		
22 Kennedy Street MUNDULLA	Mundulla School; External form and materials of the stone school building, including the	аc	18278
	galvanised iron roof, stone and brick chimneys, decorative sheet metal roof ventilators,		
	painted face stonework with brick quoins, timber windows and doors, and verandah.		
	Includes the pepper trees. Excludes the colorbond additions at the rear, the transportable		
	classrooms and sheds.		
Six Mile Well Road MUNDULLA	Former Church of Christ; External form and materials of stone chapel, including galvanised	acf	18284
WEST	iron roof, face stone walls, timber windows and doors and timber porch. Includes two		
	Italian cypress trees. Excludes 1953 hall and 1968 extensions.		
Emu Flat Road SHERWOOD	Paulus Petersens Homestead; External form and materials of the stone cottage, the timber	abde	18273
	piggery, and the stone henhouse, including iron roofs, stone chimneys, stonework,		
	hardwood pole walling structure, and flattened oil drum cladding. Excludes modern		
	outbuildings.		

Railway Terrace North WOLSELEY	Uniting Church; External form and materials of the church and porch, including unpainted	аc	18288
	galvanised iron roof and wall cladding, timber windows and doors, pressed metal window		
	canopies and painted timber trims.		
38 Railway Terrace WOLSELEY	Ballinger's Store; External form and materials of the main store, the adjoining gabled	аc	18285
	extension to the west and the hipped roof and secondary hoarding at the rear, including		
	galvanised iron roof and wall cladding, weatherboard cladding, parapet hoarding, bull-nose		
	verandah and timber shopfront windows and doors. Excludes the flat roof extension at		
	rear, the trussed open carport and the detached weatherboard shed to the west.		
44 Railway Terrace North	Institute; External form and materials of the 1928 institute, including the galvanised iron	аc	18287
WOLSELEY	roof, the parapet hoarding and painted signage, the pressed metal cladding, and the timber		
	front windows. Excludes the bull-nose verandah and interior alterations.		
Frances Road BORDERTOWN	Wiese's Horse Dip; Form and materials of the horse dip and associated yards, including the	abdf	18281
	cement rendered race and the hardwood posts and rails. Includes a curtilage of adjacent		
	rural land and open grassy woodland vegetation on the roadside.		
Goodridges Road (Off) MUNDULLA	Wirrega Cemetery; Grave, stone wall and cast iron gates, including the curtilage defined by	ade	18280
WEST	the fenced area.		
Wolseley - Naracoorte Road	Wolseley Common Conservation Park; The whole of the common, including the open	af	18290
WOLSELEY	recreation area and surrounding sugar gums.		
Railway Terrace WOLSELEY	Wolseley Inland Aircraft Fuel Depot *; The whole complex of fuel tanks, pump house and plat	form, and	18286
-	its open space setting. Excludes train crew accommodation.		

Tumby Bay

Pt Sec 71 Hd Koppio KOPPIO	Blacksmiths	аc	16573
Tumby Bay Foreshore TUMBY BAY	Bratten Memorial	а	16543
Pt Lot 130 Tumby Terrace TUMBY BAY	Church of Christ	acf	16546
2 Lipson Road TUMBY BAY	Commercial Premises	С	16539
7-9 Lipson Road TUMBY BAY	Commercial Premises		16540
Pt Sec 71 Hd Koppio KOPPIO	Cottage	аc	16574
Lot 15 Third Street LIPSON	Dwelling	d	16560
Sec 4 Hd Yaranyacka LIPSON	Dwelling	а	16562
Pt Lot 22 Spencer Street TUMBY BAY	Dwelling		16549

Sec 126 Hd Koppio YALLUNDA FLAT	Dwelling	c d	16579
Lot 127 Barraud Street TUMBY BAY	Excell Museum	С	16547
Sec 292 Hd Hutchinson TUMBY BAY	Farm Outbuilding	а	16554
Sec 292 Hd Hutchinson TUMBY BAY	Farm Outbuilding	а	16553
Sec 292 Hd Hutchinson TUMBY BAY	Farm Outbuilding	b	16552
Hincks Conservation Park HINCKS	Hincks Conservation Park		16555
Pt Sec 1 Hd Koppio KOPPIO	Koppio Smith Museum	a c	16571
Port Neill Foreshore PORT NEILL	Lady Kinnard Anchor	f	16568
Pt Sec 71 Hd Koppio KOPPIO	Laundry/House	аc	16575
UNGARRA	Moody Tanks		16564
Lot 30 Main Street LIPSON	New Hall	С	16559
Tumby Bay Foreshore TUMBY BAY	New Jetty	f	16545
Pt Sec 71 Hd Koppio KOPPIO	Offices	a c	16577
Lot 29 Main Street LIPSON	Old Anglican Church	С	16557
Lot 30 Main Street LIPSON	Old Hall	С	16558
Pt Sec 87 Hd Koppio KOPPIO	Old Homestead	b c	16578
Tumby Bay Foreshore TUMBY BAY	Old Jetty - Tumby Bay	f	18908
Tumby Bay Foreshore TUMBY BAY	Pioneer Memorial Clock	c e	16544
5-9 Peake Terrace PORT NEILL	Port Neill Hotel	b c	16567
Port Neill Foreshore PORT NEILL	Port Neill Jetty	f	16569
Lot 1 Dp 4278 Hd Stokes YALLUNDA FLAT	Pug Hut - Provis Memorial Park	аc	16566
Pt Sec 71 Hd Koppio KOPPIO	School	аc	16576
Pt Sec 71 Hd Koppio KOPPIO	Shepherds Hut	a c	16572
Pt Sect 18 Church Street TUMBY BAY	St Leo's Catholic Church	с	16551
Pt Sec 4 Hd Stokes UNGARRA	Stokes Church	a c d	16565
Pt Lot 7 Mortlock Street TUMBY BAY	Supper Room	с	16550
North Terrace TUMBY BAY	Tumby Bay Hotel		16541
Pt Sec 281 Hd Yaranyacka LIPSON	Uniting Church	abc	16561

Lot 31 Wallis Street PORT NEILL	Uniting Church	с	16570
Lot 139 Spencer Street TUMBY BAY	Uniting Church	С	16548
Foreshore Lipson Cove LIPSON	Wallaby Sam Monument	а	16556
Tumby Bay Foreshore TUMBY BAY	War Memorial	а	16542
Sec 454 Hd Yaranyacka LIPSON	Warrata Vale School	а	16563

Wattle Range

	1	
Cemetery (1858); The cemetery reserve and includes early configuration, graves and early landscape	acdf	24387
elements including stone walls.		
McCorquindale Park (1930s-1940s), Rymill Memorial Hall (1940s) & Memorial Entrance Gates (1950s);	acde	24342
The full allotment which incorporates the former Showgrounds, Memorial Hall and Gates excluding later		
additions and alterations.		
Town Park; The extent of the Park including all memorials and monuments.	acef	24363
House (1880s) Oswald Cottage; Original building's remaining external form, materials and detailing	a d	24324
excluding later additions and alterations		
House (c1930s); Original building's remaining external form, materials and detailing excluding later	a d	24325
additions and alterations		
Church hall (1889); Original building's remaining external form, materials and detailing excluding later	acd	24326
additions and alterations		
House (1920s); Original building's remaining external form, materials and detailing excluding later	a d	24328
additions and alterations		
House (circ 1920s); Original building's remaining external form, materials and detailing excluding later	a d	24329
additions and alterations		
St Mary's Church (1873); Original building's remaining external form, materials and detailing excluding	adf	24331
later additions and alterations		
House (c1926); Original building's remaining external form, materials and detailing excluding later	a d	24332
additions and alterations		
Shop (1870s); Original building's remaining external form, materials and detailing excluding later	acd	24333
additions and alterations		
	elements including stone walls. McCorquindale Park (1930s-1940s), Rymill Memorial Hall (1940s) & Memorial Entrance Gates (1950s); The full allotment which incorporates the former Showgrounds, Memorial Hall and Gates excluding later additions and alterations. Town Park; The extent of the Park including all memorials and monuments. House (1880s) Oswald Cottage; Original building's remaining external form, materials and detailing excluding later additions and alterations House (c1930s); Original building's remaining external form, materials and detailing excluding later additions and alterations Church hall (1889); Original building's remaining external form, materials and detailing excluding later additions and alterations House (c1920s); Original building's remaining external form, materials and detailing excluding later additions and alterations House (circ 1920s); Original building's remaining external form, materials and detailing excluding later additions and alterations House (circ 1920s); Original building's remaining external form, materials and detailing excluding later additions and alterations House (circ 1920s); Original building's remaining external form, materials and detailing excluding later additions and alterations St Mary's Church (1873); Original building's remaining external form, materials and detailing excluding later additions and alterations House (c1926); Original building's remaining external form, materials and detailing excluding later additions and alterations House (c1926); Original building's remaining external form, materials and detailing excluding later additions and alterations House (c1926); Original building's remaining external form, materials and detailing excluding later additions and alterations Shop (1870s); Original building's remaining external form, materials and detailing excluding later	elements including stone walls.a c d eMcCorquindale Park (1930s-1940s), Rymill Memorial Hall (1940s) & Memorial Entrance Gates (1950s); The full allotment which incorporates the former Showgrounds, Memorial Hall and Gates excluding later additions and alterations.a c d eTown Park; The extent of the Park including all memorials and monuments.a c e fHouse (1880s) Oswald Cottage; Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (c1930s); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (c1930s); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (c1930s); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (c1920s); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (ip 20s); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (circ 1920s); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (c1926); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dHouse (c1926); Original building's remaining external form, materials and detailing excluding later additions and alterationsa dSt Mary's Church (1873); Original building's remaining external form, materials and detailing excluding later additions and alterat

22 Arthur Street	Airs Cottage House (c1861); Original building's remaining external form, materials and detailing	a d	24334
PENOLA	excluding later additions and alterations		
31 Arthur Street	St Andrews Hall (1936 & 1956); Original building's remaining external form, materials and detailing	a c d	24335
PENOLA	excluding later additions and alterations		
35 Arthur Street	Maggie's House (1860s); Original building's remaining external form, materials and detailing excluding	a d	24336
PENOLA	later additions and alterations		
5 Bowden Street	House (1869-1883); Original building's remaining external form, materials and detailing excluding later	a d	24339
PENOLA	additions and alterations		
14 Bowden Street	Bond Store (1850s); Original building's remaining external form, materials and detailing excluding later	a d	24340
(adjacent to Park)	additions and alterations		
PENOLA			
15 Bowden Street	House (Glenrowan) (c1862); Original building's remaining external form, materials and detailing	a d	24341
PENOLA	excluding later additions and alterations		
5 Cameron Street	House (1930s); Original building's remaining external form, materials and detailing excluding later	a d	24343
PENOLA	additions and alterations		
39 Cameron Street	House & Slab Hut (1860s); Original building's remaining external form, materials and detailing excluding	a d	24344
PENOLA	later additions and alterations		
1 Church Street	House (c1910); Original building's remaining external form, materials and detailing excluding later	a d	24345
PENOLA	additions and alterations		
3 Church Street	House (c1910); Original building's remaining external form, materials and detailing excluding later	a d	24346
PENOLA	additions and alterations		
7 Church Street	House (c1910); Original building's remaining external form, materials and detailing excluding later	a d	24347
PENOLA	additions and alterations		
13 Church Street	House (c1860s); Original building's remaining external form, materials and detailing excluding later	a d	24348
PENOLA	additions and alterations		
21 Church Street	House (1905); Original building's remaining external form, materials and detailing excluding later	a d	24351
PENOLA	additions and alterations		
23 Church Street	House (c1910); Original building's remaining external form, materials and detailing excluding later	a d	24352
PENOLA	additions and alterations		
26 Church Street	House (1920s); Original building's remaining external form, materials and detailing excluding later	a d	24353
PENOLA	additions and alterations		

43-45 Church Street	Shops (1920s); Original building's remaining external form, materials and detailing excluding later	acd	24357
PENOLA	additions and alterations		
44 Church Street	Shop (1920s); Original building's remaining external form, materials and detailing excluding later	acd	24358
PENOLA	additions and alterations		
47 Church Street	Shop (1920s); Original building's remaining external form, materials and detailing excluding later	a c d	24359
PENOLA	additions and alterations		
49 Church Street	Shop (1920s); Original building's remaining external form, materials and detailing excluding later	a c d	24360
PENOLA	additions and alterations		
51 Church Street	Shop (1920s); Original building's remaining external form, materials and detailing excluding later	a c d	24361
PENOLA	additions and alterations		
53 Church Street	Art Gallery, (Former Saddlers) (1871); Original buildinges remaining external form, materials and	a c d	24362
PENOLA	detailing excluding later additions and alterations		
59 Church Street	House (1933); Original building's remaining external form, materials and detailing excluding later	a d	24364
PENOLA	additions and alterations		
81 Church Street	House (c1934); Original building's remaining external form, materials and detailing excluding later	a d	24366
PENOLA	additions and alterations		
100 Church Street	House (c1898); Original building's remaining external form, materials and detailing excluding later	a d	24367
PENOLA	additions and alterations		
102 Church Street	House (c1900); Original building's remaining external form, materials and detailing excluding later	a d	24368
PENOLA	additions and alterations		
118 Church Street	House (1874); Original building's remaining external form, materials and detailing excluding later	a d	24369
PENOLA	additions and alterations		
130 Church Street	House (1868); Original building's remaining external form, materials and detailing excluding later	a d	24370
PENOLA	additions and alterations		
10 Clarke Street	House (1920s); Original building's remaining external form, materials and detailing excluding later	a d	24371
PENOLA	additions and alterations		
15 Clarke Street	House (1890s); Original building's remaining external form, materials and detailing excluding later	a d	24372
PENOLA	additions and alterations		
1 Davis Crescent	Cottage (c1860s); Original building's remaining external form, materials and detailing excluding later	a d	24373
PENOLA	additions and alterations		
2 Gordon Street	House (c1870s); Original building's remaining external form, materials and detailing excluding later	a d e	24374
PENOLA	additions and alterations		

		-	
3 Jessie Street PENOLA	House (1874); Original building's remaining external form, materials and detailing excluding later	a d	24375
	additions and alterations		
11 John Street PENOLA	House (1870s); Original building's remaining external form, materials and detailing excluding later	a d	24376
	additions and alterations		
14 Julian Street West	House (c1870); Original building's remaining external form, materials and detailing excluding later	a d	24380
PENOLA	additions and alterations		
16-20 Julian Street	House (1890s); Original building's remaining external form, materials and detailing excluding later	a d	24381
West (cnr Queen	additions and alterations		
Street) PENOLA			
17 Julian Street	House (pre 1869); Original building's remaining external form, materials and detailing excluding later	a d	24378
PENOLA	additions and alterations		
21 Julian Street West	House and fence (1920s); Original building's remaining external form, materials and detailing excluding	a d	24382
PENOLA	later additions and alterations		
24 Julian Street West	Sarah's Cottage (1870s); Original building's remaining external form, materials and detailing excluding	a d	25521
PENOLA	latter additions and alterations		
8 Macarthur Street	House (1869); Original building's remaining external form, materials and detailing excluding later	a d	24384
PENOLA	additions and alterations		
16 Macarthur Street	House (1871); Original building's remaining external form, materials and detailing excluding later	a d	24385
PENOLA	additions and alterations		
27 Macarthur Street	House (1869); Original building's remaining external form, materials and detailing excluding later	a d	24386
PENOLA	additions and alterations		
5 Portland Street	Old Convent House (1890-1900); Original building's remaining external form, materials and detailing	a c d	24388
PENOLA	excluding later additions and alterations		
6 Portland Street	House (c1928); Original building's remaining external form, materials and detailing excluding later	a d	24389
PENOLA	additions and alterations		
8 Portland Street	House (c1915); Original building's remaining external form, materials and detailing excluding later	a d	24390
PENOLA	additions and alterations		
14 Portland Street	House (1874); Original building's remaining external form, materials and detailing excluding later	a d	24391
PENOLA	additions and alterations		
23 Portland Street	Coombe Cottage (c1870); Original building's remaining external form, materials and detailing excluding	a d	24392
PENOLA	later additions and alterations		

29 Portland Street	House (c1870); Original building's remaining external form, materials and detailing excluding later	a d	24393
PENOLA	additions and alterations		
16 Queen Street	House (c1900); Original building's remaining external form, materials and detailing excluding later	a d	24395
PENOLA	additions and alterations		
21 Queen Street	House (c1900); Original building's remaining external form, materials and detailing excluding later	a d	24396
PENOLA	additions and alterations		
1 Riddoch Street	Georgies Cottage (1870); Original building's remaining external form, materials and detailing excluding	a d	24398
PENOLA	later additions and alterations		
7 Riddoch Street	Penola Primary School (1890-1920s); Original school building's remaining external form, materials and	acd	24399
PENOLA	detailing excluding later additions and alterations		
8 Riddoch Street	House (1860s); Original building¿s remaining external form, materials and detailing excluding later	a d	24400
PENOLA	additions and alterations		
17 Riddoch Street	House (1876 & 1906); Original building's remaining external form, materials and detailing excluding later	a d	24401
PENOLA	additions and alterations		
22 Riddoch Street	House & Fence (c1900); Original fence and building's remaining external form, materials and detailing	a d	24402
PENOLA	excluding later additions and alterations		
23 Riddoch Street	House (1930s); Original building's remaining external form, materials and detailing excluding later	a d	24403
PENOLA	additions and alterations		
24 Riddoch Street	House (mid-1880s); Original building's remaining external form, materials and detailing excluding later	a d	24404
PENOLA	additions and alterations		
26 Riddoch Street	House (c1900); Original building's remaining external form, materials and detailing excluding later	a d	24405
PENOLA	additions and alterations		
28 Riddoch Street	House (pre 1869); Original building's remaining external form, materials and detailing excluding later	a d	24406
PENOLA	additions and alterations		
29 Riddoch Street	House (1940s); Original building's remaining external form, materials and detailing excluding later	a d	24407
PENOLA	additions and alterations		
33 Riddoch Street	House (St Helens) (c1860s); Original building's remaining external form, materials and detailing excluding	acd	24409
PENOLA	later additions and alterations		
34 Riddoch Street	House (1883); Original building's remaining external form, materials and detailing excluding later	a d	24410
PENOLA	additions and alterations		
42 Riddoch Street	House (1920s); Original building's remaining external form, materials and detailing excluding later	a d	24411
PENOLA	additions and alterations		

54 Riddoch Street	Former Church (c1908); Original building's remaining external form, materials and detailing excluding	acd	24412
PENOLA	later additions and alterations		
56 Riddoch Street	House (c1910); Original building's remaining external form, materials and detailing excluding later	a d	24413
PENOLA	additions and alterations		
58 Riddoch Street	Tregenza Gallery (c1920); Original building's remaining external form, materials and detailing excluding	a d	24414
PENOLA	later additions and alterations		
13 Robe Road PENOLA	House (1930s); Original building's remaining external form, materials and detailing excluding later	a d	24415
	additions and alterations		
21 Robe Road PENOLA	House (1873); Original building's remaining external form, materials and detailing excluding later	a d	24416
	additions and alterations		
1 Scott Street PENOLA	House (c1920s); Original building's remaining external form, materials and detailing excluding later	a d	24418
	additions and alterations		
6 Young Street	House (1870); Original building's remaining external form, materials and detailing excluding later	a d	24419
PENOLA	additions and alterations		
17 Young Street	House (1920s); Original building's remaining external form, materials and detailing excluding later	a d	24420
PENOLA	additions and alterations		
23 Young Street	House/Office (c1860); Original building's remaining external form, materials and detailing excluding later	a d	24422
PENOLA	additions and alterations		
38 Young Street (cnr	Shop (c1905); Original building's remaining external form, materials and detailing excluding later	acd	24423
Alfred Street) PENOLA	additions and alterations		
44 Young Street	Mothers and Babies (c1950); Original building's remaining external form, materials and detailing	acd	24424
PENOLA	excluding later additions and alterations		
46 Young Street	CWA Club Rooms (1960); Original building's remaining external form, materials and detailing excluding	acde	24425
PENOLA	later additions and alterations		

Part 6.2 Significant Trees Not applicable

Part 6.3 Concept Plans Not applicable

Part 6.4 Minimum Allotment Sizes

Minimum lot size for a residential flat building is 300 sqm

Minimum lot size for a group dwelling is 300 sqm

Minimum lot size is 81 sqm

Minimum lot size for a detached dwelling is 100 sqm; semi-detached dwelling is 100 sqm; row dwelling is 100 sqm; group dwelling is 100 sqm; residential flat building is 100 sqm

Minimum lot size is 120 sqm

Minimum lot size for a detached dwelling is 120 sqm; semi-detached dwelling is 120 sqm; row dwelling is 120 sqm; group dwelling is 120 sqm; residential flat building is 120 sqm

Minimum lot size is 150 sqm

Minimum lot size for a detached dwelling is 150 sqm; semi-detached dwelling is 150 sqm

Minimum lot size is 200 sqm

Minimum lot size is 250 sqm

Minimum lot size is 300 sqm

Minimum lot size for a detached dwelling is 300 sqm; semi-detached dwelling is 270 sqm; row dwelling is 200 sqm

Minimum lot size for a detached dwelling is 300 sqm; semi-detached dwelling is 300 sqm

Minimum lot size for a detached dwelling is 300 sqm; semi-detached dwelling is 300 sqm; group dwelling is 300 sqm

Minimum lot size for a detached dwelling is 300 sqm; semi-detached dwelling is 300 sqm; row dwelling is 200 sqm; group dwelling is 300 sqm; residential flat building is 300 sqm

Minimum lot size for a detached dwelling is 300 sqm; semi-detached dwelling is 300 sqm; row dwelling is 300 sqm; group dwelling is 300 sqm

Minimum lot size for a detached dwelling is 300 sqm; semi-detached dwelling is 300 sqm; row dwelling is 300 sqm; group dwelling is 300 sqm; residential flat building is 300 sqm

Minimum lot size is 350 sqm

Minimum lot size for a detached dwelling is 350 sqm; semi-detached dwelling is 300 sqm; row dwelling is 250 sqm

Minimum lot size for a detached dwelling is 350 sqm; semi-detached dwelling is 350 sqm; row dwelling is 350 sqm

Minimum lot size for a detached dwelling is 350 sqm; semi-detached dwelling is 350 sqm; row dwelling is 350 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 350 sqm; semi-detached dwelling is 350 sqm; row dwelling is 450 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size is 400 sqm

Minimum lot size for a detached dwelling is 400 sqm; semi-detached dwelling is 250 sqm; row dwelling is 350 sqm; group dwelling is 300 sqm; residential flat building is 300 sqm

Minimum lot size for a detached dwelling is 400 sqm; semi-detached dwelling is 400 sqm

Minimum lot size for a detached dwelling is 420 sqm; semi-detached dwelling is 375 sqm

Minimum lot size for a detached dwelling is 420 sqm; semi-detached dwelling is 420 sqm Minimum lot size is 450 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 250 sqm; row dwelling is 250 sqm; group dwelling is 350 sqm; residential flat building is 250 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 270 sqm; row dwelling is 300 sqm; group dwelling is 250 sqm; residential flat building is 250 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 300 sqm; row dwelling is 250 sqm; group dwelling is 300 sqm; residential flat building is 300 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 300 sqm; row dwelling is 350 sqm; group dwelling is 300 sqm; residential flat building is 300 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 350 sqm; row dwelling is 350 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 350 sqm; row dwelling is 350 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 400 sqm; row dwelling is 300 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 400 sqm; row dwelling is 350 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 400 sqm; row dwelling is 400 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 400 sqm; row dwelling is 400 sqm; group dwelling is 400 sqm; residential flat building is 400 sqm

Minimum lot size for a detached dwelling is 450 sqm; semi-detached dwelling is 450 sqm; row dwelling is 450 sqm; group dwelling is 450 sqm; residential flat building is 450 sqm Minimum lot size is 500 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 300 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 350 sqm; row dwelling is 400 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 400 sqm; row dwelling is 250 sqm; group dwelling is 300 sqm; residential flat building is 250 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 400 sqm; row dwelling is 400 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 400 sqm; row dwelling is 500 sqm; group dwelling is 350 sqm; residential flat building is 300 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 400 sqm; row dwelling is 350 sqm; group dwelling is 400 sqm; residential flat building is 400 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 400 sqm; row dwelling is 240 sqm; group dwelling is 450 sqm; residential flat building is 230 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 400 sqm; group dwelling is 500 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 420 sqm; row dwelling is 370 sqm; group dwelling is 370 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 425 sqm; row dwelling is 400 sqm; group dwelling is 400 sqm; residential flat building is 400 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 450 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 450 sqm; row dwelling is 400 sqm; group dwelling is 350 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 500 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 500 sqm; group dwelling is 500 sqm

Minimum lot size for a detached dwelling is 500 sqm; semi-detached dwelling is 500 sqm; row dwelling is 500 sqm; group dwelling is 500 sqm; residential flat building is 500 sqm

Minimum lot size is 550 sqm

Minimum lot size for a detached dwelling is 550 sqm; semi-detached dwelling is 350 sqm; group dwelling is 350 sqm

Minimum lot size for a detached dwelling is 550 sqm; semi-detached dwelling is 425 sqm; row dwelling is 425 sqm; group dwelling is 425 sqm; residential flat building is 425 sqm

Minimum lot size for a detached dwelling is 550 sqm; semi-detached dwelling is 450 sqm; row dwelling is 450 sqm; group dwelling is 450 sqm; residential flat building is 450 sqm

Minimum lot size for a detached dwelling is 550 sqm; semi-detached dwelling is 500 sqm; row dwelling is 500 sqm; group dwelling is 500 sqm; residential flat building is 500 sqm

Minimum lot size is 560 sqm

Minimum lot size for a detached dwelling is 560 sqm; semi-detached dwelling is 270 sqm; row dwelling is 180 sqm; group dwelling is 250 sqm; residential flat building is 250 sqm

Minimum lot size for a detached dwelling is 560 sqm; semi-detached dwelling is 300 sqm; row dwelling is 180 sqm; group dwelling is 250 sqm; residential flat building is 250 sqm

Minimum lot size for a detached dwelling is 560 sqm; semi-detached dwelling is 560 sqm; row dwelling is 560 sqm; group dwelling is 600 sqm

Minimum lot size is 600 sqm

Minimum lot size for a detached dwelling is 600 sqm; row dwelling is 450 sqm; group dwelling is 450 sqm; residential flat building is 450 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 400 sqm; row dwelling is 340 sqm; group dwelling is 500 sqm; residential flat building is 340 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 420 sqm; row dwelling is 370 sqm; group dwelling is 300 sqm; residential flat building is 1500 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 420 sqm; row dwelling is 400 sqm; group dwelling is 400 sqm; residential flat building is 400 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 420 sqm; row dwelling is 420 sqm; group dwelling is 600 sqm; residential flat building is 600 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 450 sqm; row dwelling is 350 sqm; group dwelling is 350 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 450 sqm; row dwelling is 400 sqm; group dwelling is 400 sqm; residential flat building is 400 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 450 sqm; row dwelling is 450 sqm; group dwelling is 450 sqm; residential flat building is 450 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 450 sqm; group dwelling is 500 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 450 sqm; group dwelling is 600 sqm; residential flat building is 500 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 600 sqm

Minimum lot size for a detached dwelling is 600 sqm; semi-detached dwelling is 600 sqm; row dwelling is 600 sqm; group dwelling is 600 sqm; residential flat building is 600 sqm

Minimum lot size is 620 sqm

Minimum lot size for a detached dwelling is 625 sqm; semi-detached dwelling is 600 sqm; row dwelling is 600 sqm; group dwelling is 600 sqm; residential flat building is 600 sqm

Minimum lot size is 650 sqm

Minimum lot size is 700 sqm

Minimum lot size for a detached dwelling is 700 sqm; row dwelling is 200 sqm; group dwelling is 700 sqm; residential flat building is 300 sqm

Minimum lot size for a detached dwelling is 700 sqm; semi-detached dwelling is 450 sqm; group dwelling is 500 sqm

Minimum lot size for a detached dwelling is 700 sqm; semi-detached dwelling is 500 sqm; row dwelling is 350 sqm; group dwelling is 400 sqm; residential flat building is 350 sqm

Minimum lot size for a detached dwelling is 700 sqm; semi-detached dwelling is 700 sqm

Minimum lot size is 750 sqm

Minimum lot size for a detached dwelling is 750 sqm; semi-detached dwelling is 400 sqm; row dwelling is 400 sqm; group dwelling is 400 sqm; residential flat building is 400 sqm

Minimum lot size for a detached dwelling is 750 sqm; semi-detached dwelling is 450 sqm

Minimum lot size for a detached dwelling is 750 sqm; semi-detached dwelling is 550 sqm

Minimum lot size for a detached dwelling is 750 sqm; semi-detached dwelling is 600 sqm
Minimum lot size for a detached dwelling is 750 sqm; semi-detached dwelling is 750 sqm; row
dwelling is 750 sqm; group dwelling is 750 sqm; residential flat building is 750 sqm.
Minimum lot size is 800 sqm
Minimum lot size for a detached dwelling is 800 sqm; row dwelling is 180 sqm; group dwelling is
250 sqm; residential flat building is 250 sqm
Minimum lot size for a detached dwelling is 800 sqm; semi-detached dwelling is 500 sqm; row
dwelling is 500 sqm; group dwelling is 500 sqm; residential flat building is 500 sqm
Minimum lot size is 900 sqm
Minimum lot size for a detached dwelling is 900 sqm; group dwelling is 300 sqm
Minimum lot size for a detached dwelling is 900 sqm; semi-detached dwelling is 900 sqm; group
dwelling is 900 sqm
Minimum lot size is 1000 sqm
Minimum lot size for a detached dwelling is 1000 sqm; semi-detached dwelling is 600 sqm; row
dwelling is 400 sqm; group dwelling is 500 sqm
Minimum lot size for a detached dwelling is 1000 sqm; semi-detached dwelling is 600 sqm; row
dwelling is 450 sqm; group dwelling is 1200 sqm; residential flat building is 450 sqm
Minimum lot size for a detached dwelling is 1000 sqm; semi-detached dwelling is 850 sqm
Minimum lot size is 1200 sqm
Minimum lot size is 1300 sqm
Minimum lot size is 1500 sqm
Minimum lot size is 1800 sqm
Minimum lot size for a detached dwelling is 1860 sqm; semi-detached dwelling is 1860 sqm
Minimum lot size is 2000 sqm
Minimum lot size is 2500 sqm
Minimum lot size is 2800 sqm
Minimum lot size is 3000 sqm
Minimum lot size is 4000 sqm
Minimum lot size is 5000 sqm
Minimum lot size is 7500 sqm
Minimum lot size is 8000 sqm
Minimum lot size is 10000 sqm
Minimum lot size is 12000 sqm
Minimum lot size is 15000 sqm
Minimum lot size is 20000 sqm
Minimum lot size for a detached dwelling is 20000 sqm; residential flat building is 300 sqm
Minimum lot size is 25000 sqm
Minimum lot size is 30000 sqm
Minimum lot size is 40000 sqm
Minimum lot size is 50000 sqm
Minimum lot size is 70000 sqm
Minimum lot size is 80000 sqm
Minimum lot size is 100000 sqm
Minimum lot size is 120000 sqm
Minimum lot size is 160000 sqm
Minimum lot size is 200000 sqm
Minimum lot size is 250000 sqm
Minimum lot size is 300000 sqm
Minimum lot size is 330000 sqm

Minimum lot size is 400000 sqmMinimum lot size is 1000000 sqmMinimum lot size is 2000000 sqmMinimum lot size is 4000000 sqmMinimum lot size is 9000000 sqm

Part 6.5 Minimum Allotment Frontage Sizes

Minimum Allotment Frontage

Minimum frontage for a residential flat building is 15m

Minimum frontage for a group dwelling is 15m

Minimum frontage for a detached dwelling is 10m

Minimum frontage for a detached dwelling is 10m; semi-detached dwelling is 10m; row dwelling is 10m; group dwelling is 10m; residential flat building is 10m

Minimum frontage for a detached dwelling is 10m; semi-detached dwelling is 9m; row dwelling is 7m

Minimum frontage for a detached dwelling is 10m; semi-detached dwelling is 9m; row dwelling is 6m; group dwelling is 10m; residential flat building is 10m

Minimum frontage for a detached dwelling is 11m; semi-detached dwelling is 11m; row dwelling is 8m

Minimum frontage for a detached dwelling is 12m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 10m; row dwelling is 8m; group dwelling is 12m; residential flat building is 12m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 10m; group dwelling is 20m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 10m; row dwelling is 7m; group dwelling is 25m; residential flat building is 25m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 12m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 12m; row dwelling is 12m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 12m; row dwelling is 12m; group dwelling is 12m; residential flat building is 12m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 8m; row dwelling is 8m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 9m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 9m; row dwelling is 18m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 9m; row dwelling is 7m; group dwelling is 20m; residential flat building is 20m

Minimum frontage for a detached dwelling is 12m; semi-detached dwelling is 9m; row dwelling is 7m; group dwelling is 6m; residential flat building is 6m

Minimum frontage for a detached dwelling is 13m; semi-detached dwelling is 10m; row dwelling is 7m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 14m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 10m; row dwelling is 7m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 12m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 12m; group dwelling is 14m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 12m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 12m; row dwelling is 7m; group dwelling is 18m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 12m; row dwelling is 7m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 14m

Minimum frontage for a detached dwelling is 14m; semi-detached dwelling is 8m

Minimum frontage for a detached dwelling is 15m

Minimum frontage for a detached dwelling is 15m; row dwelling is 7m; group dwelling is 6m; residential flat building is 6m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 10m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 10m; group dwelling is 10m; residential flat building is 10m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 10m; group dwelling is 15m; residential flat building is 15m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 10m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 7m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 8m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 10m; row dwelling is 10m; group dwelling is 20m; residential flat building is 20m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 12m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 12m; group dwelling is 15m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 12m; row dwelling is 12m; group dwelling is 18m; residential flat building is 18m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 12m; row dwelling is 10m; group dwelling is 20m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 12m; row dwelling is 15m; group dwelling is 20m; residential flat building is 15m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 12m; row dwelling is 10m; group dwelling is 25m; residential flat building is 25m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 15m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 15m; row dwelling is 10m; group dwelling is 10m; residential flat building is 10m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 15m; group dwelling is 20m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 8m; row dwelling is 8m; group dwelling is 20m; residential flat building is 20m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 9m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 9m; row dwelling is 8m; residential flat building is 28m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 9m; row dwelling is 9m; group dwelling is 14m; residential flat building is 14m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 9m; row dwelling is 8m; group dwelling is 18m; residential flat building is 8m

Minimum frontage for a detached dwelling is 15m; semi-detached dwelling is 9m; row dwelling is 9m; group dwelling is 20m; residential flat building is 20m

Minimum frontage for a detached dwelling is 17m; semi-detached dwelling is 8m; row dwelling is 8m; group dwelling is 18m

Minimum frontage for a detached dwelling is 18m

Minimum frontage for a detached dwelling is 18m; row dwelling is 7m; group dwelling is 24m; residential flat building is 15m

Minimum frontage for a detached dwelling is 18m; semi-detached dwelling is 12m; row dwelling is 10m; group dwelling is 24m; residential flat building is 20m

Minimum frontage for a detached dwelling is 18m; semi-detached dwelling is 15m; row dwelling is 10m; group dwelling is 20m

Minimum frontage for a detached dwelling is 18m; semi-detached dwelling is 18m

Minimum frontage for a detached dwelling is 20m

Minimum frontage for a detached dwelling is 20m; semi-detached dwelling is 18m

Minimum frontage for a detached dwelling is 21m

Minimum frontage for a detached dwelling is 23m

Minimum frontage for a detached dwelling is 24m; semi-detached dwelling is 24m

Minimum frontage for a detached dwelling is 25m

Minimum frontage for a detached dwelling is 25m; semi-detached dwelling is 20m; row dwelling is 20m; group dwelling is 20m; residential flat building is 20m

Minimum frontage for a detached dwelling is 30m

Minimum frontage for a detached dwelling is 40m

Minimum frontage for a detached dwelling is 5m; semi-detached dwelling is 5m; group dwelling is 5m

Minimum frontage for a detached dwelling is 50m

Minimum frontage for a detached dwelling is 6m; semi-detached dwelling is 6m; row dwelling is 6m; group dwelling is 6m

Minimum frontage for a detached dwelling is 6m; semi-detached dwelling is 6m; row dwelling is 6m; group dwelling is 6m; residential flat building is 6m

Minimum frontage for a detached dwelling is 85m

Minimum frontage for a detached dwelling is 9m

Minimum frontage for a detached dwelling is 9m; semi-detached dwelling is 7.5m; row dwelling is 7.5m; group dwelling is 14m; residential flat building is 14m

Minimum frontage for a detached dwelling is 9m; semi-detached dwelling is 8m; row dwelling is 8m

Minimum frontage for a detached dwelling is 9m; semi-detached dwelling is 9m; group dwelling is 15m

Minimum frontage for a detached dwelling is 9m; semi-detached dwelling is 9m; row dwelling is 15m; group dwelling is 15m

Minimum frontage for a detached dwelling is 9m; semi-detached dwelling is 9m; row dwelling is 7m; group dwelling is 15m; residential flat building is 15m

Minimum frontage for a detached dwelling is 9m; semi-detached dwelling is 9m; row dwelling is 6m; group dwelling is 18m; residential flat building is 18m

Part 6.6 Building Heights (Metres)

Maximum Building Height (Metres)	
	10
	11.5
	12
	12.5
	13.5
	15
	18
	18.5
	22
	25
	25.5
	29
	3
	36
	4
	4.5
	5.6
	5.7
	6
	6.5
	8
	8.5
	9

Part 6.7 Building Heights (Levels)

Minimum Building Height (Levels)		
	1	
	2	
	3	
	5	
	4	

Maximum Building Height (Levels)		
	1	
	2	
	3	
	4	
	5	
	6	

7
8
10
12

Part 6.8 Coastal Flooding Site and Floor Level

Coastal Flooding Site and Floor Level
Stansbury - Minimum building site level 2.65m; Minimum building floor level 2.9m
Edithburgh - Minimum building site level 2.7m; Minimum building floor level 2.95m
Foul Bay - Minimum building site level 2.9m; Minimum building floor level 3.15m
Marion Bay - Minimum building site level 2.9m; Minimum building floor level 3.15m
Sultana Point - Minimum building site level 2.9m; Minimum building floor level 3.15m
Chinamans Well - Minimum building site level 2.95m; Minimum building floor level 3.2m
Point Turton - Minimum building site level 3.05m; Minimum building floor level 3.3m
Point Souttar - Minimum building site level 3.15m; Minimum building floor level 3.4m
Sheaoak Flat - Minimum building site level 3.2m; Minimum building floor level 3.45m
Corny Point - Minimum building site level 3.25m; Minimum building floor level 3.5m
Balgowan - Minimum building site level 3.35m; Minimum building floor level 3.6m
Price - Minimum building site level 3.4m; Minimum building floor level 3.65m
The Dipper - Minimum building site level 3.4m; Minimum building floor level 3.65m
Port Julia - Minimum building site level 3.45m; Minimum building floor level 3.7m
Black Point - Minimum building site level 3.55m; Minimum building floor level 3.8m
Hardwicke Bay - Minimum building site level 3.55m; Minimum building floor level 3.8m
Tiddy Widdy Beach - Minimum building site level 3.55m; Minimum building floor level 3.8m
Rogues Point - Minimum building site level 3.6m; Minimum building floor level 3.85m
Port Clinton - Minimum building site level 3.7m; Minimum building floor level 3.95m
Bluff Beach - Minimum building site level 3.75m; Minimum building floor level 4m
Port Rickaby - Minimum building site level 3.8m; Minimum building floor level 4.05m

Part 7 – Land Use Definitions

Land Use Terms

The following table lists terms which may be used in this Planning and Design Code in relation to the use of land.

Meaning of Terms

A term listed in Column A has the meaning set out beside that term in Column B.

Inclusions and Exclusions

Land uses and activities set out in Column C are to be taken as being **included** in the meaning of the land use term set out in Column A.

Land uses and activities set out in Column D are to be taken as being **excluded** from the meaning of the land use term set out in Column A.

In the event of any inconsistency Column D prevails over Column C.

Ancillary and Subordinate

Unless stated to the contrary, a term set out in the following table which purports to define a form of land use will be taken to include a use which is ancillary and subordinate to that defined use.

No Definition

A term not defined in the following table will have its ordinary meaning unless the term is defined in the *Planning, Development and Infrastructure Act 2016* or its Regulations (or any relevant practice direction or practice guideline issued by the State Planning Commission) in which case that meaning will apply.

Land Use Definitions Table LUD

Land Use Term (Column A)	Definition (Column B)	l ncludes (Column C)	Excludes (Column D
Agricultural building	or partly for purposes associated with farming, commercial forestry or	Farm shed; Horticultural shed; Hay shed; Implement shed; Pump shed.	Dairy; Dwelling; Industry; Intensive animal husbandry; Office; Outbuilding; Shop.
Ancillary	Means accommodation that:		
accommodation	 (a) is located on the same allotment as an existing dwelling; 		
	 (b) contains no more than 1 bedroom or room or area capable of being used as a bedroom; and 		
	(c) is subordinate to and shares the same utilities of the existing dwelling.		
Animal keeping	Means the boarding (short or long term), keeping, breeding or training of animals, except horses and/or commercially kept livestock.	Dog kennelling Catteries	Aquaculture; Farming; Horse keeping; Intensive animal husbandry; Low intensity animal husbandry.
Aquaculture	Has the same meaning as in the Aquaculture Act 2001.		Intensive animal husbandry.
Automotive collision repair	Means repairs to motor vehicles involving structural repairs, panel beating, replacement of vehicle body parts or spray painting.		Motor repair station
Bulky goods outlet	Means premises used primarily for the sale, rental, display or offer by retail of goods, other than foodstuffs, clothing, footwear or personal effects goods, unless the sale, rental, display or offer by retail of the foodstuffs, clothing, footwear or personal effects goods is incidental to the		

Land Use Term (Column A)	Definition (Column B)	lncludes (Column C)	Excludes (Column D
	sale, rental, display or offer by retail of other goods. Examples— The following are examples of goods that may be available or on display at bulky goods outlets:		
	(a) automotive parts and accessories;		
	(b) furniture;		
	(c) floor coverings;		
	(d) window coverings;		
	(e) appliances or electronic equipment;		
	(f) home entertainment goods;		
	(g) lighting and electric light fittings;		
	(h) curtains and fabric;		
	(i) bedding and manchester;		
	(j) party supplies;		
	(k) animal and pet supplies;		
	 (I) camping and outdoor recreation supplies; 		
	(m) hardware;		
	(n) garden plants (primarily in an indoor setting);		
	 (o) office equipment and stationery supplies; 		
	(p) baby equipment and accessories;		
	 (q) sporting, fitness and recreational equipment and accessories; 		
	(r) homewares;		
	(s) children's play equipment.		
Caravan and tourist park	Means land used to provide short-term accommodation in caravans, recreational vehicles (RVs) cabins, tents		Residential park

Land Use Term (Column A)	Definition (Column B)	lncludes (Column C)	Excludes (Column D
	and other similar demountable forms of shelter in a managed setting.		
Commercial forestry	Means the practice of planting, managing, and caring for forests that are to be harvested (or intended to be harvested) or used for commercial purposes (including through the commercial exploitation of the carbon absorption capacity of the forest).		
Consulting room	Means a building or part of a building (not being a hospital) used in the practice of a profession by a medical, veterinary or dental practitioner, or a practitioner in any curative science, in the provision of medical services, mental, moral or family guidance, but does not involve any overnight accommodation other than for animals that are recovering from treatment or in for observation as part of a veterinary practice.		
Cropping	Means propagating, cultivating and/or harvesting of grains, cereals, oilseeds, lupins, legumes, hops, hemp, hay, lucerne or other similar plants or plant products for commercial production.		Commercial forestry; Horticulture; Mushroom production.
Dairy	Means a building or part of a building used for all or any of the operations of commercial milk production (whether mechanical or otherwise) and includes a milking shed, milk room, wash room or engine room.		
Detached dwelling	Means a detached building comprising 1 dwelling on a site that is held exclusively with that dwelling and has a		

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
	frontage to a public road, or to a road proposed in a plan of land division that is the subject of a current development authorisation.		
Dwelling	Means a building or part of a building used as a self- contained residence.		
Educational establishment	Means a primary school, secondary school, reception to year 12 school, college, university or technical institute, and includes an associated pre-school or institution for the care and maintenance of children.		
Electricity substation	 Means— (a) works for the conversion, transformation or control of electricity by 1 or more transformers, or by any switchgear or other equipment; or (b) any equipment, building, structure or other works ancillary to or associated with works referred to in paragraph (a), other than any such works— (i) that are mounted on a pole; or (ii) that are wholly enclosed in a weather-proof enclosure not exceeding 8.5m³; or (iii) that are incidental to any lawful use of the land which the works are situated. 		
Farming	Means cropping, grazing or low intensity animal husbandry.	Cropping; Grazing;	Animal keeping; Commercial forestry; Horse keeping;

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
		Low intensity animal husbandry.	Horticulture; Intensive animal husbandry; Mushroom production.
Fuel depot	Means land used primarily for the storage of petrol, gas, oils or other petroleum products and within or upon which no retail trade is conducted.		
General industry	Means any industry other than a light industry or special industry.		
Group dwelling	Means 1 of a group of 2 or more detached buildings, each of which is used as a dwelling and 1 or more of which has a site without a frontage to a public road or to a road proposed in a plan of land division that is the subject of a current development authorisation.		
Horse keeping	Means the keeping or husbandry of horses where more than 1 horse is kept per 3ha of land used for such purposes.		
Horticulture	Means the use of land for market gardening, viticulture, floriculture, orchards, wholesale plant nurseries or commercial turf growing.		Commercial forestry; Mushroom production.
Hotel	Means premises licensed, or proposed to be licensed, as a hotel under the <i>Liquor</i> <i>Licensing Act 1997.</i>		
Indoor recreation facility	Means a building designed or adapted primarily for recreation or fitness pursuits.	Bowling alley; Squash courts; Fitness centre; Gymnasium; Pilates Studio; Yoga Studio; Dance studio; Indoor swimming centre;	

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
		Indoor trampoline centre; Indoor rock climbing centre; Indoor children's play centre.	
Industry	 Means the carrying on, in the course of a trade or business, of any process (other than a process in the course of farming or mining) for, or incidental to: (a) the making of any article, ship or vessel, or of part of any article, ship or vessel; or (b) the altering, repairing, ornamenting, finishing, assembling, cleaning, washing, packing, bottling, canning or adapting for sale, or the breaking up or demolition, of any article, ship or vessel; or (c) the getting, dressing or treatment of materials The use may include: (d) selling by wholesale of goods manufactured on site (e) selling by retail of goods manufactured on site provided the total floor area occupied for such sale does not exceed 250 square metres (and <i>industrial</i> will be construed accordingly). 	General industry; Light industry; Special industry.	
Intensive animal husbandry	Means the commercial production of animals or animal products where the animals are kept in enclosures or other confinement and their main	Broiler shed; Feedlot; Poultry hatchery; Piggery; Poultry battery.	Animal keeping; Apiculture; Aquaculture; Horse keeping;

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
	food source is introduced from outside the enclosures or area of confinement in which they are kept.		Low intensity animal husbandry; Stock sales yard.
Landfill	Land used for the receipt and controlled disposal of refuse through burial and/or spreading over land.		
Light industry	 Means an industry where the process carried on, the materials and machinery used, the transport of materials, goods or commodities to and from the land on or in which (wholly or in part) the industry is conducted and the scale of the industry does not: (a) detrimentally affect the amenity of the locality or the amenity within the vicinity of the locality or the amenity within the vicinity of the locality by reason of the establishment or the bulk of any building or structure, the emission of noise, vibration, smell, fumes, smoke, vapour, steam, soot, ash, dust, waste water, waste products, grit, oil, spilled light, or otherwise howsoever; or (b) directly or indirectly, cause dangerous or congested traffic conditions in any nearby road. 		
Low intensity animal husbandry	Means the commercial production of animals or animal products (eg meat, wool) on either native or improved pastures or vegetation where the animal's main food source is obtained by grazing or foraging.	Grazing;	Animal keeping; Aquaculture; Horse keeping; Intensive animal husbandry.

Land Use Term (Column A)	Definition (Column B)	Includ es (Column C)	Excludes (Column D
Motor repair station	Means any land or building used for carrying out repairs (other than panel beating or spray painting) to motor vehicles and / or farm machinery.		Automotive collision repair
Mushroom production	Means the commercial production of mushrooms or any other type of fungi.		
Office	Means any building used for administration or the practice of a profession.		Consulting room.
Organic waste processing facility	Means the commercial processing of organic waste by composing, mulching, shredding, grinding or similar process into organic material for use as mulch, soil improver, growing medium or the like.		
Outbuilding	Means a non-habitable detached building on the same site as a main building which is ancillary and subordinate to the main building and has a use and function which relates to the main building.		Private bushfire shelter.
Personal or domestic services establishment	Means premises used for the provision of services catering to the personal or domestic needs of customers: Examples — The following		Consulting room; Office; Financial institute.
	are examples of services that may be available at personal and domestic services establishments		
	 (a) clothing repair and alterations; (b) cutting, trimming and styling hair; 		
	(c) domestic pet grooming;(d) manicures and pedicures;		

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
	 (e) non-surgical cosmetic treatments; (f) personal care treatments; (g)self-service clothes laundering; (h)shoe repair; (i) watch repair. 		
Place of worship	Means premises used by an organised group for worship and religious activities. The use may include facilities for social, educational and charitable activities associated with the congregation.	Chapel; Church; Mosque; Synagogue; Temple.	Funeral parlour.
Pre-school	Means a place primarily for the care or instruction of children of less than primary school age not resident on the site.	Child care centre; Early learning centre; Kindergarten; Nursery.	
Protective tree netting structure	 Means netting and any associated structure: (a) that is designed to protect trees or plants grown for the purpose of commercial horticulture; and (b) that consists of a netting canopy attached to a structure (such as poles and cables). 		
Public service depot	Means land used for storage and operations connected with the provision of public services (including gas, electricity, water supply, sewerage, drainage, roadworks or telecommunication services) by a body responsible for the provision of those services.		
Recreation area	Means any park, garden, children's playground or sports ground that is under the care, control and	Outdoor public sports courts; Public ovals and fields.	Golf course.

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
	management of the Crown, or a council, and is open to the public without payment of a charge.		
Renewable energy facility	Means land and/or water used to generate electricity from a renewable source such as wind, solar, tidal, hydropower, biomass and/or geothermal. This use may also include: (a) any associated facility for the storage and/or transmission of the generated electricity;	Battery storage facility; Hydropower or pumped hydropower facility; Solar power facility; Wave power generator; Wind farm.	
	(b) any building or structure used in connection with the generation of electricity.		
	The use does not include a renewable energy facility principally used to supply and/or store electricity to an existing use of land that has a generating capacity less than 5MW (e.g., domestic solar panels, domestic wind generators, domestic battery storage).		
Residential flat building	Means a single building in which there are 2 or more dwellings.		Group dwelling; Row dwelling; Semi-detached dwelling;
Residential park	Means a residential park operating under the regulatory framework of the <i>Residential Parks Act 2007</i> .		Caravan and tourist park;
Restaurant	Means land used primarily for the consumption of meals on the site.		
Retail fuel outlet	 Means land used for: (a) the fuelling of motor vehicles involving the sale by retail of petrol, oil, liquid petroleum 		Fuel depot; Motor repair station.

Land Use Term (Column A)	Definition (Column B)	lncludes (Column C)	Excludes (Column D
	gas, automotive distillate and any other fuels; and		
	 (b) the sale by retail of food, drinks and other convenience goods for consumption on or off the land; and 		
	both are operated as and constitute one integrated facility where on-site facilities, systems and processes, car parking and access and egress are all shared.		
	The use may also include one or more of the following secondary activities:		
	 (c) the washing and cleaning of motor vehicles; 		
	 (d) the washing of other equipment or things including dogs and other pets; 		
	 (e) the provision (on a paid or free basis) of facilities for charging electric vehicles; 		
	(f) the hiring of trailers;		
	 (g) selling of motor vehicle accessories and/or parts; and 		
	 (h) the installation of motor vehicle accessories and/or parts. 		
Retirement facility	Means a facility operating under the regulatory framework of the <i>Retirement</i> <i>Villages Act 2016.</i>		
Row dwelling	Means a dwelling:		
	 (a) occupying a site that is held exclusively with that dwelling and has a frontage to a public road or to a road proposed in a plan of 		

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
	land division that is the subject of a current development authorisation; and		
	 (b) comprising 1 of 3 or more dwellings erected side by side, joined together and forming, by themselves, a single building. 		
Semi-detached	Means a dwelling:		
dwelling	 (a) occupying a site that is held exclusively with that dwelling and has a frontage to a public road or to a road proposed in a plan of land division that is the subject of a current planning authorisation; and 		
	 (b) comprising 1 of 2 dwellings erected side by side, joined together and forming, by themselves, a single building. 		
Service trade premises	Means premises used primarily for the sale, rental or display of:	Motor vehicle showroom; Used car yard.	Bulky goods outlet.
	 (a) basic plant, equipment or machinery used in agriculture or industry; or 		
	(b) boats; or		
	 (c) caravans and recreational vehicles (RVs); or 		
	(d) domestic garages; or		
	(e) sheds; or		
	(f) outbuildings; or		
	(g) motor vehicles; or		
	(h) marquees; or		
	(i) trailers; or		

Land Use Term (Column A)	Definition (Column B)	Includes (Column C)	Excludes (Column D
	 (j) swimming pools, equipment and accessories; or 		
	(k) building materials in bulk supply; or		
	(I) landscaping materials; or		
	 (m) garden plants (primarily in an outdoor setting), or 		
	 (n) agricultural supplies such as agricultural chemicals, fertilisers, seed and animal feed; or 		
	 (o) rainwater tanks and irrigation supplies; 		
	or similar articles or merchandise. The use may also include the servicing and repair of any of the listed items (but not vehicle panel beating or spray painting).		
Shop	 Means: (a) premises used primarily for the sale by retail, rental or display of goods, foodstuffs, merchandise or materials; or (b) a personal or domestic services establishment. 	Bulky goods outlet; Personal or domestic services establishment; Restaurant.	Hotel; Motor repair station; Retail fuel outlet; Service trade premises; Wholesale plant nursery.
Special industry	Means an industry where the processes carried on, the methods of manufacture adopted or the particular materials or goods used, produced or stored, are likely: (a) to cause or create dust, fumes, vapours, smells		

Land Use Term (Column A)	Definition (Column B)	lncludes (Column C)	Excludes (Column D
	 (b) to discharge foul liquid or blood or other substance or impurities liable to become foul, 		
	and thereby:		
	 (c) to endanger, injure or detrimentally affect the life, health or property of any person (other than any person employed or engaged in the industry); or 		
	 (d) to produce conditions which are, or may become, offensive or repugnant to the occupiers or users of land in the locality of or within the vicinity of the locality of the land on which (whether wholly or partly) the industry is conducted. 		
Stock slaughter works	Means a building or part of a building, or land, used primarily for slaughter of stock (including camels, goats and deer) or poultry,		Retail butcher.
	This use may also include:		
	(a) the keeping of animals prior to slaughter on site		
	(b) processing of animal products for human or animal consumption.		
Stock sales yard	Means land or premises used for the commercial conduct of buying and selling of livestock.		Stock slaughter works.
Store	Means a building or enclosed land used for the storage of goods, and within or upon which no trade (whether wholesale or retail) or industry is carried on.		Junk yard; Outbuilding; Public service depot.
Student accommodation	Mean premises used to accommodate students in		Dwelling;

Land Use Term (Column A)	Definition (Column B)	Includ es (Column C)	Excludes (Column D
	room or dormitory style accommodation that is not self-contained and that includes common facilities for shared use by student occupants such as: (a) shared cooking facilities and/or the provision of meals; (b) common rooms and recreation areas; (c) shared laundry facilities or a laundry service; or (d) shared bathroom facilities.		Residential flat building.
Supported accommodation	Means premises in which residential accommodation is provided to persons requiring/together with regular medical and/or personal care assistance.		Hospital; Retirement facility.
Telecommunications facility	Means a facility within the meaning of the <i>Telecommunications Act</i> 1997 of the Commonwealth.		
Tourist accommodation	Means premises in which temporary or short-term accommodation is provided to travellers on a commercial basis.		
Warehouse	Means a building or enclosed land used for the storage of goods and the carrying out of commercial transactions involving the sale of such goods, but does not include any land or building used for sale by retail.		Store.
Wind farm	Means land used to generate electricity from wind force with wind turbine generators. This use may also include: (a) any associated facility for the storage and/or		

Land Use Term (Column A)	Definition (Column B)	l ncludes (Column C)	Excludes (Column D
	 transmission of the generated electricity; (b) any building or structure used in connection with the generation of electricity including a wind turbine, substation, maintenance shed, access road or wind monitoring mast. 		
	The use does not include a wind farm principally used to supply and/or store electricity to an existing use of land (e.g., domestic wind generator).		
Workers' accommodation	 Means premises used to accommodate workers on a temporary basis while they carry out employment: (a) on the same site as the workers' accommodation; (b) in mining or petroleum extraction; (c) in seasonally intensive rural activities such as fruit picking, pruning, animal shearing, meat processing or similar; or 	Mining camp; Road workers camp; Shearing quarters; Railway workers camp;	Tourist accommodation.
	(d) in road and/or railway infrastructure construction.		

Part 8 – Administrative Definitions

The following table lists terms which may be used to assist with the interpretation of policy used in the Planning and Design Code.

Meaning of Terms

A term listed in Column A has the meaning set out beside that term in Column B. Column C contains, where applicable, illustrations to assist with the interpretation of the meaning provided in Column B.

No Definition

A term not defined in the following table will have its ordinary meaning unless the term is defined in the *Planning, Development and Infrastructure Act 2016* or its Regulations (or any relevant practice direction or practice guideline issued by the State Planning Commission) in which case that meaning will apply.

Administrative Definitions Table

Term (Column A)	Definition (Column B)	Illustrations (Column C)	
AEP	Means annual exceedance probability		
AHD	Means Australian height datum.		
Asset protection zone	In relation to bushfire protection, means an area generally clear of vegetation that is maintained to minimise the spread of fire between areas of hazardous vegetation and habitable buildings. Asset protection zones may incorporate features such as driveways, vegetable gardens or landscaped gardens incorporating deciduous trees and fire retardant plant species.	Building Envelope Asset Protection Zone Bushfire Buffer Zone Hazard	

Term (Column A)	Definition (Column B)	Illustrations (Column C)
Battle-axe allotment	 Means an allotment or site that comprises— (a) a driveway or 'handle' (and any related open space) that leads back from a road to the balance of the allotment or site; and (b) a balance of the allotment or site that is the principal part of the allotment or site and that does not have a boundary with a road. 	Principal part of allotment/site boundary PRIMARY STREET Driveway Note: Battle-axe allotments are often referred to as 'hammerhead' or 'flagpole' allotments.
Building height	Means the maximum vertical distance between the lower of the natural or finished ground level at any point of any part of a building and the finished roof height at its highest point, ignoring any antenna, aerial, chimney, flagpole or the like.	
Building level	Means that portion of a building which is situated between the top of any floor and the top of the next floor above it, and if there is no floor above it, that portion between the top of the floor and the ceiling above it. It does not include a floor located 1.5 metres below finished ground level or any mezzanine.	
Building line	In relation to a building on a site, means a line drawn parallel to the wall on the building closest to the boundary of the site that faces the primary street (and any existing projection from the building such as a carport, verandah, porch or bay window is not to be taken to form part of the building for the purposes of determining the relevant wall of the building).	Existing Dwelling Porch, verandah bay window or similar BUILDING LINE BUILDING LINE Site Boundary PRIMARY STREET

Term	Definition	Illustrations (Column C)	
(Column A)	(Column B)	Existing Dwelling Porch, verandah bay window or similar BUILDING UNE BUILDING UNE Site Boundary PRIMARY STREET	
Bushfire buffer zone	In relation to bushfire protection, means an area of land designed to isolate residential allotments from areas that pose a bushfire risk such as areas with rugged terrain or hazardous vegetation.	Building Envelope Asset Protection Zone Bushfire Buffer Zone Hazard	
Defence aviation area	Has the same meaning as in the <i>Defence Act 1903</i> of the Commonwealth.		
Density	In relation to residential development, means the number of dwelling units in a given area. It is calculated by dividing the total number of dwellings by the area of residential land that they occupy (excluding other land uses, roads, public open space, and services).		
FFL	Means finished floor level.		
Gross leasable floor area	Means the total floor area of a building excluding public or common tenancy areas such as malls, hallways, verandahs,		

Term	Definition	Illustrations (Column C)
(Column A)	(Column B)	(Column C)
	public or shared tenancy toilets, common storage areas and loading docks.	
Groundwater	Means water that is naturally contained beneath the surface of the ground.	
Habitable room	Means any room used for domestic purposes other than a bathroom, laundry, toilet, pantry, walk-in wardrobe, corridor, stair, hallway, lobby, clothes drying room or other space of a specialised nature occupied neither frequently nor for extended periods.	
Heritage agreement	In relation to State Heritage, is an agreement that is registered under section 34 of the <i>Heritage Places Act 1993</i> .	
High-density	Means greater than 70 dwelling units per hectare.	
High-rise	In relation to development, means 7 building levels and above.	
Hours of operation	Means the hours that a land use is open to the public or conducting activities related to the land use, not including administration or routine activities normally associated with opening and closing or start up and shut down.	
Low-density	Means less than 35 dwelling units per hectare.	
Low rise	In relation to development, means up to and including 2 building levels.	
Medium-density	Means 35 to 70 dwelling units per hectare.	
Medium-rise	In relation to development, means 3 to 6 building levels.	
Mezzanine	Means an intermediate floor within a building between building levels that is open to the floor below and does not extend over the whole floor space.	
Native vegetation	Has the same meaning as in the Native Vegetation Act 1991.	

Term (Column A)	Definition (Column B)	Illustrations (Column C)
Neighbourhood zone	Means any of the following: City Living Zone Residential Neighbourhood Zone Residential Parks Zone Rural Living Zone Suburban Neighbourhood Zone Suburban Neighbourhood (Medium Density) Zone Suburban Neighbourhood (Low Density) Zone Suburban Neighbourhood (Master-planned) Zone Suburban Neighbourhood (Greenfield) Zone Urban Renewal Zone	
Non-sensitive use	Means use of land other than sensitive use	
Power system	Has the same meaning as in the <i>Electricity Act 1996</i> .	
Primary street	 In relation to an existing or proposed building on a site is— (a) in the case of a site that has a frontage to only 1 road – that road; (b) in the case of a site that has a frontage to 2 roads— (i) if the frontages are identical in length – the road that forms part of the street address of the building, as determined by the council for the relevant area when it is allocating numbers to building and allotments under section 220 of the <i>Local Government Act 1999</i>; or (ii) in any other case, the road in relation to which the site has a shorter frontage; or (c) in any other case, the road that forms part of the street address of the building, as determined by the council for the street address of the building. 	Frontage Only Frontage Only Fisting Allotment Fisting Allotment One Street Frontage & Also the Property Address FIRMARY FIREET Square Shaped Allotment Fisting Square Shaped Allotment Fisting Square Shaped Square Shaped of (b) (i)

Term	Definition	
(Column A)	(Column B)	Column C) One Street Frontage Only PRIMARY STREET Existing Allotment Description Street Frontage Matching the Property Address Matching the Property Address Staped allotment Matching the Property Address Matching the Property Address Matching the Property Address Matching the Property Address Matching the Property Address Staped allotment Matching the Property Address Property Address Staped Allotment Matching the Property Address Property Addre
Private open space	Means an outdoor area associated with a dwelling that:(a) is for the exclusive use of the occupants of that dwelling;	
	(b) has a minimum dimension of 1.8 metres; and	
	(c) is not fully enclosed.	
	Private open space may include balconies, terraces, decks and areas between the dwelling and side boundaries but does not include areas used for bin storage, laundry drying,	

Term (Column A)	Definition (Column B)	Illustrations (Column C)
	rainwater tanks, utilities, driveways and vehicle parking areas.	
Proclaimed shipwreck	Means-	
	(a) a historic shipwreck or historic relic within the meaning of the <i>Historic Ship</i> wr <i>ecks Act 1981</i> ; or	
	(b) a historic shipwreck or historic relic within the meaning of the <i>Historic Shipwrecks Act 1976</i> (Commonwealth).	
Secondary street	In relation to a building is any road, other than the primary street, that shares a boundary with the allotment on which the building is situated (or to be situated).	
Sensitive receiver	Means: (a) any use for residential purposes or land zoned primarily for residential purposes;	
	(b) pre-school;	
	(c) educational establishment;	
	(d) hospital;	
	(e) supported accommodation;	
	(f) tourist accommodation.	
Sensitive use	Has the same meaning as in the <i>Environment Protection Act</i> 1993.	
Site	Means the area of land (whether or not comprising a separate or entire allotment) on which a building is built, or proposed to be built, including the curtilage of the building, or in the case of a building comprising more than 1 separate occupancy, the area of land (whether or not comprising a separate or entire allotment) on which each occupancy is built, or proposed to be built, together with its curtilage.	
Soft-landscaping	Means landscaped areas that are pervious and capable of supporting the growth of plant species. It does not include	

Term	Definition (Column B)	Illustrations (Column C)
(Column A)	any form of pervious paving or paved/hardstand areas used for pedestrian and/or vehicle movement.	
South	Means—true south.	
South facing	In relation to building orientation, a side wall is south facing if the wall is orientated anywhere between E20°N/W20°S and E30°S/W30°N.	Wall Jord Jord Wall F Stample of south facing walls.
Standard sea flood risk level	Means the 1% AEP sea flood level (tide, stormwater and associated wave effects combined), plus an allowance to accommodate 100 years of land subsidence.	
Tangent point	Means the end point of a road's curve at the point of intersection.	• Tangent Point • Exclusion Area
Terrace arrangement	Means a group of 3 or more detached dwellings erected side by side and abutting each other but not joined by way of a party wall or party walls.	

Term (Column A)	Definition (Column B)	Illustrations (Column C)
Total floor area	Means the sum of the superficies of horizontal sections of a building or other roofed area made at the level of each floor, inclusive of all roofed areas and of the external walls and of such portions of any party walls as belong to the building.	
Wall height	Means the height of the wall measured from the top of its footings but excluding any part of the wall that is concealed behind an eave or similar roof structure and not visible external to the land.	
Waste	Means waste within the meaning of the <i>Environment</i> <i>Protection Act 1993.</i>	

Part 9 – Referrals

Notes- Additional Referrals

Additional referrals to those specified below are contained within Overlays within the Planning and Design Code

Notes- Additional Referrals

Additional referrals to those specified below are contained within Overlays within the Planning and Design Code

Part 9.1 Referral Body: Environment Protection Authority

In relation to Part 9(1):

Community wastewater management system (CWMS) means a system for the collection and management of wastewater generated in a town, regional or other community.

Liquid waste means waste classified as liquid waste in accordance with the assessment process set out in the guideline Liquid waste classification test, re-issued by the Environment Protection Authority in September 2003; as defined in Schedule 1 of the *Environment Protection Act 1993*.

Listed waste means a substance or thing listed in Part B of Schedule 1 of the Environment Protection Act 1993.

Medical waste has the same meaning as in the *Environment Protection (Waste to Resources) Policy 2010.*

Prescribed approved activity – means:

- (a) the on-site storage or disposal of domestic waste;
- (b) a regulated beverage container activity;
- (c) a regulated drop-off station for e-waste;
- (d) the temporary on-site storage of waste (other than tyre waste) while awaiting transport to another place;
- (e) incineration by way of thermal oxidation using fuel burning equipment for the disposal of solid trade waste with a processing capacity not exceeding 100 kilograms per hour;
- (f) the storage or disposal of tyre waste in a manner approved by the Environment Protection Authority;
- (g) the disposal of human wastewater or sewage to land in a manner approved by the Environment Protection Authority.

Quarantine waste means waste that is subject to quarantine under the Quarantine Act 1908 of the Commonwealth.

River Murray Protection Area means a River Murray Protection Area under the *River Murray Act 2003*.

Treatment is taken to have the same meaning as defined in section 3(1) as in the *Environment Protection Act 1993*.

Waste has the same meaning as in the Environment Protection Act 1993.

Wastewater means waste principally consisting of water and includes-

- (a) human wastewater;
- (b) sewage;
- (c) water containing food or beverage waste;
- (d) wash down water or cooling water;
- (e) irrigation runoff or contaminated stormwater;
- (f) water containing any other trade waste or industrial waste;
- (g) any other water that has been used in any form of human activity;
- (h) a combination of any 1 or more of the above.

Water protection area has the same meaning as in the Environment Protection Act 1993.

Referral Body: Environment Protection Authority				
Referral Category	Development type	Referral triggers	Policies relevant to the referral	Purpose of referral
Site contamination	 Change in use of land to sensitive use or more sensitive use, except where— (a) a site contamination audit report under Part 10A of the Environment Protection Act 1993 has, within 5 years of the application, been 	A change to a <i>more sensitive use</i> of land (including following its subdivision) at which <i>site</i> <i>contamination</i> exists or may exist as a result of a <i>class 1 potentially</i> <i>contaminating activity</i> listed in a Practice Direction (including <i>site</i> <i>contamination</i> caused by such an activity conducted on <i>adjacent</i> <i>land</i> , or on <i>other land</i> identified	Site Contamination General Development Provisions	To ensure an appropriate and proportionate assessment of potential site contamination by providing direction to the relevant authority on the most

	 prepared in relation to the land; and (b) the report clearly states that— (i) site contamination does not exist (or no longer exists) at the land; or (ii) the land is suitable for the proposed use or range of uses (without the need for any further remediation); or (iii) where remediation is or remains necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented as part of the application); and (c) no class 1 or 2 potentially contaminating activities (as identified in a Practice Direction) have taken place at the land since the preparation of the report. 	on the SA Planning Portal that is known to impact the subject site). A change from: (a) a non-sensitive use to a sensitive use; or (b) from a sensitive use to a more sensitive use on land at which site contamination exists or may exist as a result of a class 2 potentially contaminating activity listed in a Practice Direction (including site contamination caused by such an activity conducted on adjacent land, or on other land identified on the SA Planning Portal that is known to impact the subject site). A change in use of the land (including following its subdivision) that is the subject of a notation under section 103P of the Environment Protection Act 1993 (i.e. a site contamination audit report has been prepared in respect of the land) to a more sensitive use.		appropriate person to determine site suitability (ie site contamination consultant or site contamination auditor).
Energy generation and storage facilities	Wind farms	Development that involves the establishment of a wind farm where 1 or more wind turbine generators (whether or not located on the same site) are	Section 57 of Environment Protection Act 1993 sets out criteria to be considered by the EPA	To provide expert technical assessment and direction to the relevant authority on the assessment of the

	used to generate electricity that is then supplied to another person for use at another place.	in relation to the assessment of development applications. This	potential harm from pollution and waste aspects arising from activities of
Energy recovery from waste	Development involving energy recovery from <i>waste</i> , including <i>anaerobic digestion</i> and thermal activities such as <i>direct</i> <i>combustion</i> , <i>pyrolysis</i> and <i>gasification</i> used to generate gas, heat, electricity or a combination. In this referral trigger:	head power also links to other statutory criteria in the <i>Environment</i> <i>Protection (Air</i> <i>Quality) Policy 2016,</i> <i>Environment</i> <i>Protection (Noise)</i> <i>Policy 2007,</i>	environmental significance and other activities that have the potential to cause serious environmental harm.
	<i>anaerobic digestion</i> involves a series of processes in which microorganisms break down biodegradable material to biogas in the absence of oxygen	Environment Protection (Waste to Resources) Policy 2010 and the Environment Protection (Water	
	<i>direct combustion</i> involves burning in excess oxygen (from air) to produce heat or release energy contained in the fuel	Quality) Policy 2015.	
	<i>pyrolysis</i> involves the thermo- chemical decomposition of organic or inorganic material- for example synthetic tyres – at elevated temperatures in the absence of oxygen		
	<i>gasification</i> of waste is a process that converts organic or fossilised organic material such as coal, at		

	elevated temperatures and with controlled amounts of oxygen, into a synthetic gas (syngas)	
Energy generation and storage	Development involving an electricity generating plant or energy storage facility (other than a battery storage facility) using any other energy source (excluding <i>fuel burning</i> and solar photovoltaic) with a capacity to generate or store 30 megawatts (MW) or more that is to be connected to the State's <i>power</i> <i>system</i> .	
	In this referral trigger:	
	<i>battery storage facility</i> means a facility for the purpose of 1 or more batteries that are capable of being charged, storing energy and discharging in into the State's power system	
	<i>electricity generating plant</i> means electricity generating plant within the ambit of paragraph (a) of the definition of electricity infrastructure in section 4(1) of the <i>Electricity Act 1996</i>	

		<i>power system</i> has the same meaning as in the <i>Electricity Act</i> 1996
Petroleum and Chemical	Chemical storage and warehousing facilities	The storage or warehousing of chemicals or chemical products that are, or are to be, stored or kept in bulk or in containers having a capacity exceeding 200 litres at facilities with a total storage capacity exceeding 1,000 cubic metres.
	Chemical works	 The conduct of: (a) works with a total processing capacity exceeding 10 tonnes per year, involving either or both of the following operations: (i) manufacture (through chemical reaction) of any inorganic chemical, including sulphuric acid, inorganic fertilisers, soap, sodium silicate, lime or other calcium compound; (ii) manufacture (through chemical reaction) or processing of any organic chemical product or petrochemical, including the separation of such materials into different

	products by distillation or other means; or (b) works with a total processing capacity exceeding 5,000 tonnes per year involving operations for salt production.
Coke works	The production, quenching, cutting, crushing and grading of coke.
Hydrocarbon storage or production works	 The conduct of works or a facility: (a) for the storage of hydrocarbon or hydrocarbon products in tanks that, in aggregate, have a storage capacity exceeding 100m³; or (b) for the production of hydrocarbon or hydrocarbon products, being works having a total capacity exceeding 20 tonnes per hour.
Petrol stations	 The conduct of a petrol station, being a facility for the storage and retail sale of petroleum products or other liquid organic chemical substances In this referral trigger: <i>petroleum product</i> has the same meaning as in the <i>Petroleum Products Regulation Act 1995</i>.

	Timber preservation works	The conduct of works for the preservation of timber by chemicals, but excluding the preservation by a primary producer of timber for use in the course of primary production carried on by the producer.
Manufacturing and Mineral Processing	Abrasive blasting	The cleaning of materials by the abrasive action of any metal shot or mineral particulate propelled in a gaseous or liquid medium (otherwise than solely by using blast cleaning cabinets less than 5m ³ in volume or totally enclosed automatic blast cleaning units).
	Hot mix asphalt preparation	The conduct of works at which crushed or ground rock aggregates are mixed with bituminous or asphaltic materials (by heating in a furnace, kiln or other fuel fired plant) for the purposes of producing road building mixtures.
	Cement works	The conduct of works for the use of <i>argillaceous</i> and <i>calcareous</i> materials in the production of cement clinker or the grinding of cement clinker.
		In this referral trigger:
		<i>argillaceous</i> means having to do with or resembling clay

	<i>calcareous</i> means having to do with calcium carbonate	
Ceramic works	The conduct of works for the production of any products such as bricks, tiles, pipes, pottery goods, refractories, or glass that are manufactured or are capable of being manufactured in furnaces or kilns fired by any fuel, being works with a total capacity for the production of such products exceeding 100 tonnes per year.	
Concrete batching works	The conduct of works for the production of concrete or concrete products that are manufactured or are capable of being manufactured by the mixing of cement, sand, rock, aggregate or other similar materials, being works with a total capacity for production of such products exceeding 0.5m ³ per production cycle.	
Drum reconditioning or treatment works	The conduct of works for the cleaning, repairing, reconditioning or other treatment of metal or plastic drums or containers for the purposes of their reuse, including any associated storage facility.	

Ferrous and non-ferrous metal melting	 the melting of ferrous or non-ferrous metal in a furnace or furnaces that alone or in aggregate have the capacity to melt- (a) in excess of 50 but not in excess of 500 kilograms of metal during the normal cycle of operation but excluding facilities more than 500m from residential premises not associated with the works; or (b) in excess of 500 kilograms of metal during the normal cycle of operation.
Metallurgical works	The conduct of works at which ores are smelted or reduced to produce metal.
Mineral works	The conduct of works for processing mineral ores, sands or earths to produce mineral concentrates.
Pulp or paper works	The conduct of works at which paper pulp or paper is manufactured or is capable of being manufactured, being works with a total capacity for production of such products exceeding 10 tonnes per year
Surface coating	The conduct of:(a) works for metal finishing, in which metal surfaces are prepared or finished by

	 means of electroplating, electrolyse plating, anodising (chromating, phosphating and colouring), chemical etching or milling, or printed circuit board manufacture, being works producing more than 5 kilolitres per day of effluent; or (b) works for hot dip galvanising; or (c) works for spray painting or powder coating with a capacity to use more than 100 litres per day of paint or 10kg per day of dry powder. 	
Timber processing works	The conduct of works (other than works at a builders supply yard or a home improvement centre) at which timber is sawn, cut, chipped, compressed, milled or machined, being works with a total processing capacity exceeding 4,000m ³ per year.	
Maritime construction works	The conduct of works for the construction or repair of ships, vessels or floating platforms or structures, being works with the capacity to construct or repair ships, vessels or floating platforms or structures of a mass exceeding 80 tonnes.	
Vehicle production	The conduct of works for the production of motor vehicles,	

Fibre-reinforced plastic manufacturing	 being works with a production capacity exceeding 2,000 motor vehicles per year. The conduct of facilities for the purposes of manufacturing fibre- reinforced plastic products, but excluding facilities more than 300m from residential premises
Resource Waste recovery <i>(excluding a</i>	not associated with the facility.
recovery,	prescribed approved activity)
Waste disposal and related activities	 The conduct of a <i>waste recovery facility</i>, being a depot, works or facility (including, but not limited to, a transfer station or material recovery facility) that, during a 12 month period, receives for <i>preliminary treatment</i>, or has the capacity for the <i>preliminary treatment</i> of: (a) more than 100 tonnes of solid waste or matter; or (b) more than 100 kilolitres of liquid waste or matter, prior to its transfer elsewhere for lawful reuse, further treatment or disposal but excluding a prescribed approved activity or an activity in respect of which the Environment Protection Authority is satisfied, having regard to prescribed factors, that a referral is not necessary and has provided

	written confirmation of this to the relevant authority.
	In this referral trigger:
	<i>preliminary treatment</i> of waste or matter, includes sorting, aggregating, compacting, baling or packaging the waste or matter as defined in Schedule 1 of the <i>Environment Protection Act 1993</i> .
Waste reprocessing (exclud	ling a prescribed approved activity)
Composting works	 Being a depot, facility or works with the capacity to treat, during a 12 month period- (a) in the case of works located wholly or partly within a water protection area - more than 200 tonnes of organic waste or matter; or (b) in the case of works located wholly outside of a water protection area - more than 1,000 tonnes of organic waste or matter, for the production of compost, but excluding an activity in respect of which the Environment Protection

	written confirmation of this to the relevant authority.
Scrap metal treatment works	Being a depot, facility or works for the treatment of scrap metal (by processes involving electrically heated furnaces or other fuel burning equipment or by mechanical processes), but excluding an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority.
Tyre waste treatment works	Being a depot, facility or works with the capacity to treat more than 5 tonnes of <i>tyre waste</i> during a 12 month period, but excluding an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority.
	In this referral trigger: <i>tyre waste</i> means waste comprised of tyres or tyre pieces as defined in Schedule 1 of the <i>Environment Protection Act 1993.</i>

Waste lead acid battery treatment works	Being a depot, facility or works with the capacity to treat more than 500 waste lead acid batteries during a 12 month period, but excluding an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority.
Waste reprocessing facility	 Being a depot, works or facility other than a depot, works or facility specified in a preceding paragraph) that, during a 12 month period, receives or has the capacity to treat: (a) more than 100 tonnes of solid waste or matter; or (b) more than 100 kilolitres of liquid waste or matter, for the production of energy or materials that are ready for use (without requiring further treatment), but excluding an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority.

Waste disposal (excluding a	Waste disposal (excluding a prescribed approved activity)	
Landfill depot	Being a depot, facility or works for the disposal of waste to land, but excluding an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority.	
Liquid waste depot	Being a depot, facility or works for the reception and disposal of liquid waste, or the reception, treatment and disposal of liquid waste, but excluding an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority.	
Incineration depot	Being a depot, facility or works for the disposal, by incineration, pyrolysis or gasification by high temperature chemical decomposition, or thermal oxidation using fuel burning equipment, of solid waste, a listed waste or quarantine waste, but excluding:	

	necessary and has provided written confirmation of this to the relevant authority.	
Activities involving listed wastes		
Activity producing listed waste	 the conduct of an activity in which a <i>listed waste</i> is produced as waste or becomes waste, but excluding the following: (a) a domestic activity; (b) retail pharmacy; (c) medical practice (other than the practice of pathology); (d) nursing practice; (e) dental practice; (f) veterinary practice; (g) the conduct of a nursing home or other residential aged care facility; (h) the conduct of an immunisation clinic; (i) the conduct of a hospital with capacity of fewer than 40 beds; or (j) a prescribed industrial activity; (k) an activity in which the waste produced is lawfully disposed of to a sewer; (l) an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority. 	

In this referral trigger:	
proscribed industrial activity	
•	
0	
	In this referral trigger: prescribed industrial activity — means: (a) building work; (b) carpentry or joinery; (c) film processing; (d) plumbing or gas fitting; (e) dry cleaning; (f) primary or secondary school education; (g) agriculture or horticulture; (h) french polishing; (i) manufacturing jewellery; (j) painting or decorating; (k) panel beating and associated spray painting; (l) an activity that results in the production of less than 50 000 litres of waste oil per year; (m) an activity authorised by a lease or licence under the <i>Mining Act 1971</i> , the <i>Petroleum and Geothermal</i> <i>Energy Act 2000</i> or the <i>Roxby</i> <i>Downs (Indenture Ratification)</i> <i>Act 1982</i> where the waste is lawfully disposed of to land and contained within the area of the lease or licence; (n) an activity authorised by a lease under the <i>Mining Act</i> <i>1971</i> where the waste is lawfully disposed of to land and contained within the area

	licence under that Act adjacent to the area of the lease.	
Reception or stora waste	 ge of listed The conduct of a depot, facility or works for the reception or storage of a <i>listed waste</i>, but excluding the following: (a) the temporary on-site storage of such waste while awaiting transport to another place; (b) an activity consisting only of storing or distributing goods, in respect of which the Environment Protection Authority is satisfied, having regard to prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority; (c) the reception or storage by a council or hospital of medical waste produced in the course of a prescribed medical activity; (d) the reception or storage by a retail pharmacy of personal sharps waste, pharm<i>aceutical waste</i> or other medical waste, in connection with a return system for such waste. 	
	<i>personal sharps waste</i> means medical sharps that have been	

	used in a domestic situation for medical purposes;	
	<i>pharmaceutical waste</i> means waste comprised of medicines or other pharmaceutical products;	
	<i>prescribed medical activity</i> — means: (a) a medical practice other	
	than— (i) medical practice at a hospital; or (ii) the practice of pathology; (b) nursing practice other than at	
	a hospital; (c) dental practice other than at a hospital; (d) operating a nursing home; or (e) veterinary practice;	
	(f) operating a hospital with a capacity of less than 40 beds;(g) operating an immunisation clinic.	
Treatment of listed waste	The conduct of a depot, facility or works for the treatment of a <i>listed</i> <i>waste</i> , or <i>wastewater</i> containing a listed waste, by immobilising,	
	stabilising or sterilising the waste by any process (before its further treatment or disposal), but	
	excluding an activity in respect of which the Environment Protection Authority is satisfied, having	
	regard to the prescribed factors	

		that a referral is not necessary and has provided written confirmation of this to the relevant authority.
Activities in Specified Areas	Brukunga Mine Site	The management of the abandoned Brukunga mine site and associated acid neutralisation plant situated adjacent to Dawesley Creek in the Mount Lofty Ranges.
	Discharge of stormwater to underground aquifer	 Discharge of stormwater from a catchment area exceeding 1 hectare to an underground aquifer by way of a well or other direct means where the stormwater drains to the aquifer from- (a) land or premises on which a business is carried on in the council area of the City of Mount Gambier; or (b) a stormwater drainage system in the council area of the City of the City of Mount Gambier; or (c) a stormwater drainage system in Metropolitan Adelaide.
Animal husbandry, Aquaculture and other activities	Feedlots	carrying on an operation for holding in A confined yard or area and feeding principally by mechanical means or by hand- (a) not less than an average of 500 cattle, or 4,000 sheep or

	 goats per day over any period of 12 months; or (b) where the yard or area is situated in a water protection area - not less than an average of 200 cattle, or 1,600 sheep or goats per day over any period of 12 months, but excluding any such operation carried on at an abattoir, slaughterhouse or saleyard or for the purpose only of drought or other emergency feeding.
Aquaculture or Fish Farming	The land based propagation or rearing of marine, estuarine or fresh water fish or other marine or freshwater organisms that involves the discharge of wastewater into marine or inland waters, or onto land but excluding where wastewater is discharged to an approved wastewater management system.
Saleyards	The commercial conduct of yards at which cattle, sheep or other animals are gathered or confined for the purpose of their sale, auction or exchange, including associated transport loading facilities, being yards with a throughput exceeding 50,000 sheep equivalent units per year [sheep equivalent units: 1 sheep

	or goat = 1 unit, 1 pig (< 40kg) = 1 unit, 1 pig (> 40kg) = 4 units, 1 cattle (< 40kg) = 3 units, 1 cattle (40-400kg) = 6 units, 1 cattle (> 400kg) = 8 units].
Piggeries	 The conduct of a piggery (being premises having confined or roofed structures for keeping pigs) with a capacity of- (a) in the case of a piggery located wholly outside of a water protection area- 1,300 or more standard pig units; or (b) in the case of a piggery located wholly or partly within a <i>water protection area-</i> 130 or more standard pig units.
	In this referral trigger:
	 standard pig units is a unit of measurement of pigs determined- (a) by reference to clause 4.3 of the National Environmental Guidelines for Piggeries 2010 (second edition (revised)) prepared by Australian Pork Limited; or (b) in a manner approved by the Environment Protection Authority and published on a website determined by the Environment Protection Authority.

	Poultry farms	The keeping of poultry in confined or roofed structure(s) exceeding 1,000m ² .
	Dairies	Carrying on of a dairy with a total processing capacity exceeding more than 100 milking animals at any 1 time in a <i>water protection area</i> .
Food production and animal and plant product processing	Meat processing works	 The conduct of slaughtering works for commercial purposes for the production of meat or meat products for human or animal consumption, being works- (a) in the case of poultry or poultry meat products at a rate of production exceeding 100 tonnes per year; or (b) in the case of any other animal meat or animal meat or production at a rate of production exceeding 50 tonnes per year.
	Breweries and cideries	The conduct of works for the production of beer, cider or any other alcoholic beverage (excluding wine and spirits) by infusion, boiling or fermentation, being works with a production capacity exceeding 5,000 litres per day.

Fish processing	 The conduct of works for scaling, gilling, gutting, filleting, freezing, chilling, packing or otherwise processing fish (as defined in the <i>Fisheries Management Act 2007</i>) for sale, but excluding: (a) works with a processing output of less than 100 tonnes per year where wastewater is disposed of to a sewer or CWMS; or (b) works with a processing output of less than 2 tonnes per year where wastewater is disposed of otherwise than to a sewer or CWMS; or (c) processing of fish only in the course of a business of selling fish by retail. 	
Milk processing works	The conduct of works at which milk is separated, evaporated or otherwise processed for the manufacture of evaporated or condensed milk, cheese, butter, ice cream or other similar dairy products, being works at which milk is processed at a rate exceeding 5ML per year.	
Produce processing works	 The conduct of works for processing any agricultural crop material being: (a) works for the processing of agricultural crop material by deep fat frying, roasting or drying through the 	

	 application of heat with a processing capacity exceeding 30kg per hour, or; (b) works at which more than 10ML of wastewater is generated per year and disposed of otherwise than to a sewer or CWMS.
Rendering and fat extraction works	The conduct of works at which animal, fish or grease trap wastes or other matter is processed or is capable of being processed by rendering or extraction or by some other means to produce tallow or fat or their derivatives or proteinaceous matter, being works with a total processing capacity exceeding 25 kg per hour.
Curing or drying works	 the conduct of works at which meat, fish or other edible products are smoked, dried or cured by the application of heat or smoke: (a) with a total processing capacity exceeding 25 but not exceeding 250kg per hour excluding works more than 200m from residential premises not associated with the works; or (b) with a total processing capacity exceeding 250kg per hour.

	Tanneries or fellmongeries	 The conduct of works for the commercial preservation or treatment of animal skins or hides being works processing more than 5 tonnes of skins or hides per year, but excluding- (a) the processing of skins or hides by primary producers in the course of primary producers in the course of primary production activities outside township areas; or (b) the processing of skins or hides in the course of taxidermy.
	Woolscouring or wool carbonising works	The conduct of works for the commercial cleaning or carbonising of wool, but excluding cleaning or carbonising of wool in the course of handicraft activities where the wool is further processed for sale by retail.
	Wineries or Distilleries	The conduct of works for the processing of grapes or other produce to make wine or spirits, being works at which more than 50 tonnes of grapes or other produce are processed per year; but excluding—works for bottling only.
Materials handling and transportation	Bulk shipping facilities	The conduct of facilities for bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals

	 to or from any wharf or wharf side facility (including sea-port grain terminals), being facilities handling or capable of handling these materials into or from vessels at a rate: (a) exceeding 10 but not exceeding 100 tonnes per day—excluding facilities more than 300m from residential premises not associated with the facility; or (b) exceeding 100 tonnes per day.
Bulk storage	The conduct of facilities for bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility at a rate exceeding 100 tonnes per day— excluding facilities more than 300m from residential premises not associated with the facility.
Railway operations	 The conduct of any of the following activities associated with a railway: (a) the construction or operation of rail infrastructure; and (b) the operation of rolling stock on a railway; (c) other activities conducted on railway land, (d) but excluding— (e) any activities associated with:

 (i) a railway with a track gauge that is less than 600mm; or (ii) a railway in a mine which is underground or predominantly underground and used in connection with the performance of mining operations; or (iii) a slipway; or (iv) a crane-type runway; or (v) a crane-type runway; or (v) a railway used solely for the purposes of horse-drawn trams; or (vi) a railway used solely for the purposes of static displays; or (vii) a railway at an amusement park used solely for the purposes of an amusement structure or (viii) the transfer of freight into or onto, and unloading of freight from, rolling stock (f) an activity in respect of which the Environment Protection Authority is satisfied, having regard to the prescribed factors, that a referral is not necessary and has provided written confirmation of this to the relevant authority. 	
In this referral trigger:	

 rail infrastructure means infrastructure associated with the operation of a railway and includes (but is not limited to) railway track, associated track structures, over or under track structures, supports, tunnels, bridges, stations, platforms, train control systems, signalling systems, communication systems, electric traction infrastructure and buildings, but does not include any workshop or repair facility; railway means a guided system designed for the movement of rolling stock which has the capability of transporting passengers, freight or both on a railway track, together with its infrastructure and associated sidings or crossing, or passing loops, and includes a railway in a marshalling yard or a passenger or freight terminal; 	
 <i>railway land</i> means— (a) land within a rail corridor or rail reserve, including any associated sidings; and (b) railway yards; and (c) other land over which a railway track passes; <i>rolling stock</i> means a vehicle (whether or not self-propelled) that operates on or uses a railway track, but does not include a 	

	vehicle designed to operate both on and off a railway track when the vehicle is not operating on a railway track. Examples—A locomotive, carriage, rail car, rail motor, light rail vehicle, train, tram, light inspection vehicle, road/rail vehicle, trolley, wagon.
Crushing, grinding or milling	 Processing (by crushing, grinding, milling or separating into different sizes by sieving, air elutriation or in any other manner) of- (a) chemicals or rubber at a rate: (i) in excess of 1 but not in excess of 100 tonnes per year excluding facilities more than 500m from residential premises not associated with the facility; or (ii) in excess of 100 tonnes per year; or (b) agricultural crop products at a rate: (i) in excess of 500 but not in excess of 500 tonnes per year, but excluding facilities more than 300m from residential premises not associated with the facility; or

	 but excluding non- commercial processing for on farm use; or (c) rock, ores or minerals at a rate: (i) in excess of 100 but not in excess of 1,000 tonnes per year, but excluding facilities more than 500m from residential premises not associated with the facility; or (ii) in excess of 1,000 tonnes per year; but excluding processing of wet sand. 	
Dredging	 The conduct of capital dredging being: the excavation of more than 10m³ of material from the bed of any marine or inland waters by any digging, cutting, suction or any other means and any associated disposal of dredged material to land or waters, but excluding: (a) maintenance dredging; (b) works associated with the establishment of a visual aid; or (c) any lawful fishing or recreational activity. In this referral trigger: 	

	 <i>marine waters</i> has the same meaning as in Section 3 of <i>Environment Protection Act 1993</i>. <i>maintenance dredging</i> means the excavation of material from the bed of any marine or inland waters by any digging, cutting, suction or any other means for the purpose of maintaining a
	previously dredged (approved) depth, width and area in marine or inland waters.
Coal handling and storage	The handling of coal or carbonaceous material by any means or the storage of coal, coke or carbonaceous reject material at facilities with a total handling capacity exceeding 100 tonnes per day or a storage capacity exceeding 5,000 tonnes.
Extractive industries	The conduct of operations involving extraction, or extraction and processing (by crushing, grinding, milling or separating into different sizes by sieving, air elutriation or any other manner), of sand, gravel, stone, shell, shale, clay or soil, being operations with an extraction production rate exceeding 100,000 tonnes per year.

Other	Aerodromes	 The conduct of facilities for commercial or charter aircraft take-off and landing, being facilities estimated to be used for: (a) more than 200 flight movements per year but excluding facilities more than 3km from residential premises not associated with the facilities; or (b) more than 2 000 flight movements per year in any case. 	
	Fuel burning	 The conduct of works or facilities involving the use of fuel burning equipment, including flaring (other than flaring at hydrocarbon storage or production works that do not have a total storage capacity or total production rate exceeding the levels respectively specified in 'Hydrocarbon storage or production works') or incineration, where the equipment alone or in aggregate is capable of burning combustible matter-(a) a rate of heat release exceeding 5MW; or (b) at a rate of heat release exceeding 500KW and the products of combustion are used: (i) to stove enamel; or (ii) to bake or dry any substance that on heating releases dust or air impurities. 	

Helicopter landing facilities	 The conduct of facilities designed for the arrival and departure of helicopters, but excluding: (a) facilities that are situated more than 3km from residential premises not associated with the facilities; or (b) facilities at the site of an activity authorised under the Mining Act 1971, the Petroleum and Geothermal Energy Act 2000, the Petroleum (Submerged Lands) Act 1982 or the Roxby Downs (Indenture Ratification) Act 1982.
Marinas and boating facilities	 The conduct of facilities comprising pontoons, jetties, piers or other structures (whether on water or land) designed or used to provide moorings or dry storage for: (a) 50 or more powered vessels at any 1 time; or (b) works for the repair or maintenance of vessels with the capacity to handle 5 or more vessels at any one time or vessels 12m or more in
Motor racing or testing venues	The conduct of facilities designed and used for motor vehicle competitions or motor vehicle speed or performance trials, but

	excluding facilities that are situated more than 3km from residential premises not associated with the facilities.	
Shooting ranges	The conduct of facilities for shooting competitions, practice or instruction (being shooting involving the propulsion of projectiles by means of explosion), but excluding facilities that are situated more than 3km from residential premises not associated with the facilities.	
Desalination plants	 The conduct of a desalination plant that has a production capacity exceeding 200 kilolitres of desalinated water per day, and includes- (a) an underground desalination plant; and (b) a number of underground desalination plants within any 1 square kilometre area that, in aggregate, have a production capacity exceeding 200 kilolitres of desalinated water per day, but does not include- (c) a plant that disposes of all of its wastewater management system that is the subject of a licence; or 	

	 (b) the total volume of the discharges exceeds 50kl per day. 	
Saline water discharge	An activity involving the discharge to land, surface water or underground water of more than 0.5MI of water per day containing more than 1 500mg of total dissolved solids per litre.	
Cremation or incineration of human or animal remains	The conduct of a facility for the cremation or incineration of human or animal remains by means of thermal oxidation using fuel burning equipment.	
	 <i>human or animal remains</i> does not include- (a) medical waste; or (b) cytotoxic wastes; or (c) quarantine waste 	
	<i>Cytotoxic wastes</i> means waste that is toxic to living things.	
Land Division	Land division creating 1 or more additional allotments for residential purposes within 500 metres of land used as a landfill waste depot.	To provide expert technical assessment and advice to the relevant authority on the appropriateness of further residential opportunities being

		established within close proximity to landfill waste depots, due to potential health and safety
		impacts.

Part 9.2 Referral Body: The Minister responsible for the administration of the Natural Resources Management Act 2004

Referral Body: The Minister responsible for the administration of the Natural Resources Management Act 2004

Referral Category	Development Type	Purpose of referral
Dams	Except where located within the River Murray Protection Area Overlay, development comprising the erection, construction, modification, enlargement or removal of a dam, wall or other structure that will collect or divert, or collects or diverts water:	To provide expert assessment and direction to the relevant authority on potential impacts from development on the health, sustainability and/or natural flow paths of water resources.
	 (a) flowing in a watercourse that is not in the Mount Lofty Ranges Catchment (Area 1) Overlay or Mount Lofty Ranges Catchment (Area 2), and 	
	(b) that is not prescribed or flowing over any other land that is not in a Prescribed Surface Water Area Overlay or in the Mount Lofty Ranges Water Protection Area Overlay,	
	and where it is contrary to a Natural Resources Management Plan applying in the region of the development site.	
Commercial Forestry	Development that involves a change in use of land for the purposes of undertaking commercial forestry for which a permit would be required	To provide expert assessment and direction to the relevant authority on potential

Referral Body: The Minister responsible for the administration of the Natural Resources Management Act 2004

Referral Category	Development Type	Purpose of referral
	under section 127(3) of the <i>Natural Resources</i> <i>Management Act 2004</i>	impacts from such development on water resources.

Part 9.3 Referral Body: Technical Regulator

Referral Body: Technical Regulator			
Referral Category	Development Type	Purpose of referral	
Building Near Powerlines	 Development that involves the construction of a building where a declaration has not been given under Schedule 8 -11 of the <i>Planning</i>, <i>Development and Infrastructure Regulations</i> 2019, other than where the development is a building that is intended only to house, or that constitutes, electricity infrastructure (within the meaning of the <i>Electricity Act 1996</i>) or is limited to: (a) an internal alteration of a building; or (b) an alteration to the walls of a building but not so as to alter the shape of the building. 	 To provide expert technical assessment and direction to the relevant authority on: potential impacts of development on electricity infrastructure; and potential safety issues relating to development in close proximity to electricity infrastructure. 	

Referral Body: Minister for the time being administering the Aquaculture Act 2001			
Referral Category	Development Type	Purpose of referral	
Aquaculture Development	Aquaculture development, other than development which involves an alteration to an existing or approved development which in the opinion of the relevant authority is minor in nature.	To provide expert technical assessment and direction to the relevant authority on matters which may impact upon the associated license required for aquaculture development under the <i>Aquaculture Act 2001</i> .	

Part 9.4 Referral Body: Minister for the time being administering the Aquaculture Act 2001

Part 10 – Table of Amendments

Table of amendments	
Nil	